

SERVICE PRACTICE STATEMENT FOR NON QUALIFIED CERTIFICATE SERVICES

Statement of NETLOCK Ltd. regarding the detailed requirements of procedure and operation applied in relation to the provision of the non qualified certification service, related certificate status services and remote signing service

[TRANSLATION OF THE SAME TITLED HUNGARIAN-LANGUAGE OFFICIAL DOCUMENT]



NETLOCK Informatics and Network Security Services Limited Liability Company

<i>Document name in Hungarian:</i>	Szolgáltatási Szabályzat Nem Minősített Tanúsítványszolgáltatásokra
<i>Document name in English:</i>	Service Practice Statement for Non-Qualified Certificate Services
<i>Document short name:</i>	SPS-NQC-EN
<i>Version:</i>	231103
<i>Object identifier (OID):</i>	1.3.6.1.4.1.3555.1.1.15.0.231103
<i>Date of approval:</i>	04/10/2023
<i>Date of publication:</i>	04/10/2023
<i>Valid from:</i>	03/11/2023
<i>No. of pages:</i>	176 pages included cover
<i>Accepted by:</i>	Frecska Ábel CEO, NETLOCK Ltd.

© COPYRIGHT, NETLOCK KFT., 2023. – ALL RIGHTS RESERVED

The present document is a translation of the original same titled Hungarian language Service Practice Statement. It is published with the same OID as the original hungarian document (see Hungarian and English title and OID on cover).

The present English version is not the official Service Practice Statement for qualified certificate services of NETLOCK. The official Practice Statement registered by the Supervisory Body is the Hungarian version.

In case of any difference between the Hungarian and the English version, the Hungarian version shall be applied.

TABLE OF CONTENT

TABLE OF CONTENT	3
1. INTRODUCTION	10
1.1. OVERVIEW.....	10
1.1.1. Standards and requirements.....	11
1.1.2. The Service Provider.....	12
1.2. DOCUMENT NAME AND IDENTIFICATION	14
1.2.1. Certificate policies.....	14
1.2.2. Revisions of the Document	17
1.3. PKI PARTICIPANTS	18
1.3.1. Certification Authorities	19
1.3.2. Registration Authority	20
1.3.3. Subscribers, End-Users, and Applicants	21
1.3.4. Relying Party	21
1.3.5. Other participants	21
1.4. CERTIFICATE USAGE.....	22
1.4.1. Use of Compliant Certificates	22
1.4.2. Prohibited certificate use	23
1.5. REGULATION ADMINISTRATION.....	23
1.5.1. Organisation responsible for the administration of the document.....	24
1.5.2. Contact person of the document	24
1.5.3. The organization responsible for the compliance of the present practice statement with the certificate policy	24
1.5.4. Adoption of the Practice Statement.....	25
1.6. TERMS & ABBREVIATIONS	25
1.6.1. Definitions	25
1.6.2. Abbreviations.....	34
2. PUBLICATION AND CERTIFICATE REPOSITORY	37
2.1. REPOSITORIES	37
2.1.1. Publication of certification information	37
2.1.2. Publication of Terms and Conditions.....	38
2.1.3. Declarations.....	38
2.2. TIME OR FREQUENCY OF PUBLICATION	39
2.3. ACCESS CONTROLS ON REPOSITORIES	39
3. IDENTIFICATION AND AUTHENTICATION	41
3.1. NAMING	41
3.1.1. Types of names.....	43
3.1.2. Need for names to be meaningful	44
3.1.3. Pseudonyms.....	46
3.1.4. Rules for interpreting various name forms	46
3.1.5. Uniqueness of names	47
3.1.6. Recognition, authentication, and role of trademarks	48
3.2. INITIAL IDENTITY VALIDATION.....	48
3.2.1. Method to prove possession of private key.....	50

3.2.2. Authentication of organization identity	50
3.2.3. Authentication of individual identity	53
3.2.4. Non-verified subscriber information	60
3.2.5. Control of eligibilities and delegation	60
3.2.6. Criteria for interoperation	63
3.3. IDENTIFICATION AND AUTHENTICATION FOR MANAGING CERTIFICATES	63
3.3.1. Identification and certification in the case of a valid certificate	64
3.3.2. Identification and certification in the case of an invalid certificate	65
3.4. IDENTIFICATION AND AUTHENTICATION FOR STATUS CHANGE REQUEST	65
4. CERTIFICATE LIFECYCLE REQUIREMENTS	67
4.1. CERTIFICATE ENROLMENT	67
4.1.1. Who can submit a certificate application	68
4.1.2. Enrolment process and responsibilities	69
4.2. CERTIFICATE APPLICATION PROCESSING	74
4.2.1. Performing identification and authentication functions	74
4.2.2. Approval or rejection of certificate applications	76
4.2.3. Time to process certificate applications	78
4.3. CERTIFICATE ISSUANCE	78
4.3.1. TSP actions during certificate issuance	80
4.3.2. Notification by the TSP of issuance of certificate	81
4.4. CERTIFICATE ACCEPTANCE	81
4.4.1. Conduct constituting certificate acceptance	81
4.4.2. Publication of the certificate by the TSP	82
4.4.3. Notification of certificate issuance by the TSP to other entities	82
4.5. KEY PAIR AND CERTIFICATE USAGE	82
4.5.1. Subscriber private key and certificate usage	82
4.5.2. Relying party public key and certificate usage	83
4.6. CERTIFICATE RENEWAL	84
4.6.1. Circumstance for certificate renewal	84
4.6.2. Who may request renewal	85
4.6.3. Processing certificate renewal requests	85
4.6.4. Notification of new certificate issuance to subscriber	87
4.6.5. Conduct constituting acceptance of a renewal certificate	87
4.6.6. Publication of the renewal certificate by the TSP	87
4.6.7. Notification of certificate issuance by the TSP to other entities	87
4.7. RE-KEY	87
4.7.1. Circumstance for certificate re-key	88
4.7.2. Who may request certification of a new public key	88
4.7.3. Processing certificate re-keying requests	88
4.7.4. Notification of new certificate issuance to subscriber	88
4.7.5. Conduct constituting acceptance of a re-keyed certificate	88
4.7.6. Publication of the re-keyed certificate by the TSP	89
4.7.7. Notification of certificate issuance by the TSP to other entities	89
4.8. CERTIFICATE MODIFICATION	89
4.8.1. Circumstance for certificate modification	90
4.8.2. Who may request certificate modification	90

4.8.3. Processing certificate modification requests.....	90
4.8.4. Notification of new certificate issuance to subscriber	90
4.8.5. Conduct constituting acceptance of modified certificate	90
4.8.6. Publication of the modified certificate by the TSP	90
4.8.7. Notification of certificate issuance by the TSP to other entities	90
4.9. CERTIFICATE STATUS CHANGE	91
4.9.1. Circumstances for revocation and suspension.....	91
4.9.2. Who can request status change	93
4.9.3. Procedure for revocation, suspension and activation.....	93
4.9.4. Revocation request grace period.....	94
4.9.5. Time within which TSP must process the status change request.....	95
4.9.6. Certificate status checking requirement for relying parties.....	96
4.9.7. CRL issuance frequency.....	97
4.9.8. Maximum latency for CRLs	97
4.9.9. On-line status checking availability	97
4.9.10. On-line status checking requirements	97
4.9.11. Other forms of revocation advertisements available	98
4.9.12. Special requirements re-key compromise.....	98
4.9.13. Limits on suspension period.....	98
4.10. CERTIFICATE STATUS SERVICES	99
4.10.1. Operational characteristics.....	99
4.10.2. Service availability	100
4.10.3. Optional features.....	100
4.11. END OF SUBSCRIPTION	101
4.12. KEY ESCROW AND RECOVERY	101
4.12.1. Key escrow and recovery policy and practices.....	101
4.12.2. Session key encapsulation and recovery policy and practices	101
5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS	102
5.1. PHYSICAL CONTROLS	102
5.1.1. Site location and construction.....	103
5.1.2. Physical access	103
5.1.3. Power and air conditioning.....	104
5.1.4. Water exposures.....	105
5.1.5. Fire prevention and protection.....	105
5.1.6. Media storage.....	105
5.1.7. Waste disposal.....	105
5.1.8. Off-site backup	105
5.2. PROCEDURAL CONTROLS	106
5.2.1. Trusted roles.....	106
5.2.2. Number of persons required per task	107
5.2.3. Identification and authentication for each role	107
5.2.4. Roles requiring separation of duties	107
5.3. PERSONNEL CONTROLS.....	108
5.3.1. Qualifications, experience, and clearance requirements	109
5.3.2. Inspection Procedures	110
5.3.3. Training requirements	110
5.3.4. Retraining frequency and requirements	110
5.3.5. Job rotation frequency and sequence.....	111

5.3.6. Sanctions for unauthorized actions	111
5.3.7. Independent contractor requirements	111
5.3.8. Documentation supplied to personnel	111
5.4. AUDIT LOGGING PROCEDURES	111
5.4.1. Types of events recorded	112
5.4.2. Frequency of processing log	112
5.4.3. Retention period for audit log	113
5.4.4. Protection of audit log	113
5.4.5. Audit log backup procedures	113
5.4.6. Audit collection system	113
5.4.7. Notification to event-causing subject	113
5.4.8. Vulnerability assessments	113
5.5. RECORDS ARCHIVAL	114
5.5.1. Types of records archived	114
5.5.2. Retention period for archive	115
5.5.3. Protection of archive	115
5.5.4. Archive backup procedures	115
5.5.5. Requirements for timestamping of records	115
5.5.6. Archive collection system	115
5.5.7. Procedures to obtain and verify archive information	116
5.5.8. Miscellaneous archiving provisions	116
5.6. KEY CHANGEOVER	116
5.7. COMPROMISE AND DISASTER RECOVERY	116
5.7.1. Incident and compromise handling procedures	116
5.7.2. Computing resources, software, and/or data are corrupted	117
5.7.3. Entity private key compromise procedures	118
5.7.4. Business continuity capabilities after a disaster	118
5.8. CA OR RA TERMINATION	119
6. TECHNICAL SECURITY CONTROLS	121
6.1. KEY PAIR GENERATION AND INSTALLATION	121
6.1.1. Key pair generation	121
6.1.2. Private key delivery to subscriber	123
6.1.3. Public key delivery to certificate issuer	123
6.1.4. TSP public key delivery to relying parties	124
6.1.5. Key sizes	124
6.1.6. Public key parameters generation and quality checking	124
6.1.7. Key usage purposes (as per X.509 v3 key usage field)	125
6.2. PRIVATE KEY PROTECTION AND CRYPTOGRAPHIC MODULE ENGINEERING CONTROLS	126
6.2.1. Cryptographic module standards and controls	126
6.2.2. Private key (n out of m) multi-person control	128
6.2.3. Private key escrow	128
6.2.4. Private key backup	128
6.2.5. Private key archival	129
6.2.6. Private key transfer into or from a cryptographic module	129
6.2.7. Private key storage on cryptographic module	129
6.2.8. Method of activating private key	129
6.2.9. Method of deactivating private key	130
6.2.10. Method of destroying private key	130

6.2.11. Cryptographic Module Rating	130
6.3. OTHER ASPECTS OF KEY PAIR MANAGEMENT	130
6.3.1. Public key archival	130
6.3.2. Certificate operational periods and key pair usage periods.....	131
6.4. ACTIVATION DATA	131
6.4.1. Activation data generation and installation.....	131
6.4.2. Activation data protection	132
6.4.3. Other aspects of activation data	132
6.5. COMPUTER SECURITY CONTROLS	132
6.5.1. Specific computer security technical requirements.....	132
6.5.2. Computer security rating.....	133
6.6. LIFE CYCLE TECHNICAL CONTROLS.....	133
6.6.1. System development controls.....	133
6.6.2. Security management controls	133
6.6.3. Life cycle technical controls.....	134
6.7. NETWORK SECURITY	134
6.8. TIMESTAMPING	134
7. CERTIFICATE, CRL, OCSP PROFILES	135
7.1. CERTIFICATE PROFILE	135
7.1.1. Version number(s)	146
7.1.2. Certificate extensions.....	146
7.1.3. Algorithm object identifiers	148
7.1.4. Name forms	148
7.1.5. Name constraints.....	148
7.1.6. Certificate Policy object identifier.....	148
7.1.7. Usage of Policy Constraints extension	148
7.1.8. Policy qualifiers syntax and semantics	148
7.1.9. Processing semantics for the critical Certificate Policy extension	148
7.2. CRL PROFILE.....	148
7.2.1. Version number(s)	148
7.2.2. CRL extensions.....	149
7.3. OCSP PROFILE.....	149
7.3.1. Version number(s)	149
7.3.2. OCSP extensions	149
8. COMPLIANCE AUDIT	151
8.1. FREQUENCY OR CIRCUMSTANCES OF ASSESSMENT	151
8.2. IDENTITY/QUALIFICATIONS OF ASSESSOR	152
8.3. ASSESSOR'S RELATIONSHIP TO ASSESSED ENTITY	153
8.4. TOPICS COVERED BY ASSESSMENT/AUDIT	153
8.5. ACTIONS TAKEN AS A RESULT OF DEFICIENCY	154
8.6. COMMUNICATION OF RESULTS	154
9. OTHER BUSINESS AND LEGAL MATTERS	155
9.1. FEES.....	155
9.1.1. Certificate issuance or renewal fees	156

9.1.2. Certificate access fees.....	156
9.1.3. Status changes or status information access fees.....	156
9.1.4. Fees for other services	156
9.1.5. Refund policy.....	157
9.2. FINANCIAL RESPONSIBILITY	157
9.2.1. Insurance coverage.....	157
9.2.2. Other assets:.....	158
9.2.3. Insurance or warranty coverage for relying parties.....	158
9.3. HANDLING OF BUSINESS INFORMATION	158
9.3.1. Scope of confidential information	159
9.3.2. Information not within the scope of confidential information.....	159
9.3.3. Protection of confidential information.....	159
9.4. PRIVACY OF PERSONAL INFORMATION.....	161
9.4.1. Data management.....	161
9.4.2. Private information.....	162
9.4.3. Information not deemed private	162
9.4.4. Protection of personal data	162
9.4.5. Usage of private information	162
9.4.6. Data management.....	162
9.4.7. Other information disclosure circumstances.....	163
9.5. INTELLECTUAL PROPERTY RIGHTS	163
9.6. REPRESENTATIONS AND WARRANTIES.....	164
9.6.1. The Certification Authority's responsibilities.....	164
9.6.2. The RA's responsibilities.....	164
9.6.3. Client representations and warranties	164
9.6.4. Relying party representations and warranties	165
9.6.5. Representations and warranties of other participants	166
9.7. DISCLAIMERS OF WARRANTIES	166
9.8. LIMITATIONS OF LIABILITY	166
9.9. INDEMNITIES.....	167
9.10. TERM AND TERMINATION.....	167
9.10.1. Term.....	167
9.10.2. Termination	167
9.10.3. Effect of termination.....	168
9.11. INDIVIDUAL NOTICES AND COMMUNICATIONS WITH PARTICIPANTS	168
9.12. MODIFICATIONS	169
9.12.1. Amendments	169
9.12.2. Notification mechanism and period.....	170
9.12.3. Circumstances under which OID must be changed.....	170
9.13. DISPUTE RESOLUTION	171
9.13.1. Dispute resolution provisions	171
9.13.2. Amicable dispute resolution through negotiations	172
9.13.3. Litigious dispute resolution	172
9.14. GOVERNING LAW.....	172
9.15. COMPLIANCE WITH APPLICABLE LAW AND STANDARDS	172
9.16. MISCELLANEOUS PROVISIONS	175
9.16.1. Entire agreement	175
9.16.2. Transferral.....	175

9.16.3. Partial invalidity	175
9.16.4. Enforcement	175
9.16.5. Force Majeure	175
9.17. MISCELLANEOUS PROVISIONS	176

TRANSLATION

1. INTRODUCTION

The present document is the statement of NETLOCK Informatikai és Hálózatbiztonsági Szolgáltató Korlátolt Felelősségű Társaság (hereinafter: Service Provider or TSP) regarding the detailed requirements of procedure and operation applied in relation to the provision and using of the non-qualified trust certification services (hereinafter: Practice Statement or Statement).

The procedures and the practical rules pertaining thereto, which are recorded in the present practice statement shall only apply to the services enlisted in chapter 1.1 hereof and related to the certificates compliant with the certification policies set out in chapter 1.2.1 Certificate Policies (LCP, NCP, NCP+; NSCP, LSCP; OVCP and EVCP) of the document entitled NETLOCK Trust Service Policy for Non-Qualified Certificate Services (hereinafter: Service Policy).

The certificates compliant with each certificate policies and the short description thereof with the names used in the commercial communication of Service Provider are set out in Chapter 1.2.1 hereof.

For the definitions and abbreviations see chapter 1.6.

1.1. Overview

The present document contains the requirements pertaining to the following trust services of Service Provider:

non-qualified certification service,

- issuance of electronic signature certificates
- issuance of electronic stamp certificates
- issuance of website authentication certificates;

non-qualified certification service for the employees – with powers to issue document and to act in the course of the administration – of the bodies providing electronic administration service under the Electronic Administration Act, and for the IT systems of these authorities (such certificates shall be hereinafter referred to as “governmental certificates”);

non qualified certification service within the framework of the NETLOCK SIGN service;
certificate status services related to non-qualified certificate services.

See Chapter 1.2.1 Certificate policies for the connection between the various certificates and certificate policies.

In addition to details information on the Service Provider’s procedural and operational rules, the present Statement also provides Relying Parties with recommendations for checking electronic signatures, seals, , including the certificates of these, and for the use of certificates for website authentication and other certificates.

1.1.1. Standards and requirements

The Trust Service Practice Statement was created in line with the structure of the NETLOCK Trust Service Policy for Non-Qualified Certificate Issuance Service and sets forth the method for meeting the requirements determined therein. The various chapter titles serve only to order the contents according to the given logical order but are not governing in the interpretation of the provisions.

The contents of the Statement meets the requirements and recommendations of eIDAS, the Electronic Administration Act, and the BM Decree, and makes use of the recommendations of standards ETSI EN 319 401, ETSI EN 319 411-1, ETSI EN 319 412, ETSI TS 119 431-1 and ETSI TS 119 431-2 and x.509 (See details at 9.15).

Signing and seal certificates that do not contain pseudonyms and were issued on the basis of this Statement, as well as the private keys belong to such certificates, can be used in official public administration proceedings for creating and verifying electronic signatures and seals by clients and persons (administrators) participating in administrative tasks but not authorised to issue.

The certificates that can be used in public administration procedures by the government bodies that provide administrative tasks meet the requirements set by the Public Administration Decree.

In the case of website authentication certificates (OVCP) the NetLock conforms to the current version of the CA/Browser Forum Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates published at <http://www.cabforum.org>. In the event of any inconsistency between this document and those Guidelines, those Guidelines take precedence over this document.

In the case of website authentication certificates (EVCP) the NetLock conforms to the current version of the CA/Browser Forum Guidelines for Issuance and Management of Extended Validation Certificates published at <http://www.cabforum.org>. In the event of any inconsistency between this document and those Guidelines, those Guidelines take precedence over this document.

The laws, standards and requirements used and applied by Service Provider are detailed in Chapter 9.15.

SSASC Policy requirements related to NETLOCK Sign remote signing service are described in Service Policy, there is no separate document for this purpose. Information about remote signing service according to SSASC Policy are the following:

- In case of non qualified certificates, capable of creating advanced signature or seal, service is compliant with LSCP or NSCP, according to Client's request.
- Supported signature formats:
 - XADES,
 - PADES,
 - ASIC

- Supported signature classes:
 - B
 - T
 - LT
 - LTA
- Signing service supports both document and hash signature.
- In case of signature formats with timestamp remote signing service uses NETLOCK Qualified Timestamp Service.

Key management system is managed by TSP employees named in trusted role (see 5.2.1).

1.1.2. The Service Provider

The entity referred to as the Service Provider in the present Statement is NETLOCK Kft.

Service Provider data:

COMPANY NAME:	NETLOCK Informatics and Network Security Services Limited Liability Company
HUNGARIAN NAME:	NETLOCK Informatikai és Hálózatbiztonsági Szolgáltató Korlátolt Felelősségű Társaság
SHORT NAME (EN/HU):	NETLOCK Ltd. / NETLOCK Kft.
REGISTERED SEAT:	H-1101 Budapest, Expo tér 5-7.
SITE (CUSTOMER SERVICE):	H-1143 Budapest, Hungária körút 17.
POSTAL ADDRESS:	H-1439 Budapest, Pf. 663
COMPANY REGISTRATION NUMBER:	01-09-563961
TAX ID:	12201521-2-42
PHONE NUMBER:	(+36 1) 437 6655 <i>Application for certificate status change: Press 3</i>
WEBSITE:	https://netlock.hu/
STATEMENTS AND CLAUSES PUBLISHED:	https://netlock.hu/aktualis-szabalyzatok (official Hungarian versions) https://netlock.hu/aktualis-szabalyzatok/#en (English translation)
CUSTOMER SERVICE E-MAIL:	info@netlock.hu
FOR ORDERS, DOCUMENT COPIES, AND AGREEMENTS:	igenvlesek@netlock.hu or kerelmek@netlock.hu
NETLOCK POLICY ACCEPTANCE UNIT EMAIL:	szee@netlock.hu
CUSTOMER SERVICE /BUSINESS HOURS:	At the place and within the time interval set out on the website of the Service Provider

The Service Provider was registered on 27 October 2001 by the Supervisory Body as a non-qualified Service Provider as defined by the Electronic Signatures Act¹. Registration number: FA 6133-5/2001. The registry of the services under the Electronic Signature Act maintained by the Trust Services Supervisory Authority is available at <http://webpub-ext.nmhh.hu/esign/>

¹ Act XXXV of 2001 on Electronic Signatures (no longer in force)

This Service Practice Statement contains procedural and operational requirements concerning the rendering of non-qualified trust certification services complying with the provisions of eIDAS and the Electronic Administration Act. Service Provider has commenced the rendering of such services simultaneously with the entry into force of the first version of this Service Policy. In this regard:

- According to Section 80 of the Electronic Administration Act, the Service Provider has reported the commencement of the rendering of non-qualified trust certification services to the Trust Service Supervisory Body on the electronic form issued by the Authority.
- the Service Policy, the Service Practice Statement and the approved public drafts of the General Terms and Conditions, as well as the additional documents, papers and declarations provided for in Paragraph 2 Section (2) of Government Decree 470/2017 have been sent by the Service Provider to the Trust Service Supervisory Body at the time of reporting the non-qualified trust certification service.
- the Trust Service Supervisory Body has registered the Service Provider and its trust service in its register of non-qualified trust service providers and non-qualified trust services, specified in Section 94 of the Electronic Administration Act, and
- the “non-qualified” status of the trust service within the meaning of eIDAS has been added to the trusted lists (EUTSL) specified in Article 22 (1) of eIDAS (see below for the availability of the lists).

The non-qualified trust services under the present Practice Statement was registered with the Trust Services Supervisory Authority simultaneously with the publication of the first version of the Practice Statement.

The public registry of the non-qualified service providers and non-qualified services under the eIDAS maintained by the Trust Services Supervisory Authority is available at:

<http://webpub-ext.nmhh.hu/esign2016/szolgParams/init.do?tipus=fb>

The Hungarian Trusted List, maintained and published by the Supervisory Body, available at:

- in a machine processable (xml) format: http://nmhh.hu/tl/pub/HU_TL.xml
- in a readable (pdf) format: http://nmhh.hu/tl/pub/HU_TL.pdf

The list of Trusted Lists, maintained and published by the European Commission, available at:

- in a machine processable (xml) format: https://ec.europa.eu/information_society/policy/esignature/trusted-list/tl-mp.xml
- in a browsable and searchable format: <https://webgate.ec.europa.eu/tl-browser>

The “non-qualified” status under eIDAS is indicated with the “CA/PKC” value of “ServiceTypeIdentifier” and the “recognisedatnationallevel” value of “ServiceStatus”.

The official list of the cryptographic devices capable of creating qualified signature and seal within the territory of the EU is available at the following address:

<https://ec.europa.eu/futurium/en/content/compilation-member-states-notification-sscds-and-qscds>

Annual voluntary accreditations and other qualifications:

The certification of the certificate creation service has taken place in accordance with the ETSI EN 319 401, ETSI EN 319 411, and ETSI EN 319 412-1 standards.

ISO 9001 standard

ISO 27001 standard

Also see Chapter 8.

1.2. Document name and identification

For the name of the document and its OID, see the cover sheet (first page with the logo of Service Provider) in the lines of "Document name in Hungarian" and "Document name in English" and also in the "Object identifier (OID)" lines.

On the other pages in the header the OID is displayed, and the English name in the footer.

For the date of the approval, publishing and validity, also see the cover sheet.

The present document is one of the documents issued by Service Provider, which provide for a uniform regulatory framework of the conditions of the services provided by Service Provider. Such documents are the General Terms and Conditions, the Service Agreement, the practice statements, as well as the other agreements made with the Clients and the Partners.

In the present document the entity referred to as the Service Provider shall mean NETLOCK Kft. – see chapter 1.1.2 for its details.

1.2.1. Certificate policies

In the CP (Certificate Policies) extension of end-user certificates, the Service Provider indicates the OIDs defined in Chapter 1.2.1 of the Trust Service Policy as primary certificate policy identifiers. The Service Provider also applies secondary certificate policies (see 7.1 Certificate profile).

The end-user certificate types distributed by the Service Provider are the compliant with the following certificate policies (see Chapter 7.1 for the connection between certificate policies and certificate profiles).

About the currently publicly available certificate types – among the following – informations are provided on the TSP's website and pricelist.

In case any specific procedure set out in the present practice statement does not apply to the application, issuance and management of all certificate types enlisted above, the different terms and conditions shall be separated herein on the basis of commercial names, and if necessary for the sake of clarity, the ID of the certificate policy shall also be indicated.

a. Non-qualified signing and sealing certificates

Commercial names of NETLOCK certificates	Certificate Policy ID ²	Description
Express personal signing – SW	LCP	Signature certificate with personal profile with software or SCD key storage, the private key of which is capable of creating non-qualified signature under Article 26 of eIDAS. The identification and authentication procedures required for the issuance do not include the validation of the identity of the Applicant (Subject) via personal attendance or by equivalent means.
Express business signing – SW	LCP	Signature certificate with business profile with software or SCD key storage, the private key of which is capable of creating non-qualified signature under Article 26 of eIDAS. The identification and authentication procedures required for the issuance do not include the validation of the identity of the Applicant (Subject) via personal attendance or by equivalent means.
Express sealing - SW	LCP	Seal certificate with organizational profile with software key storage and with key generation by the Client, the private key of which is capable of creating non-qualified seal under Article 36 of eIDAS.
Express personal signing – SCD	LCP	Signature certificate with personal profile with SCD key storage and with key generation by the Client, the private key of which is capable of creating non-qualified signature under Article 26 of eIDAS. The identification and authentication procedures required for the issuance do not include the validation of the identity of the Applicant (Subject) via personal attendance or by equivalent means.
Express business signing – SCD	LCP	Signature certificate with business profile with SCD key storage and with key generation by the Client, the private key of which is capable of creating non-qualified signature under Article 26 of eIDAS. The identification and authentication procedures required for the issuance do not include the validation of the identity of the Applicant (Subject) via personal attendance or by equivalent means.
Governmental non-qualified sealing – SCD	NCP+	Governmental seal certificate with SCD key storage and with key generation by the Client, the private key of which is capable of creating non-qualified seal under Article 36-37. of eIDAS.
Express personal signing – SCD (CAMS) ³	LCP	Signature certificate with personal profile with SCD key storage and with key generation by the Service Provider, the private key of which is capable of creating non-qualified signature under Article 26 of eIDAS. The identification and authentication procedures required for the

² See at Service Policy 1.2.1

³ CAMS: Abbreviation of the name of the system used by the Service Provider (NETLOCK Card Management System) to impersonate client devices

		issuance do not include the validation of the identity of the Applicant (Subject) via personal attendance or by equivalent means.
Express business signing – SCD (CAMS)	LCP	Signature certificate with business profile with SCD key storage and with key generation by the Service Provider, the private key of which is capable of creating non-qualified signature under Article 26 of eIDAS. The identification and authentication procedures required for the issuance do not include the validation of the identity of the Applicant (Subject) via personal attendance or by equivalent means.
Express sealing – SCD (CAMS)	LCP	Seal certificate with organizational profile with SCD key storage and with key generation by the Service Provider, the private key of which is capable of creating non-qualified seal under Article 36 of eIDAS.
Governmental non-qualified signing – SCD (CAMS)	NCP+	Governmental signature certificate with business profile with SCD key storage and with key generation by the Service Provider, the private key of which is capable of creating non-qualified signature under Article 26-27 of eIDAS.
Express personal signing – RSCD	LCP, NSCP	Signature certificate with personal profile with managed SCD key storage and with key generation by the Service Provider, the private key of which is capable of creating non-qualified signature under Article 26 of eIDAS. The identification and authentication procedures required for the issuance do not include the validation of the identity of the Applicant (Subject) via personal attendance or by equivalent means.
Express business signing – RSCD	LCP, NSCP	Signature certificate with business profile with managed SCD key storage and with key generation by the Service Provider, the private key of which is capable of creating non-qualified signature under Article 26 of eIDAS. The identification and authentication procedures required for the issuance do not include the validation of the identity of the Applicant (Subject) via personal attendance or by equivalent means.
Express sealing – RSCD	LCP, NSCP	Seal certificate with organizational profile with managed SCD key storage and with key generation by the Service Provider, the private key of which is capable of creating non-qualified seal under Article 36 of eIDAS.
Governmental non-qualified sealing – SCD (CAMS)	NCP+	Governmental seal certificate with organizational profile with SCD key storage and with key generation by the Service Provider, the private key of which is capable of creating non-qualified seal under Article 36-37 of eIDAS.

b. Non-qualified website authenticating certificates

Commercial names of NETLOCK certificates	Certificate Policy ID ⁴	Description
Non-qualified EV SSL	OVCP, EVCP	Non-qualified website authentication certificate for the authentication of one domain name, which is compliant with Article 3 Section 38 of eIDAS and also compliant with EV certificate issue.
Non-qualified EV SSL – MD ⁵	OVCP, EVCP	Non-qualified website authentication certificate for the authentication

⁴ See at Service Policy 1.2.1

		of more than one domain name, which is compliant with Article 3 Section 38 of eIDAS and also compliant with EV certificate issue.
Non-qualified SSL for organizations	OVCP	Non-qualified website authentication certificate with OV SSL profile for the authentication of one domain name, which is compliant with Article 3 Section 38 of eIDAS.
Non-qualified SSL for organizations - MD	OVCP	Non-qualified website authentication certificate with OV SSL profile for the authentication of more than one domain name, which is compliant with Article 3 Section 38 of eIDAS.

c. Unique certificate types

In addition to the above certificate types, the Service Provider may issue other types of certificates, based on individual client demand. Uniquely configured certificate types always match a type derived from one of the public types above, such as their Certificate Policy (or other certificate policies defined in Section 1.2.1 of the Service Policy).

1.2.2. Revisions of the Document

OID	Validity	Description of change	Prepared by
1.3.6.1.4.1.3555.1.59.20191015	17.10.2019-05.04.2020	This document is a translation of the original same titled hungarian language Practice Statement that has also the same OID as the present document has (see Hungarian and English title and the OID on cover).	Szabó Zoltán Varga Viktor
1.3.6.1.4.1.3555.1.59.20201015	06.04.2020 – 23.12.2020.	- new QSCD Client Device (6.2.1) - new certificate authority of the Root Certification Service Provider of the Hungarian Public Administration (1.3.5)	Éva Varga-Szabó
1.3.6.1.4.1.3555.1.59.20201119	23.12.2020 – 02.11.2023	All previous revisions in the same titled Hungarian document added in English translation.	NETLOCK Compliance

⁵ MD: Multidomain

1.3.6.1.4.1.3555.1.1.15.0.231103	from 03.11.2023 until it is withdrawn or until a new version comes into force	• 1.1.2: Updating the Service Provider's contact details: removing fax availability (also in 4.1.2; 9.11.). • 3.2.3: Updating the validity of the Random Access Token • 4.1.2: Updating the Certificate profile • 4.2.2 Clarification of the processing conditions for certificate applications • 5.7.3.c: Clarification of the procedure to be followed in the event of compromise resulting from an algorithm change; • 6.2.1: Clarification of the status monitoring methodology of SCD devices; SCD register update; • 6.3.2: Clarification of the lifetime of website authentication certificates; • 7.1: Implementation of CA/B Forum change regarding qualified OV and EV website authentication certificates; • 8.1: Implementation of auditing of external partners and service providers according to the ISO27001 standard • 8.4: Clarifying details with configuration check regarding the areas covered by audit; • 9.12.3: Refinement and alteration of the document ID (OID) procedure; • 9.15: Supplementing compliance standards with the ETSI TS 119 461, ETSI TS 119 511 and ETSI EN 301 549 standard. • Changes caused by the IV SSL certificate type revocation (1; 1.1.1; 1.2.1; 1.4.1; 2.1.1; 2.1.3; 3.1; 3.1.1; 3.1.2; 3.1.3; 3.1.5; 3.2.3.c; 3.2.5; 3.3; 4.1.1; 4.1.2.ii; 4.1.2.b; 4.2.2; 4.3; 4.9; 4.9.6; 4.9.13; 4.10.1; 4.10.2; 7.1; 8.1) • Other structural and formal changes (1.1.1; 1.2.1; 1.3.1; 3.1; 3.1.2; 3.2; 3.2.5; 4.1; 4.1.2; 4.2.1; 4.2.2; 5.2.4; 5.3; 5.7.1; 6.1.1; 6.2.4; 6.3.2; 7.1; 8; 8.2; 8.3; 8.4; 9.3.2; 9.6.3; 9.6.4; 9.12.3; 9.15.).	NETLOCK Compliance
----------------------------------	---	--	--------------------

1.3. PKI participants

The community that uses the issued certificates consists of the Service Provider, the Registration and other Cooperating Authorities in a contractual relationship with the Service Provider, certificate Applicants, End-Users, Subscribers, and the Relying Parties.

See also relevant definitions in Section 1.6.1 Definitions.

1.3.1. Certification Authorities

The Service Provider operates a Certification Authority and more than one CA managed by it.

TSP does not associate with any External Certification Authority.

The operation of the Certificate Authority compliant with the requirements covering the Authority set out in the Certificate Policy, the present Practice Statement and other Terms shall be ensured by the proprietary internal rules of operation of the Certification Authority. The employees working at the Certification Authority shall carry out their activities in accordance with the requirements set out in the internal rules of operation.

The Service Provider uses the following CAs:

the Intermediate CA that certifies both end-user and TSP certificates, and
the top-level Root CA

which operate in the form of a hierarchy.

The Service Provider may also authenticate CAs and Timestamp Servers that are linked to Subordinated Services.

The Certification Authority is responsible for issuing certificates. The Certification Authority employs Certification Administrators who are responsible for executing the (non-automated) tasks related to the issuance, renewal, modification, and status change of certificates on the basis of the identification and data verification performed by the Registration Authority. See Chapter 9.6.1. The Validation Specialist trusted role is filled by the Certification Administrators.

The name and SHA256 hash of the Root CAs of the Service Provider:

NetLock Arany (Class Gold) Főtanúsítvány	6C:61:DA:C3:A2:DE:F0:31:50:6B:E0:36:D2:A6:FE:40:19:94:FB:D1:3D:F9:C8:D4:66:59:92:74:C4:46:EC:98
NetLock Platina (Class Platinum) Főtanúsítvány	EB:7E:05:AA:58:E7:BD:32:8A:28:2B:F8:86:70:33:F3:C0:35:34:2B:51:6E:E8:5C:01:67:3D:FF:FF:BB:FE:58

Main data of the non-qualified intermediary CAs:

Name of CA	link to CA certificate	link to CRL
NETLOCK Trust Advanced Plus CA	www.netlock.hu/index.cgi?ca=trustap	www.netlock.hu/index.cgi?crl=trustap
NETLOCK Trust Advanced CA	www.netlock.hu/index.cgi?ca=trusta	www.netlock.hu/index.cgi?crl=trusta
NETLOCK Trust CA	www.netlock.hu/index.cgi?ca=trust	www.netlock.hu/index.cgi?crl=trust
NETLOCK Üzleti (Class B)	www.netlock.hu/index.cgi?ca=cbca	www.netlock.hu/index.cgi?crl=cbca

NETLOCK Expressz (Class C)	www.netlock.hu/index.cgi?ca=ccca	www.netlock.hu/index.cgi?crl=ccca
Közigazgatási üzleti (Class B)	www.netlock.hu/index.cgi?ca=bkozig	www.netlock.hu/index.cgi?crl=bkozig
NETLOCK Trust EV CA	www.netlock.hu/index.cgi?ca=trustev	www.netlock.hu/index.cgi?crl=trustev
NETLOCK Trust EV CA 2	www.netlock.hu/index.cgi?ca=trustev2	www.netlock.hu/index.cgi?crl=trustev2
NETLOCK Trust EV CA 3	http://www.netlock.hu/index.cgi?ca=trustev3	www.netlock.hu/index.cgi?crl=trustev3

More information and other CAs can be found on the website of the Service Provider⁶.

1.3.2. Registration Authority

The Service Provider operates a Central Registration Authority and cooperates with External Registration Authorities. The Central Registration Authority employs Registration Administrators, Mobile Registration Associates, and works together with Delivery Agents. The External Registration Authorities employ at least one Registration Administrator.

The Central Registration Authority of Service Provider operates at the registered office of the Service Provider, which may be attended by the Clients in the hours of service set out on the website of Service Provider (see 1.1.2) for the validation of their identity and for other registration-related administration.

The External Registration Authorities provide registration services only for the clientele set out in the agreement made with the Service Provider Partner. Service Provider shall provide information on the External Registration Authorities, the contact details and clientele thereof on its website (see 1.1.2).

The Registration Authorities are responsible for identifying the entity(-ies) indicated as the subject of the certificate and involved in the application, checking their data and authorisation to proceed, recording the certificate application and forwarding it to the Certification Authority, coordinating the certificate issuance procedure, documentation, performing additional certificate management and status change requests, and handing over the Client device.

The Service Provider's customer service employees take care of customer service tasks and communicate with Clients. Customer service is a separate group within the Central Registration Authority. The Service Provider publishes their contact information on its website (see 1.1.2).

The operation of the Registration Authority compliant with the requirements covering the Authority set out in the Certificate Policy, the present Practice Statement and other Terms shall be ensured by the proprietary internal rules of operation of the Registration Authority. The employees working at the Registration Authority shall carry out their activities in accordance with the

⁶ <https://www.netlock.hu/html/cacrl.html> and https://www.netlock.hu/docs/dokumentumok/NETLOCK_ca_hierarchy.pdf

requirements set out in the internal rules of operation. Service Provider binds, by way of agreements, the External Registration Authorities to comply with the applicable requirements.

See Chapter 9.6.2.

1.3.3. Subscribers, End-Users, and Applicants

The Subscriber and the Applicant are the Clients of the Service Provider, with whom the Service Provider enters into contractual relationship.

The person of the End User shall be determined by the Subscriber.

See the respective definitions in Chapter 1.6 of Definitions and Abbreviations.

The Service Provider, any employee, organizational unit or service partner may also become a Client of Service Provider. The same terms and conditions shall apply to such clients as the ones apply to the remaining clients; Service Provider shall not diverge from the requirements and rules of the certificate policy and the present practice statement. In the case of such an application for certificate, Applicant, Subscriber, End User and Recipient shall not participate in the activities of Service Provider made in the course of the processing of such related application (registration, validation of identity, activities related to client devices, approval of application, certificate issuance etc. – for further details see Chapter 4) and shall not exercise any influence thereto.

1.3.4. Relying Party

The Relying Parties are typically not in contractual relationship with the Service Provider, but the present Practice Statement prepared on the basis of the present Certificate Policy may provide them with recommendations in relation to the services they use, which are typically free of charge, mostly certificate status reports. The Service Provider primarily communicates with Relying Parties by way of the certificate repository.

See further the definition of Relying Party in Chapter 1.6.1.

1.3.5. Other participants

a. Signatory Partners

By entering into unique agreements, Service Provider may involve so called Signatory Partners in the provision of the NL Sign service.

The Signatory Partners may participate in the preparation of the registration of the End Users. The Signatory Partners have no access to the certificate, the keys and the activation data.

The Signatory Partners shall not come into contact with, and shall not be aware of, the private key and activation data of the End Users, and therefore the Signatory Partners shall not be able to create signature or stamp on behalf of the End Users.

b. The Root Certification Service Provider of the Hungarian Public Administration

The so called government end user certificates issued for governmental bodies that enable electronic administration shall be issued by Service Provider from the issuer certified by the certificate issued by the Root Certification Service Provider (hereinafter: Public Root Provider).

The certification of the intermediary issuer of Service Provider by the Public Root Provider certifies the followings:

- the Public Root Provider verified the details of the Service Provider, as well as the compliance of the Trust Service Policy and Practice Statement of Service Provider;
- the Service Provider agrees to be bound by the policies issued by the Public Root Provider in the course of the issuance of the end user certificates issued under this intermediary issuer;
- the Service Provider agrees to be bound by the right to supervise and control by the Public Root Provider.

Data of the Public Root Provider:

Name of the CA	Certificate availability	Revocation list availability
NETLOCK Qualified Public Administration CA	www.netlock.hu/index.cgi?ca=paca	www.netlock.hu/index.cgi?crl=paca

1.4. Certificate usage

The certificate types defined in Chapter 1.2.1 Overview of the Practice Statement shall be applied in accordance with the requirements set out in the following subchapters.

As regards the applicability of the certificates, see the Key Usage field of the secondary certificate policy, as well as the contents of the Key Usage field, and the other (even textual) restrictions included in the certificate in Chapter 7.1.2 Certificate Extensions.

1.4.1. Use of Compliant Certificates

a. End User signature and seal certificates

The signature and seal certificates issued under the present Practice Statement and the private keys belonging thereto are prohibited to be used for purposes other than the creation or verification of electronic signatures or stamps. The certificates under LCP, NCP and NCP+

certification policies are non qualified certificates, the private keys of which may only be used for creating advanced electronic signatures under Article 3 Point 11 of eIDAS or seal under Point 26. Private key of certificates under NCP+ shall be stored and used in SCD (see more in 4.5.1).

In administrative proceedings, certificates offered to publishers and computer systems for administration are issued by CA, whose certificates have been over-certified by the Public Root Provider (see 1.3.5). The restriction does not apply to administrative clients.

b. Website authentication certificates under Chapter

The certificates issued under the OVCP and EVCP certification policies may be used for the authentication of web servers accessed via SSL and TLS protocols.

c. Service Provider Certificates

The TSP certificates issued by the Service Provider can be used to check end-user and interim TSP certificates.

See Chapter 6.1.7 Key usage purposes for the use of the keys belonging to certificates.

See also the certificate types and certificate type profiles (Chapter 7) for the specific restrictions.

1.4.2. Prohibited certificate use

The application of the certificates issued by Service Provider other than the means of compliant use set out in the previous Chapter 1.4.1 is prohibited, in particular, the use of the private key counterparts of the public keys set out in the end user certificates for signing other public key certificates, or for the provision of any trust services is prohibited.

Service Provider shall use the intermediary certificates certifying the service provider root and end user certificates and their keys for the certification of certificates only after the publication of such intermediary certificates.

1.5. Regulation administration

The issuance and maintenance of the present Trust Service Practice Statement shall be carried out by that organizational unit of the Service Provider, which is responsible for the practice statement. The permanent members of the responsible organizational unit are those employees of the Service Provider, who are designated as such by the management of the Service Provider. The operation of the Unit is regulated by the internal, non-public rules of operation of the Policy Adopting Authority.

1.5.1. Organisation responsible for the administration of the document

The name of the organizational unit of the Service Provider that is responsible for the policies (terms) is NETLOCK Policy Adopting Authority. The permanent members of the Policy Adopting Authority are those employees of the Service Provider, who are appointed in writing by the Management of the Service Provider. The operation of the Authority is regulated in the internal, non-public rules of operation of the Policy Adopting Authority.

See Chapter 9.12 for the amendment to the policies of the Service Provider.

1.5.2. Contact person of the document

The responsible contact person of the Policy Adopting Authority shall be the approver of the present document (see the cover page of the document).

Customers, End Users and the Relying Parties may submit their questions and comments related to the present document to the NETLOCK Policy Adopting Authority in e-mail to szee@netlock.hu.

The employees of Service Provider may also submit their comments to the Policy Adopting Authority in other channels, as well, but their comments shall be made in writing in all cases.

The contact person shall be responsible for replying to queries sent in e-mail to the Policy Adopting Authority (see Chapter 1.5.1) and for implementing other measures, if necessary, on the basis of the comment.

In the case of any question or comment related to the present document and submitted to the Policy Adopting Authority, the contact person shall designate the member of the Authority who shall process the query. In the case of a complicated query, the contact person shall convene the meeting of the Policy Adopting Authority.

In the course of processing the query the Authority or the member shall identify the section(s) of the document affected by the query, then shall respond to the sender in e-mail upon consulting with the other members of the Authority, and with other employees, if necessary.

In the event the amendment of the present Certificate Policy or any other document becomes necessary on the basis of the query, the Service Provider shall act in accordance with Chapter 9.12 in relation to the amendment.

1.5.3. The organization responsible for the compliance of the present practice statement with the certificate policy

The compliance of the Practice Statement – which contains the detailed practical requirements of the provisioning and use of the certification service under the Certificate Policy – with the

Certificate Policy shall be monitored by the NETLOCK Policy Adopting Authority. The practice statement prepared on the basis of the Certificate Policy may be approved by the Policy Adopting Authority if practice statement is in complete compliance with the the present Certificate Policy. The Certificate Policy or its public draft may be published only upon approval.

1.5.4. Adoption of the Practice Statement

In case the practice statement is needed to be amended, the modified new version shall be drafted, adopted and issued under the uniform (rules of) procedure under Chapter 9.12.1 and in accordance with the rules of operation of the Authority. In case the employee responsible for the adoption of the new version has ensured that the Practice Statement will continue to comply with the requirements of the Certificate Policy, the responsible employee shall approve the practice statement and shall arrange for the publication thereof without any delay.

1.6. Terms & Abbreviations

1.6.1. Definitions

AIA	CAI (Authority Information Access:Certificate Authority Issuers): The certificate field containing the address (URL) of the CA certificate applicable to the given certificate.
Subordinated service	Non-qualified trust service operated on the basis of the Service Provider's Statements, for which the Service Provider provides a certificate.
Activation Data	A code sequence generated by the Service Provider or submitted by the End User, which is known exclusively by the End User (password, PIN code), which makes the private key ready for use. The activation data is not related to certificate issuance.
Signature	See <u>electronic signature</u>
Signature / Seal Creation Device	A <u>cryptographic device</u> , which is not capable of creating qualified signature / seal (see 1.6.2. Abbreviations, SCD).
Signature service	The following services under eIDAS: • creation, verification and validation of electronic signatures and electronic seals, • verification and validation of the related certificates. Within the framework of the present practice statement signature service means the "cloud-based" provision of the above services, which encompass the storage of end user signature and seal keys by the Service Provider and signing/stamping of the documents uploaded by the Clients via the web-based interface/protocol (including, optionally, the timestamping of the document).
Signature Partner	A partner of Service Provider, who provides signature service for its own clients, a part of which Signature Partner may participate in the validation of the identity of the End Users (in relation to whom Signature Partner has limited information and administration rights), and who uses the signature service for the provision of service in integration with its proprietary service, and who, as Subscriber, undertakes to pay the fees payable after the end users.

Subject	See the definition in pont 43 of Section 1 of the Electronic Administration Act. Within the framework of the present practice statement, Subject means the Subject and SAN fields of the certificate, as well as the data set out in the above fields, which may refer to a natural person and/or an entity and/or a trademark/product name and/or the ID/other name of a device/system or a pseudonym. See the <u>Applicant</u>, <u>Subscriber</u>, <u>Client</u> and <u>End User</u> entities.
Status Change	The procedure resulting that the status of the certificate (valid, suspended) changes and acquires a new value (valid, suspended, withdrawn).
Archiving Service	According to point 2 of Section 1 of the Electronic Administration Act, “archiving service shall mean a service designed for the long-term safeguarding of electronic documents, covering also the trust service provided for in Point 16c) of Article 3 of the eIDAS Regulation”. Within the framework of the present practice statement, archiving service shall mean a qualified trust service, in the course of which the Trust Provider creates or supplements the entire chain of validity of the signature or seal of the electronically certified (signed or sealed) documents submitted to the Service Provider for the purpose of archiving, furnishes the chain of validity with an archive timestamp, and securely stores the document or file supplemented by the above means.
Recipient	The person receiving any key or device of the end user (e.g.. <u>Client Device</u>) and the activation data thereof (in person, or by way of postal or electronic delivery). The Applicant in respect of the subject certificate may act as Recipient.
Seal	See <u>electronic seal</u>
Trust List	A list managed by the Trust Services Authority or a software producer, which contains the identifiers (typically certificates) of the trust services considered reliable. A software that manages a trust list accepts the signatures, seals and timestamps that can be traced back to the services set out in the trust list. Trust List typically means the EU trust list, where the services – whether non-qualified or qualified under eIDAS – are enlisted by the supervisory authorities of the Member States. See: https://ec.europa.eu/digital-single-market/en/eu-trusted-lists-certification-service-providers
Service Policy, Policy	<i>Szolgáltatási Rend Nem Minősített Tanúsítványszolgáltatásra</i> <i>Service Policy for Non Qualified Certificate Services</i> Requirements for non qualified certification services and related services of TSP.
Trust Service Supervisory Authority	The authority designated in the Electronic Administration Act for the supervision of trust services. Specifically, <u>National Media and Infocommunications Authority</u> shall qualify as the Trust Service Supervisory Authority.
Trusted Role	The managerial position that entails general liability for the IT system of the Service Provider. See chapter <u>5.2.1 Trusted roles</u>.
Trust Employee	The person in trusted role at the Service Provider or its Service Provider Partner.
Trust Service	According to Section 16 of Article 3 of eIDAS: “an electronic service normally provided for remuneration which consists of: - the creation, verification, and validation of electronic signatures, electronic seals or electronic time stamps, electronic registered delivery services and certificates related to

	those services, or - the creation, verification and validation of certificates for website authentication; or - the preservation of electronic signatures, seals or certificates related to those services.” Within the framework of the present practice statement, trust service means the service of the Service Provider related to electronic signatures, electronic seals and website certification, that provides the issuance and lifecycle management of the certificates, as well as the Timestamp service of the Service Provider.
Security Zone:	A (logically or physically) protected area, which safeguards the confidentiality, integrity and accessibility of the systems used by the Service Provider.
CAA Verification	A verification, whereby the Service Provider searches for CAA records under RFC 6844 in the DNS record. If these fields contain a record suggesting that the domain owner liaises with another Service Provider, the certificate shall not be issued.
Eakta (format)	An electronic signature container format that can include documents and the connected profiles (metadata), signatures, countersignatures, and timestamps, in accordance with the standards of the ETSI TS 101 903 (XAdES) specification. See also: https://e-szigno.hu/tudasbazis/e-akta-formatum-specifikacioja.html
EV Certificate Extended Validation Certificate (EVC)	A website validation certificate compliant with the requirements of EVCG.
Electronic Signature	Data in electronic form which is attached to or logically associated with other data in electronic form and which is used by the signatory to sign (Section 10 of Article 3 of eIDAS). Within the framework of the present practice statement: Electronic data created by the natural person with the private key pair of the signature certificate issued by the Service Provider, which is attached to the electronic document (or other electronic data) to be signed, and which can be verified with the certificate and the public key contained therein.
Electronic Seal	Data in electronic form, which is attached to or logically associated with other data in electronic form to ensure the latter's origin and integrity. (eIDAS Article 3 Section 25) Within the framework of the present statement: The seal certificate issued by the Service Provider with its private key pair are electronic data created by a legal person, which is attached to the electronic document (or other electronic data) to be sealed, and which can be verified with the certificate and the public key stored therein. The counterpart of electronic signature which is created by a legal person.
Subscriber	A contractual partner of Service Provider, who undertakes the payment of the service fees. The rights and obligations of Subscriber are set out separately in the GTC and in the Service Agreement. In the case of certification service, in case an organization is also specified as the Subject of the certificate or only a natural person is named, then the Subscriber is typically identical to the Subject. In the case of NL Sign service, the Subscriber is identical to the Signature Partner or the End User. See the <u>Client</u>, <u>Applicant</u> and <u>End User</u> entities, as well as Chapter <u>1.3.3 Subscriber, End User and Applicant</u>.

Relying Party	A natural or legal person, who is not in contractual relationship with the Service Provider, but uses any – typically free of charge – certification status service of Service Provider (e.g. verifies electronic signature, seal or timestamp and in relation to this, verifies the validity information of specific certificates or the policies of the Service Provider). See Chapter 1.3.4 Relying party .
Valid Certificate	A certificate with a term of validity that includes the actual time and date, and the status of which is not suspended or revoked (see Certificate Status).
Term of Validity	A term between a commencement and end date, in respect of which the certificate has been issued.
Certificate for Device	A certificate with a private key that is issued for a Cryptographic Device .
Chain of Validity	The electronic document or the hash thereof and the series of linkable information (in particular, the certificates, certificate-related information, the data used for the creation of the signature or seal, information pertaining to the actual status, revocation of the certificate, as well as information pertaining to the validity data of the Service Provider as well as the revocation thereof), which serve for establishing as to whether the advanced or qualified electronic signature, seal or timestamp placed on an electronic document was valid upon the date of its placement on the subject electronic document. In a more general sense, it means the hierarchy of certificates certifying each other until the root certificate.
Advanced electronic signature	An electronic signature which meets the requirements set out in Article 26 of eIDAS .
Advanced electronic seal	An electronic seal, which meets the requirements set out in Article 36 eIDAS .
Certification Policy	According to Point 24 of Section 24 of the Electronic Administration Act: a trust service policy, which pertains to certificates issued within the framework of trust service. Within the framework of the policies of the Service Provider, it means a standardized code of procedure, under which the Service Provider issues and manages certificates. The policies of Service Provider include more certification policies, differentiating the applicable requirements and procedures. The detailed description of each certification policy shall be published by the Service Provider in the Service Policy.
Certification Authority	The organizational unit of Service Provider, which, based on the request of the Registration Authority , carries out the issuance, publishing, revocation, and suspension of certificates, as well as the publishing of the Certificate Revocation List . See Chapter 1.3.1 .
Certification Administrator	Within the Certification Authority, the Certification Administrators take part in the certificate issuance.
Accessing Party	A Relying Party having free of charge access to specific functions of the service as regards documents specified by the Subscriber as initiated by the Subscriber of the archiving service. See Chapter 1.3 .
Applicant	In the case of certification service, the applicant shall mean the natural person who acts in the certification management and status change procedure, and approves the service agreement on behalf of the Client, the Applicant may be: the natural person specified as the Subject of the certificate (the applicant for the alias,

	in the case of an Alias); • in the lack of the above, the representative or agent of the organization specified as the Subject of the certificate; • in the lack of the above, the proprietor of the domain name, trademark, or product name specified as the Subject of the certificate, or in case the proprietor is an organization, the Applicant shall mean the representative or agent thereof, or the person having control over the domain name. The Applicant shall be identical to the Subscriber in case a natural person is specified as the Subject of the certificate (and organization type). In the case of NL Sign service, the Applicant shall be identical to the End User. In the case of Archiving and Timestamp service, the Applicant shall be identical to the Subscriber.
Timestamp	data in electronic form which binds other data in electronic form to a particular time establishing evidence that the latter data existed at that time.
Timestamp Server	The technical system of Service Provider that issues time stamps.
Timestamp Service	The service of Service Provider that issues a time stamp on the basis of the hash of the data in electronic format sent to the Time Stamp Service.
Timestamp-URL	The virtual token that provides access to the timestamp service and contains the unique identifier of the Subscriber, through which the End User may forward timestamp requests to the Service Provider and Service Provider forwards timestamp replies to End User on the basis of the requests.
Approved Agent	A partner to the Service Provider who, based on a contract by the Service Provider (in case of the Applicant's request), hands over the client device to the Applicant in the Certificate Issuance process, at the place and time agreed on with the Applicant. If applicable, can agree with the Registration Agent.
Public Root Provider	Közigazgatási Gyökér Hitelesítés-Szolgáltató [Public Administrative Root Authentication Service Provider] See http://www.kgyhsz.gov.hu/
Initial suspension	A special case of Certificate Suspension when the TSP suspends the certificate immediately upon issuance, thus preserving it from the abuse for the period of time that the Certificate and the Private Key pass securely to the Customer.
Right of represent	Fully or partial right of represent or any other right that could be interpreted so. (see in Section 82 (9) of the Electronic Administration Act).
CA	TSP's technical system issuing certificate. TSP has intermediate CAs issuing the end-user's and some provider's certificates, as well TSP has a top-level rootCA issuing the intermediate CAs. CAs are organized hierarchically.
External Certification Authority	CA, that is operated by a sovereign organization or person, independent of the TSP (as a service partner) according the regulation of TSP.
External Registration Authority	The Service Provider's service providing partner that conducts the processing of requests for services, the identification of the Applicant and Subscriber, and the checking (in part or in whole) of their right to proceed and the data to be included in the certificate.

Central Registration Authority	The Service Provider's organizational unit operated within its own organisation that processes applications for services, identifies their Applicants and Subscribers, and checks their rights to proceed and their data.
Terms (and Conditions)	Documents of the Service Provider which describe the manner in which the services are provided and what the expectations are and what the other parties are responsible for. This includes the Provider's following documents: Service Policy, Service Practice Statement, Extract of the Service Practice Statements, GTC, Service Agreement and other agreements.
Cryptographic device	Secure hardware device, which stores the private key of end user, saves that against compromising, makes cryptographic operations (ex. encryption or signing) for the user. It may be SCD or QSCD, HSM or any other non-signature device. It may be handled both by the TSP or Client. In the latter case, it is referred as "Client Device".
Critical Services	TSP's services which are related to certificate issuance, key generation, providing devices and certificate status service.
Re-key	The process when TSP issues a new certificate and private key for a former registered Client (or itself) based on the Client's (or it's) former existing certificate. In the new certificate, end user's public key also changes. See chapter 4.7.
Key escrow service	A service which protects end-user's private key and make it available for end user (in the case of losing, destroying or becoming for any other reason useless of the private key).
Private key	A key one of the key pair, generated by TSP or Client, that is managed by the end-user. See also Public key. If the public key is placed in a signing or sealing certificate, the private key conforms to the definition of electronic signature/seal creation data of eIDAS.
Qualified Signature/Seal Creation Device	Cryptographic Device, which is capable creating qualified signature or seal (also see 1.6.2 Abbreviations, QSCD).
Qualified Certificate	Certificate issued by a qualified trust service provider and conforms to Annex I, II or IV of eIDAS or to directive 1999/93/EC, depending on which was in force when the certificate was issued.
Qualified website-authenticating certificate	In accordance with eIDAS Article 3., point (39): "a certificate for website authentication, which is issued by a qualified trust service provider and meets the requirements laid down in Annex IV" Certificate that with authentication of the included websites, assures the visitors of this sites that behind the sites there is an existing and legitim organization.
Mobile Registration Associate	A registration administrator who identifies the Applicant - in case of such request and if a personal meeting is required - at the time and place agreed on with the Applicant.
NL Sign service, NETLOCK Sign service	Secure centralized key storage (managed SCD) and key management service, which enables electronic signature or seal (and timestamp) of documents uploaded through web interface. The certificates usable in the frame of NL Sign service and the required registration as well as using the certificate after issuance, are available on the own web interfaces of NL Sign service. The business and legal information related to the provision and use of the NETLOCK Sign service (such information is specific to the service and falling outside the scope of the present statement) shall be set out in the Terms of Business of the NETLOCK Sign Service, which can be downloaded from the website of the Service Provider (see 1.1.2).

Public key	A key one of the key pair, generated by TSP or Client, that is placed in the certificate created by the TSP. If the public key is placed in a signing or sealing certificate, it conforms to the definition of 'validation data' of eIDAS.
Permanent identifier	An identifier that provides for the individual identification of the certificate owner. Implementation in the certificate takes place on the basis of RFC 4043. This can be an individual identifier created by the Service Provider or as included in an official registry. The identifier created by the Service Provider is an OID that consists of two parts: the Service Provider's individual identifier (1.3.6.1.4.1.3555.5) and the Client's individual identifier, which follows it. The Client's individual identifier starts with 5 and a number that can have one of the following values: • 1,6,8,10: for personal or business certificates where the identifier is created from the natural person's data. • 2,7,9,11: for organisational certificates where the identifier is created from the organisation's data. • 3: for pseudonym certificates where the identifier is created from the pseudonym data. If used, it is entered in the certificate's Subject/SerialNumber field.
Registration	Initial registration process that is performed by the TSP to identify Applicant and Subscriber as well as to establish their procedural right and record their data.
Registration Authority	TSP's organizational unit which performs processing the service application, registration of Applicant and Subscriber as well in case of certification service as verification of the data indicated in certificate. It may operate within the TSP (as inner organizational unit) or also out of the TSP's organization (as External registration Authority).
Validation specialist	Trusted Role. See Chapter 5.2.1 Trusted Roles.
Registration (validation and revocation) Administrator	These employees are responsible for managing certificate applications and verifying the veracity of the data provided in the certificate application (see Chapter 4.2.1) as well as managing and executing revocation requests (see Chapter 4.9) within any of the Service Provider's Registration Authorities. Registration administrators of TSP's external registration authorities perform tasks that is specified by the partnership agreement of operating the unit, to be performed. If these scope of tasks does not cover all of the tasks required to issue certificate, TSP's Central Registration Authority performs the rest as needed. Periodically, tasks performed by any external RA are posteriorly checked by a validation specialist of the Central Registration Authority based on a randomly selected sample. In case of website authentication certificate, domain validation processes are performed exclusively by Registration Administrators of Central Registration Authority. This provider role is equal the "Validation Specialist" role defined by BRG 1.6.1: the person who performs data validation duties.
SSL certificate	Certificate for website authentication
Server Signing Application Service Component (SSASC)	TSP service component employing a server signing application to create a digital signature or seal on behalf of a signer. SSASC is applied by TSP within the framework of remote signing service of NETLOCK Sign.

Server Signing Application Service Component Policy (SSASC Policy)	SSASC Policy (also known as SCP) collects the requirements and recommendation of the given level of the remote signing and key management services according to the given certificate. In certificates issued under the present Practice Statement within the framework of NETLOCK Sign service LSCP or NSCP shall be indicated as described in chapter 1.2.1.
Statements	The present Practice Statement and the relevant Service Policy collectively.
Organization	Regarding the Subject or Subscriber of certificate: legal person, self-employed or private lawyer.
Software certificate	A certificate where the private key is not issued for a Cryptographic device.
Service	In the frame of present document, TSP's trust services (see chapter 1.1).
Service Practice Statement, Practice Statement	<i>Szolgáltatási Szabályzat Nem Minősített Tanúsítványszolgáltatásokra</i> <i>Service Practice Statement for Non Qualified Certificate Services</i> The statement of the trust service provider about the requirements and conditons of the procedural and operational requirements. (see ACT 1.§.41) which is the regulations containing the detailed procedural and other operational rules related to the Service Provider's activities.
Service Agreement	An Agreement prepared in the Service Provider's system on the basis of the data provided by the Client; and enters into force when signed by the Client and accepted by the Service Provider (see Chapter 4 of the GTC).
Service Provider	According to the present document, NETLOCK as a trust service provider, providing trust services and other services.
Service Provider's Regulations	TSP's following documents: Service Policies, Service Practice Statements, Extract of the Service Practice Statements, GTC. As well as the other non-pulic regulating documents.
Service Partner	Natural or legal persons, independent of the TSP, who participate in providing TSP's services, under the agreement with TSP.
Service Provider's systems	All of tools and sytems together that are providing the services.
TSP certificate	TSP's certificates, used for provision services (ex. CAs and Time Stamp Server's certificate).
Certificate	An authentic verification, issued by the TSP, that links the public key to the Subject and verifies the authentication of datas published in certificate.
Certificate activation	Status change that restores validity of a suspended certificate. After activation the certificate will be valid again retrospectively, so also for the interval of suspension as if suspension would not have happened.
Certificate status	The <i>valid</i> , <i>revoked</i> or <i>suspended</i> status of certificates that is registered by TSP during the validity period of certificate. TSP informs the Clients and Relying Parties about the status of certificates via Certificate Revocation List (CRL) and Online Certificate Status Protocol (OCSP).
Online Certificate Status Protocol (OCSP)	Service that provides real time information about a given certificate's status to the Relying Parties. See more: Certificate Revocation List.

Certificate suspension	Status change that temporarily makes the valid certificate to invalid during the original validation period. The certificate suspension is a temporary status, during the original validity period the suspended certificate can be revoked or made valid again. After cancellation of suspension the certificate will be valid again retrospectively as if suspension would not have happened.
Certificate application	Process when Applicant requests a certificate, i.e. gives and proves data needed for creating certificate finally verifies his/her request by signing the service agreement and thus authorizes TSP to issue the certificate requested and to certify its public key.
Certificate Management Process	Process that results issuing a new certificate based on an existing certificate and a former client registration (see chapter 3.3. and 4.)
Certificate Service	Service within the framework of which TSP creates new certificate. The issuance may be happened based on an existing certificate (Certificate Management Process) or also without such antecedent (original issuance).
Certificate Renewal	Process when TSP issues a new certificate with unchanged Subject data and public key of an existing former issued certificate. See Chapter 4.6.
Certificate Modification	Process when TSP issues a new certificate for a former registered Client based on his/her former issued certificate, with this certificate's public key, but with changed Subject or TSP data. See Chapter 4.8.
Certificate Repository	TSP's Register that included issued certificates. Public certificates and CRLs issued by TSP are queryable from this repository.
Certificate Type	Distinguishing the various certificates issued by the service provider according to some characteristic, mainly based on the purpose of use. See Practice Statement Chapter 1.2.1.
Certificate Revocation	Status change that makes the valid certificate to invalid during the original validation period. The certificate revocation is an irreversible and definitive status change, the revoked certificate becomes invalid immediately in the revocation moment and it will never be valid again.
Certificate Revocation List (CRL)	An authentic list of permanently and temporarily invalid certificates, published in the Certificate Repository, that issued by the TSP periodically or due to status change. Acceptance and application of certificates listed in CRL is not recommended. It is a kind of the revocation registry defined by section 17 of the BM Decree (24/2016).
Test certificate	Certificate issued by TSP for testing. The content of the test certificates is the same as the real authentic certificates content, but the test characteristic is indicated in the certificate policy field and/or one of the Subject fields. Such certificates must not be used for commitment and do not have legal effect. These may be accepted exclusively for testing purpose. TSP does not assume responsibility for the included data and usage of test certificate and for the availability level of other services related the certificate.
UCC Certificate for Website Authentication	A certificate for website authentication that includes more than one different domain names (in the SubjectAltName/DNSname field).
Client Menu	An interface accessible via the Service Provider's website that is provided to the Service Provider's clients for the purposes of performing various applications regarding certificates and

	the related services and for checking the status of current applications; access is provided with an individual user name and password (following registration in the client menu). Registration and login in the qualified client menu is required for managing qualified certificates; the advanced client menu has to be used for managing non-qualified certificates.
Client Menu Registration	The process where a natural or legal person creates an own Client menu by providing his/its data and logging into the Client menu with the applicable user name and password.
Client	Party who contracts with the TSP. In the case of certificate service, the Applicant and the Subscriber of the certificate. In the case of certificate NL Sign service, the Signature Partner and the End User. See more: Chapter 1.3.3
Client Device	A client-managed Cryptographic Device. Only the device acquired, checked and delivered to Client by TSP can be used as Client device that shall be listed in the chapter 6.2.1 in present Practice Statement.
Client Registration	Identification of natural or legal persons, validation and recording their data, before signing the Service Agreement and certificate issuance. See more: Chapter 3.2
End User	Natural person who uses the private key pair of certificate's public key (uses exclusively or responsible for it). Within the framework of NL Sing Service, the person who performs the signing or sealing process by activating her/his private key or who responsible for it. See more: Client, Subscriber and Chapter 1.3.3.
End User Certificate, End User Key	It represents the Client's certificate and key, distinguished from the TSP's own certificates and keys.
Certificate for website authentication	Certificate as defined in Article 3 point 38 of eIDAS regulation.
Wildcard weboldal-hitelesítő tanúsítvány	Certificate for website authentication that issued by the TSP for certifying subdomains (domain name is displayed in the form of *.domain.com, so it includes all subdomains of domain.com).

1.6.2. Abbreviations

a. The acronyms of referenced legislation

eIDAS	Regulation (EU) No 910/2014 of the European Parliament and of the Council on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC.
Electronic Administration Act	Act CCXXII of 2015 on the General Rules of Electronic Administration and Trust Services
Records Act	Act LXVI of 1992 on keeping records on the personal data and address of citizens
Free Movement Act	Act I of 2007 on the Admission and Residence of Persons with the Right of Free Movement and

	Residence
Third-Country Nationals Act	Act II of 2007 on the Admission and Residence of Third-Country Nationals
Data Protection Act	Act CXII of 2011 on Informational Self-Determination and Freedom of Information
Decree 24/2016	Regulation No. 24/2016. (VI. 30.) of the Ministry of Interior on the detailed requirements of trust services and trust service providers.

b. Acronyms of technical terms

ASN.1	Abstract Syntax Notation 1
CA	Certification Authority
CAA	Certification Authority Authorization
CAMS	Card Management System: The name of the system used by the Service Provider for the personalization of the Client Devices
IP	Internet Protocol
IT	Information Technology
TSP	Trust Service Provider
BRG	Baseline Requirements Guidelines
CAB Forum	CA/Browser Forum
CP	Certificate Policy
CPS	Certification Practice Statement / Service Practice Statement
CRL	Certificate Revocation List
CSP	Certification Service Provider
EAL	Evaluation Assurance Level
EV	Extended Validation
EVC	Extended Validation Certificate
EVCG	Extended Validation Certificate Guidelines
FQDN	Fully qualified domain name
gTLD	Generic top-level domain
HSM	Hardware Security Module

ICANN	Internet Corporation for Assigned Names and Numbers
LSCP	Lightweight SSASC Policy
MD	Multi Domain
OCSF	Online Certificate Status Protocol
OID	Object Identifier
OVC	Organizational Validation Certificate
PIN	Personal Identification Number
PKI	Public Key Infrastructure
SAN SubjectAltName	Subject Alternative Name
SSASC	Server Signing Application Service Component
SCP	Service Component Policy
SCD	Signature / Seal Creation Device
SSL	Secure Socket Layer
SP	Service Provider
TLS	Transport Layer Security
TSP	Trust Service Provider
QSCD (previously SSCD)	Qualified Signature / Seal Creation Device
UN	United Nations
IETF	Internet Engineering Task Force
QC	Qualified Certificate
URL	Uniform Resource Locator

See more in chapter 9.15.

2. PUBLICATION AND CERTIFICATE REPOSITORY

Service Provider shall publish the various information pertaining to the certificates (certificates, expiry information, policies and other terms).

2.1. Repositories

The Service Provider shall maintain a public certificate repository and systems that communicate certificate revocation information (CRL, OCSP), and shall publish the Terms and conditions related to the certificates that may be issued under the present Practice Statement in downloadable PDF format on its website. (See Chapter 1.1.2)

2.1.1. Publication of certification information

Service Provider shall provide the Clients and Relying Parties with certificate revocation information (CRL, OCSP) via HTTP protocol, with an availability level of at least 99.9% per annum, and that the length of the service outage shall not exceed 3 hours per occasion.

Service Provider shall make available the public certificate repository on its website, via HTTPS protocol – the public certificate repository shall consist of the subject data of end user certificates of the clients who consented to the publication in the service agreement. The certificates published in the public repository are downloadable by the public.

Service Provider maintains websites for the purposes of checking revoked, expired, and valid certificates for website authentication certificates (OVCP and EVCP) (testing)⁷.

The certificate repository's TSP certificates, as well as the valid end-user certificates for the publication of which the Client has granted its consent, can be queried on the Service Provider's websites (see Chapter 4.4.2).

The Service Provider applies the following procedure for the publication of the various certificates:

- It publishes CA and Timestamp Server certificates on its website (Chapter 1.1.2)

- It displays valid end-user certificates in the public certificate repository immediately following their issuance and - if applicable - activation.

- The Service Provider ensures that all of the certificate types it issues can be tested by issuing test certificates (see [Chapter 7.1](#)).

The Service Provider publishes the status information pertaining to certificates with the use of the following methods:

⁷ The Service Provider publishes the addresses of these websites in its own website (see Technical data).

The status information pertaining to the end-user certificates issued by the Service Provider and to TSP certificates are immediately accessible within the certificate status service following the status change.

The information on certificate status changes are also displayed in certificate revocation lists (CRLs). The CRLs can be queried on the Service Provider's website and are also accessible by applications via http protocol.

When logging into the client menu, the end-user can access information pertaining to its respective certificates and their current status.

The Public Root Provider (KGyHSz) publishes, in accordance with its own regulations, the status information pertaining to its own root certificates and to certificates of service providers that it endorsed; the information is available in accordance with relevant legislation in the certificate repository which, at the time of the publication of this Statement, is found at <http://www.kgyhsz.gov.hu/>.

Service Provider shall inform its Clients and the Relying Parties on the various terms and conditions applicable to various types of certificates (see Chapter 1.1.2).

2.1.2. Publication of Terms and Conditions

The present Practice Statement and the underlying Certificate Policy shall be published by Service Provider with the contents and in a structure conform with RFC 3647, save for the derogations specific to the Service Provider.

The Service Provider shall, at least 30 days before their entry into force, publish the new versions to be implemented of the Certificate Policy, the Practice Statement and the General Terms and Conditions pertaining to the services based on the present Certificate Policy and affected by the subject modification. In addition to the documents in force, those earlier versions thereof shall also be continuously available on the website, on the basis of which any certificate is still in force

Following the entering into of the service agreement, upon the issuance of the certificate, Service Provider shall provide the Client with the Practice Statement and the Service Agreement attached to the e-mail, which shall be deemed as a durable medium under the laws of Hungary in force.

2.1.3. Declarations

a. BRG Declaration

NETLOCK is compliant with the actual version of the document entitled "Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates", which is published at <http://www.cabforum.org> website. In case of any discrepancy, the Baseline document shall prevail in the case of the OVCP certificates.

b. EVGL Declaration

NETLOCK is compliant with the actual version of the document entitled “CA/Browser Forum Guidelines for Issuance and Management of Extended Validation Certificates”, which is published at <http://www.cabforum.org> website. In case of any discrepancy, the EVGG document shall prevail in the case of the EVCP certificates.

2.2. Time or frequency of publication

Service Provider shall publish on its website the public draft of the new version of the Practice Statement at least 30 days prior to entering into effect, in order to allow its Clients and the Related Parties to get acquainted with it and to make comments to the Service Provider before the draft enters into effect (see Chapters 1.5.2 Contact person of the document and 9.12.1 Amendments).

The Policy Adopting Unit of Service Provider shall revise the Practice Statement and the Certificate Policy at least once in every year and shall modify them if necessary (see Chapter 9.12).

The publication of new versions regarding the present Statement takes place as set out in Chapter 9.12. See Chapter 9.12 for the publication of new versions of the Trust Service Practice Statement.

The Service Provider's other policies and contractual terms, as well as their new versions, will be issued as required.

When necessary, the Service Provider shall publish extraordinary information in accordance with the requirements of relevant legislation or, in absence of such, without delay.

The certificates of the Authenticator and Timestamp CAs will be published no later than when commencing the service.

See Chapter 4.9.7 for the frequency of publishing CRLs.

2.3. Access controls on repositories

The Terms and Conditions, extraordinary information, certificates, and status information published by the Service Provider are public information. Read access to these is made publically available in accordance with the features of the media used for publication.

The Service Provider's certificate repository is accessible via standard HTTP or HTTPS protocols.

The Service Provider continuously ensures the access of the certificate repository (24/7, every day of the year), with the exception of the time required for scheduled maintenance. As far as possible, the Service Provider will schedule maintenance outside work hours. The certificate repository can only be accessed lawfully through the Service Provider's website, by way of individual manual requests. Other requests (e.g. automated) are only possible with the Service Provider's written consent.

Online services (certificate repository, OCSP) do not have any restrictions on access, but requests can be limited for security reasons if a certain limit is exceeded. The conditions for restrictions will be published on the Service Provider's website.

See Chapter 2.1.1 and 4.9.9 for the availability of services.

TRANSLATION

3. IDENTIFICATION AND AUTHENTICATION

The Service Provider uses Client identification and data verification steps outlined in the following points for issuing certificates and concluding the service agreement in the framework of certificate creation services.

3.1. Naming

The Issuer and Subject fields of the certificates issued by Service Provider are conform with the name format requirements of the recommendations ITU-T X.509, RFC 5280 and ETSI EN 319 412.

The Subject (Subject and SAN) fields in the certificates identify the entity which owns the private key associated with the public key contained in the certificate, that is for which the certificate was issued. The Subject fields contain more than one type of identifiers, the contents of which are as follows:

Name and ID of data (Standard name, OID, English name)	Content
<i>Subject field</i>	
CN id-at-commonName 2.5.4.3 Name	In case of personal and business certificates, this includes the full name of the natural person Applicant in the form used in the data source.
	In case of a pseudonym certificate, this is the same as the contents of the pseudonym field.
	In case of an organisational certificate, the organisation's full or short name /DBA / Trademark / Product identifier In case of a DBA, its contents can be: 1. A company name, not including the company type It can include the verified company name's long or short form without the indication of the company type (Kft., Bt., etc.) 2. Domain name 3. Product ID Product name preceded by a company name / DBA / Trademark
	The website name in the name of certificates for website authentication (OVCP, EVCP) The commonName can only contain an FQDN, which also has to be included in the SAN/DNSName field.
SN id-at-surname 2.5.4.4 Last name	The last name of the natural person's full name as indicated in the certificate CN field. The delineation between the names is performed in accordance with the MELASZ recommendation.
G id-at-givenName	The first name of the natural person's full name as indicated in the certificate CN field. The delineation between the names is performed in accordance with the MELASZ recommendation.

2.5.4.42 First names	
id-at-pseudonym 2.5.4.65 Pseudonym	In case of pseudonym certificates, the certificate contains the pseudonym selected by the Applicant. The pseudonym is repeated in the commonName field. The pseudonym cannot be misleading and has to be unique at the Service Provider, i.e. the same pseudonym cannot be used for two different users.
id-at-serialNumber 2.5.4.5 Serial number	The globally unique serial number of the natural/legal person indicated in the certificate CN field.
id-at-countryName 2.5.4.6 Country	The country of the Subscriber's seat or home address. The two-letter country code as defined by ISO 3166-1.
L id-at-localityName 2.5.4.7	The city of the Subscriber's seat or site or home address.
id-at-stateOrProvinceName 2.5.4.8	The county or state of the Subscriber's seat or home address.
id-at-organizationName 2.5.4.10	In the case of business and organisational certificates and OV and EV certificates for website authentication The Subscriber organisation's full or short name
id-at-organizationalUnitName 2.5.4.11	In the case of business and organisational certificates and OV and EV certificates for website authentication The name of the organizational unit within the Subscriber organisation The Subscriber has to certify its existence in order to be included in the certificate.
organizationIdentifier 2.5.4.97	In the case of business and organisational certificates and OV and EV certificates for website authentication The Subscriber's tax identification number as included in the registry, in the semantic format defined by ETSI EN 319 412-1. It can contain, in a bound format, a unique identifier received in an official national or other identification system, as set forth below: 1. If the organisation has a tax number: a VAT prefix followed by the organisation's registered country code, a hyphen, and the organisation's taxpayer identification number, in unchanged format. For Hungarian organisations: the "VATHU-" prefix can be followed by a domestic tax number and the "VATEU-" prefix can be followed by a community tax number, in unchanged format. 2. If the previous point is not applicable, the commercial register code will be used following the prefix "NTRHU-". 3. If the previous points are not applicable, the value "XX:HU" is to be used based on the national registered semantics, where "XX" is the two characters of the national or EU identification schema. 4. If the above points are not applicable, another individual official

	identification will be used. 5. If none of the mentioned forms of identification are available, the ID of the deed of foundation and the name of the founding document can also be used. For the identification system of other countries, the Service Provider shall use the country codes defined by ISO 3166.
Id-at-title 2.5.4.12 Title	For business certificates The Applicant's position or title within the Subscriber organisation. Optional.
subject/EMAIL	The contents are the same as that of the SubjectAlternateName:emailaddress field.
SAN field	
SAN SubjectAlternateName:DNS Name	For certificates for website authentication Contains one or more domain names If the CN also contains a DNS record, it is included here as well.
SAN SubjectAlternateName:emailaddress	The email address certifiably belonging to the entity defined in the CN, as per the requirements of RFC 822. Not used for certificates for website authentication.
SAN SubjectAlternateName:otherIdentifier	The Service Provider's individual identifier (which is equal to the Service Provider's part of the permanent ID).

See Chapter 7.1 for the different requirements pertaining to filling out the above Subject fields (Subject and SAN) and Issuer fields according to certificate profile.

3.1.1. Types of names

When creating the Subject fields for certificates, the Service Provider has to follow the X.500 distinguished name requirements in accordance with the RFC 5280 standard. The Service Provider distinguishes between the following name types in the case of end-user certificates, and it links the following profiles to them:

Name type (Subject type)	Certificate profile
Natural person	Personal
Legal person	Organisational
DBA / Trademark / Product identifier and legal person together	Organisational
Natural and legal person together	Business

Pseudonym	Pseudonym
Website and legal person together	OV and EV certificate for website authentication
Website and DBA / Trademark together	OV certificate for website authentication

See Chapter 7 of the present Statement for a description of the certificate profiles.

3.1.2. Need for names to be meaningful

The *Subject* field of certificates issued to natural persons for sign have to include the following data:

- commonName (name)
- givenName and surName or pseudonym (first and last name or pseudonym)
- countryName (country code)
- serialNumber (unique identifier of the Subject);

The *Subject* field of seal and website authentication (OVCP and EVCP) certificates issued to legal persons have to include the following data:

- commonName (name)
- countryName (country code);
- organizationIdentifier (organization Identifier).

In case a legal person is specified as the Subject of the certificate, Service Provider shall, in all cases, specify the unique identifier of the organization in the Subject/organizationIdentifier field of the certificate.

In case both a natural and a legal person is specified as the Subject of the certificate (business certificate profile, see Chapter 7.1), the Service Provider shall mandatorily specify the unique identifier of the organization in the Subject/organizationIdentifier of the certificate, unless the applicant of the certificate is an attorney-at-law or a law firm.

The SAN field of the website authentication certificates (OVCP and EVCP) shall also mandatorily include the domain name set out in the commonName field, as well as the further domain names in the case of a UCC certificate.

Chapter 3.1 contains a detailed description of the Subject field.

The name of the natural and legal person included in the certificate shall be checked by the Service Provider against authentic records or, in absence of such, official identification documents, and shall be included identically to the manner included in those.

If the contents of the *Subject/Serialnumber* field is an official (checked on the basis of a document) national identifier, its obligatory format: <REF>HU-<documentnumber>, where <REF> is replaced by three characters as set forth below:

1. "PAS" for passport numbers (e.g. PASHU-AE123456)
2. "IDC" for ID card and driving licence numbers (e.g. IDCHU-123456AB (ID card) or IDCHU-AB123456 (driving licence))
3. "TIN" for tax identification numbers (e.g. TINHU-1234567890)

In the case of individual identification systems, <REF> is replaced by a series of characters in the format "XX:", where "XX" is the two-character designation of the national or EU identification schema (e.g. EI:HU-200007292386 or AT:EU-BH16251).

In case the certificate contains more serialnumber values, no formal requirements shall apply to the further serialnumber fields, assuming that those are not filled with the numbers of the above identification documents.

The certificate identifier fields ("Subject" and "Issuer") meet the requirements of the X.500 name format. Additional rules pertaining to the "*Subject*" and "*Issuer*" fields:

- Data are indicated in the certificates without special and control characters.
- By default, names are indicated in certificates as follows: in the same exact format as the name used for personal identification in the official document, including accented letters in their original form in the CN, SN, and G fields, with the use of UTF-8 encoding. The various name units are separated by spaces.
- Abbreviations can be used in the case of names that exceed the maximum number of characters defined in the applicable standards.

The *Subject/organizationIdentifier* field shall be filled with a unique identifier given within an official national or other identification system in a mandatory format, which is defined by ETSI EN 319 412-1 5.1.4 (it is set out in the form of *REFCO-organization identifier*, where REF shall consist of three and CO shall consist of two characters, as follows).

Rules of filling:

1. In case the organization has VAT number, the field shall be filled on the basis of the VAT number, as follows: in the case of Hungarian VAT number, it shall be filled with the value "VATHU", while it shall be filled with the value "VATEU" in the case of an EU VAT number.
2. If the previous point cannot be applied, the Hungarian company registry number shall be filled with the value "NTRHU".

3. If the previous points cannot be applied, it shall be filled on the basis of the national registered scheme with the "XX:HU" value, where „XX" shall be the double-character sign of the national or EU identification scheme.
4. If the previous points cannot be applied, any other unique official identifier can be applied.
5. If none of the above referred identifiers are available, the field may be filled with the identifier of the deed of foundation and the name of the founding legislation.

In the case of identifier systems of other countries, the country code according to ISO 3166 shall be applied instead of the HU country code.

The Subject fields of test certificates can take the form of any of the certificates issued by the Service Provider; however, the commonName field is always to indicate the fact that it is a test with the words "TEST" or "TESZT", which can be followed by other name data in a clear manner that can be mistaken with any real person.

3.1.3. Pseudonyms

Based on Article 5 (2) of eIDAS and Article 90 (4) of the Electronic Administration Act, the Service Provider shall also issue pseudonym certificates. The Applicant may only apply for pseudonym certificates on its own behalf. The Applicant shall choose the pseudonym, which the Service Provider will not check; the Subscriber is liable for any problems (e.g. copyright, etc.) in relation to the pseudonym.

The Service Provider shall issue pseudonym certificates in accordance with the pseudonym certificate profile, where the "CN=CommonName" and the "Pseudonym" fields contain the pseudonym in the same format; no legal/natural person can be indicated next to the pseudonym.

In case of a signatory using a pseudonym, the Service Provider may only hand over the data pertaining to the Client's true identity to third parties or the authorities if granted the Client's consent, unless required to do so by a final court ruling. The Service Provider is authorised to deny the issuance of a pseudonym certificate that incurs legal difficulties (or is likely to do so) or revoke such certificate at its own discretion.

Pseudonym certificates for website authentication cannot be applied for. (OVCP and EVCP)

3.1.4. Rules for interpreting various name forms

The certificates issued by the Service Provider do not aim to function as a digital form of identity for the natural or legal persons indicated as the Subject or for their identities to be established solely on the basis of the data included in the certificate.

The business profile certificate (see Chapter 7.1) itself does not support the right of representation. In case Service Provider issues a certificate purported to support full or partial right of representation, or a legal relationship that may be interpreted as such, then Service

Provider shall indicate the above by indicating the position verified on the basis of a public database or on the lack thereof, public instrument. The position shall be indicated by Service Provider in the Subject/Title field of the certificate, and shall indicate the following statement in the certificate Policies/policyQualifier field of the certificate on the basis of Chapter 7.1.8: “Prior to the issuance of the certificate Service Provider verified on the basis of credible information the right of the natural person indicated in the Subject/CN field of the Certificate to represent the organization indicated in the Subject/O field.

The contents of the present Statement provide information to Relying Parties for interpreting the identifiers (see especially Chapter 7.1.5.). If the Relying Parties require help with the interpretation of the identifier or any data included in the certificate, they can also contact the Service Provider directly (see Chapter 1.1.2).

The Service Provider will only provide additional information (besides the information that helps in interpreting certificate data) on the data of the Subject(s) on the basis of an authorisation or of relevant legislation.

a. Issuer identifier

The issuer identifier is understood to mean that the Service Provider issued the certificate with the use of a given TSP (intermediate/root) certificate.

The TSP certificate's *Issuer* field contains the country code of the country (*Country*) and city (*Locality*) in which the certificate issuer has its seat, the name of the organisation (*Organisation*), its organisational unit (*Organisation Unit*), and the name of the CA issuing the given certificate (*Common Name*).

b. Subject identifier

The *Subject* field is understood to mean that the certificate belongs to the natural person / legal person / website (domain name) / DBA / product name / pseudonym with the *Common Name* of the *Organisation unit* within the natural or legal person that has the name of the *Organisation*.

The home address of the natural person or the seat or site of the organisation is defined under the fields *Country* (country), *State* (country/county), and *Locality* (settlement). The certificate does not contain any information that is more accurate as regards location.

3.1.5. Uniqueness of names

The Service Provider clearly distinguishes between certificate Subjects (Subject field) in the case of end-user sign or seal certificates. In the interest of the above, the Service Provider provides all Clients with a unique subject identifier (OID-based Permanent ID), which it includes in the certificate's Subject/Serialnumber field (see Chapter 7.1). This identifier individually identifies the

natural or legal person included in the certificate. A Subject may have more than one identifier, but an identifier may never be issued to another Subject.

In addition to the above, the Service Provider can also indicate another individual identifier in another Subject/Serialnumber field (e.g. personal identification card number, official card ID, etc.).

The Permanent identifier is not applicable in the case of certificates for website authentication (OVCP and EVCP)

3.1.6. Recognition, authentication, and role of trademarks

The Service Provider may also use a trademark in the certificate on the basis of a DBA, trademark, product name, or product identifier owned/possessed by the Client. These data are included in the certificate in the Subject/CN and/or SubjectAltName/dirname fields. See Chapter 3.2.2 for checking these.

The acquisition of a trademark by the Client is not an event that requires the modification of a certificate.

3.2. Initial identity validation

Service Provider shall carry out the client registration prior to the issuance of the end user non-qualified certificates, including the verifications required by Section 82 of the Electronic Administration Act, with the identity validation and authentication procedures detailed in the subchapters of the present chapter (3.2), provided that Service Provider has not carried out such procedures earlier or the earlier procedures ceased to be reliable. Service Provider may refrain from carrying out the procedures enlisted in the subchapters of the present chapter 3.2 only in the cases set out in chapter 3.3.

Service Provider shall carry out the following procedures within the framework of the initial identification:

1. identifies the person of the Applicant, by validating the personal data, his right/power to act and his right to use the other data to be recorded in the certificate;
2. identifies the Subscriber if the Subscriber is different from the Applicant, by validating at least the full name and unique identifier of the Subscriber to be recorded in the certificate as well as his right to use the other data to be recorded in the certificate;
3. identifies the person(s) entitled to represent the Subscriber;
4. identifies the person of the attorney in fact of the representative(s) of the Subscriber and validates the power of attorney;
5. validates the Subject-related data to be indicated in the certificate;

6. validates the possession of the private key counterpart of the public key to be recorded in the certificate,
7. records the validated data and documents the identification and validation procedures.

For the validations according to 1–5, Service Provider shall use authentic and valid instruments, documents and/or trusted central registries or databases, which support the veracity and validity of the data submitted by the Applicant and the Subscriber with sufficient confidence, such as:

- the identity of the natural or legal person to be indicated as Subject;
- the right/power of the representative of Applicant and Subscriber to act,
- the existence of the right of representation to be recorded in the certificate (in case the application pertains to a certificate capable of supporting such fact),
- the right to dispose over the domain (address range) supported by the certificate, or over the IP address to be recorded in the certificate (in the case of website authentication - OVCP and EVCP - certificate),
- the right to pursue the regulated profession indicated in the certificate (in the case of the application for a certificate indicating a regulated profession) and
- the authentication of the identifiers and documents used for establishing the identity.

In case there is no official instrument, document or reliable data source is available for the verifications, Service Provider shall verify the above on the basis of a declaration recorded in a private document with full probative value.

The procedures can be deemed successful if the data submitted by the Applicant and Subscriber are precisely identical to the data set out in the instruments, documents and reliable data sources and/or declarations.

Before the Service Provider starts using any data source as a reliable data source or database, it shall be evaluated as regards reliability, accuracy, and resistance to change and falsification. During the evaluation, the Service Provider takes the following into account:

1. The date of the provided information,
2. The frequency of updates to the information source,
3. The purpose of the data provider and data collection,
4. The public accessibility of the data,
5. The relative difficulty of falsifying or changing the data.

In case the registry or database contains public data on grounds of statutory provisions, Service Provider shall not carry out the above evaluation and shall deem such database or registry as reliable data source.

In addition to the recorded data, the Service Provider also records the validity certified by the data source if such is interpreted (e.g. validity of an official document). The validity of the issued certificate can exceed the above validity; however, the data source must be valid at the time of signing the service agreement.

Service Provider shall provide its employees who carry out the identification and validation procedures with a detailed rules of operation regarding the means of the entity identification and data validation procedures, the practical steps to be performed, furthermore such rules shall provide for a detailed description for the execution of the above.

The Applicant and Subscriber of the end-user certificate can be the Service Provider's employee or partner; however, the Service Provider shall proceed in the same manner as in the case of any other Client. Besides the role of Applicant/Subscriber, the Service Provider's employees and partners cannot take any other part in the application and provision of the provided service.

3.2.1. Method to prove possession of private key

If the Applicant generates the key pair that serves the basis of the certificate, the Service Provider ensures that all technical procedures are applied that allow it to make certain that the Applicant is actually in possession of the private key paired to the public key to be included in the certificate. This can be certified, among others, with the standardised certificate application created by the Client (e.g. PKCS#10 or SPKAC CSR) or with an application based on a self-signed certificate and its submission to the Service Provider.

Within the framework of the NL Sign service, in the case of the keys generated in the certified HSM (Hardware Security Module) of the secure and protected IT system of Service Provider, the Service Provider shall ensure by technical means that the private key is under the exclusive influence of the End User. The certified system of Service Provider ensures that keys can be generated only if the End User logged in the system and approves the application for certificate by submitting the activation data generated previously by the End User. Thereby Service Provider ensures that the private key is in possession of the End User on the basis of the PKCS#10 application for certificate certified by the private key generated in a manner set out above.

The certification of principal possession in this manner is valid until a valid certificate is linked to the private key.

3.2.2. Authentication of organization identity

a. Identifying the Subscriber

In the case of non natural person Subscribers, Service Provider shall use a public register or a public document supporting the incorporation and the following data for the validation of the full

name and unique identifier of the Subscriber to be indicated in the certificate, and for establishing the person of the legal representative. In the lack of the above, the validation may be based on another reliable data source or legislation.

Service Provider shall use primarily the following public or reliable databases in relation to the identification of the non natural persons:

- in the case of the business associations under the Civil Code, the online company registry provided by the online company information service of the Company Information and Electronic Company Registration Service set out in Section 1 of the Company Registration Act;
- in the case of the organizations under the Act on NGOs, the National Name Register set out in Section 84 of the Act on NGOs;
- in the case of attorneys-at-law under the Act on Attorneys, the online registry available on the website of the Hungarian Bar Association as set out in Section 116 of the Act on Attorneys;
- in the case of a public education institution under the Act on Public Education, the institution search engine that pertains to the public data of the institution master data register of the public education information system set out in the Government Decree no. a 229/2012 Korm. rendeletben, which search engine is available on the website of the Educational Authority;
- in the case of government bodies, public bodies, local governments and other state-listed legal entities under the Public Finances Act , the Master Registry available on the website of the Hungarian State Treasury, as specified in the Public Finances Act.
- in the case of the undertakings under the act on private entrepreneurs and individual companies, the online registry of private entrepreneurs operated by the Deputy State Secretariat of the Ministry of Interior for Management of Registers, as set out in the above referred act.

The data sources used for the verification of the organisational identity of EV SSL certificates are published on the Service Provider's website in the document entitled *Register of data sources used for the verification of the organisational identity of EV SSL certificates* (see 1.1.2).

In case the above registries are not accessible, or in the case of any other types of organization, or entities registered outside Hungary, Service Provider shall use other applicable public or reliable data sources, or if such data sources cannot be accessed, or the cost of access and verification is disproportionately high, the verification shall be based on the public document on the founding or establishing of the organization, or the public document on appointing the respective person, or any other public document supporting the name, unique identifier, as well as the person of the representative of the other non natural person.

In the case of entities registered outside Hungary, the Service Provider shall carry out its verification on the basis of the English or Hungarian translation, attested by a public notary, of the

documents supporting the name, unique identifier and the person of the representative of the entity. In case the original language of the document is English, translation is not needed and in this case the facsimile of the original documents attested by a public notary shall serve as the basis of the verification.

Service Provider shall indicate primarily the VAT number as the unique identifier of the non natural persons in the end user certificate; and if the VAT number is not included in the above enlisted registries, Service Provider shall verify the Hungarian VAT number by querying the tax subject in the official registry available on the website of the National Tax and Customs Administration. If there is only EU VAT number, it shall be verified on the website of VIES VAT number validation site of EU. In case the company registration number is used as a unique identifier, it shall be verified by the Service Provider in the above referred company registry.

An attorney-in-fact may also act on behalf of the representative of the non natural person. Service Provider shall verify the power of the attorney-in-act in accordance with Chapter 3.2.3 b.

Service Provider shall verify, in a manner similar to the method described above, the other data of the non natural person to be indicated in the certificate on the basis of other reliable data source, other official documents or a power of attorney in the form of a written document. The veracity of the organizational unit of the Subscriber to be indicated in the certificate (Subject/organizationalUnitName) shall be supported by the declaration of the Subscriber regarding the existence of the organizational unit.

Service Provider may require the Applicant and Subscriber to present original documents or authentic electronic certificates in the course of the application for certificate (see Chapter 4.1).

b. Retention of Subscriber data:

The Service Provider stores, in its own system, the following data to be indicated as the subject of the Subscriber's certificate and to be stored in the Service Provider's records (see Chapter 9.4):

- The Subscriber's identification data (full and short name, official address, taxpayer identification number, company registration number, name of its organisational unit);
- The data of the documents used to check these (e.g. document type, identification number, validity) and originals/copies OR electronic seal and the data used to check the seal;
- The right of the Subscriber's representative to represent the Subscriber (see Chapter 3.2.3 for other representative data);
- Signed copies of the service agreement and other statements (e.g. authorisations);
- Queries and the provided responses in various records;
- The data required for contact (e.g. telephone number, e-mail address).

c. Checking other, non-personal subject data

If the Applicant requests that a name or identifier of an asset, system, or product, a DBA / Trademark, or other unique name is indicated as the Subject of the certificate (independently or

with a natural or legal person), the Service Provider shall ascertain that the Client is in rightful possession of the name and identifier and that these are not misleading. The check has to be based on an official document, reliable data source, or discussions with the official body that manages the identifier, if any are available.

By applying for and accepting a certificate, the Client declares that the names, trademarks, and other data included therein do not violate the rights of third persons.

d. Identification of organizations in the case of government certificates

In the case of government certificates the Applicant shall submit the data to be indicated in the certificate and necessary for the clear identification of the governmental body – that provides administrative tasks – applying for the client registration, and of the device attributed to the electronic stamp used for administrative purposes as well as the contact details of the responsible contact person at the governmental body that provides administrative tasks.

3.2.3. Authentication of individual identity

a. Checking the Applicant's identity

In case the requested certificate contains the data of a private individual (not including the Express certificate types – LCP, see 1.2.1), Service Provider shall use any of the methods detailed in points i, ii and iii below for checking the Applicant's identity – and in case the methods set out in points i and iii are used, together with the data verification method set out in point iv.

In the case of the application for an EV website authentication certificate (EVCP – see 1.2.1), Service Provider shall check the identity of the Applicant by any of the methods set out in point i, together with the data verification method set out in point iv.

In case the requested certificate does not contain the data of any private individual (not including the EV website authentication certificates) and in the case of the Express certificate types (LCP - see 1.2.1), Service Provider shall, by default, carry out the data verification procedure set out in point iv only, which may be substituted with any of the methods set out in points i, ii and iii on a case by case basis that provide a higher level of security.

i. Authentication based on appearance (or equivalent method):

The Applicant shall appear in person before any of the following persons of choice:

- before an employee of the Central Registration Authority at the registered office of the Service Provider (see 1.1.2), or
- before an employee of the External Registration unit at a place specified by the Partner to the Service Provider (the verification of the identity before the External Registration

Authority is available only for the clientele set out in the agreement made with the Partner to the Service Provider), or

- before a Mobile Registration Associate, under the terms published in the GTC and on the website of the Service Provider (see 1.1.2), at a place and time requested by the Client, or
- before a public notary.

In the case of appearance before the Service Provider:

In the case of appearance before the Service Provider (employee of the Central Registration Authority, a Mobile Registration Associate or an employee of the External Registration Authority) the Applicants shall identify themselves by presenting their personal identification document to the employee of the Service Provider. In case no doubt arises in connection with the authenticity of the document presented, the employee of the Service Provider establishes the identity of the Applicant by comparing the photograph and signature in the identification document to the face of the person present and the signature in the Service Agreement. The Applicant shall be clearly recognizable on the basis of the photograph in the identification document, and the signature in the document shall be identical to the signature in the Service Agreement. In case any doubt arises as to the authenticity of the document presented, or the matchability of the photograph or the signature, the Service Provider shall refuse the fulfillment of the Application for certificate issuance.

In the case of public administration certificates, by signing, the registration administrator certifies that the portrait in the official document is the face of the Applicant and that the signature on the document is the same as the Applicant's signature on the Service Agreement.

The Service Provider inspects the personal identification documents (or their copies) submitted to it to check their validity and authenticity and the veracity of the data provided by the Applicant.

In this case, if TSP will issue the certificate, the way of verification, the documents and/or datasources used for it must be noticed in protocol and the protocol must be preserve with other verification data.

When Applicant is authenticated based on appearance TSP expects Applicant to show the follow documents:

identity card or driving licemce with photo (in case of Hungarian and EU citizens);
passport (in case of non-EU citizens).

In the case of non-Hungarian EU citizens, as well as the citizens of Iceland, Norway and Switzerland, the employee of Service Provider shall verify the authenticity of the presented identification document on the basis of the sample document in the online database named "PRADO" provided by the Council of the European Union.

In the case of third country nationals, Service Provider shall check the authenticity of the presented document with a similar, reliable online database or by other means that can be documented and verified. In such a case the Service Provider shall record the mean of verification in a protocol and shall retain the protocol together with the data to be retained in connection with the issuance of the certificates (see 3.2.3. e).

Following the presentation of the document the Service Provider shall, with the consent of the Applicant, create an electronic copy (facsimile) of the document (or files the copy created by the Applicant). In case the Applicant does not consent to the making of the copy, the Applicant shall verify the data of the document by signing the data matching form.

Service Provider shall verify the validity and data of the document on the basis of the facsimile thereof or the data matching form in accordance with chapter iv, then it shall retain the facsimile of the document or the data matching form together with the data to be retained in relation to the issuance of certificates (see Chapter 3.2.3. e).

In case there is no doubt in Service Provider about the authenticity of the document or the matchability of the document photo or signature, and the document and the data thereof are valid under the verification under chapter iv, Service Provider shall deem the validation of the identity successful.

In the case of appearance before a public notary:

In the case of appearance before a public notary, the Applicant shall record the signed Service Agreement in the form of a factual attestation by a notary, in which the notary attests that the identity and signature of the Applicant has been validated by the notary. The Applicant shall submit the original of the document to the Service Provider. In addition, the Service Provider may require the Applicant to send the photocopy of the above identification document, as well.

In this case the validation of the identity is based on the verification of the notarial document and the verification of the validity of the data by comparing it with the document facsimile under Chapter iv.

In case there is no doubt in Service Provider about the authenticity and validity of the notarial document, and the document and the data thereof are valid under the verification under chapter iv, Service Provider shall deem the validation of the identity successful.

ii. Authentication with the use of electronic identification device

According to Article 24(1)b of eIDAS, the Service Provider may verify the identity of natural persons by using electronic identification system, which is included in the list published in the Official Journal of the European Union⁸ and meets the requirements with regard to the assurance levels “substantial” or “high”, provided that physical presence was required for the issuance of the identification device. In case such electronic identification system is available for the Service Provider for the validation of the identity of the Applicant or representative or agent of Subscriber, the physical presence of the natural person is not required for the validation of the identity before the certificate issuance.

iii. Electronic authentication with the user's own certificate

The Service Provider may carry out the validation of the identity of the agent or representative of Applicant / Subscriber by electronic authentication. In such a case the verification of the electronic signature of the Service Agreement or power of attorney shall serve as the basis of the validation of the identity. In case the certificate of the signature does not clearly validate the identity of the

⁸ <http://eur-lex.europa.eu/oj/direct-access.html>

signatory (e.g. because the certificate has not been issued by the Service Provider and/or the certificate does not contain any clear personal identifier data), the Service Provider may require the facsimile of the identification document of Applicant or the agent or representative of Subscriber, and may even require the facsimile to be signed by hand. (In this case, in addition to the verification of the electronic signature, the matching of the original signature on the identification document and the signature on the facsimile also serves as basis of the validation of the identity.) Service Provider requires the precise matching of the name and other personal data of the natural person specified as the Subject of the certificate and the data set out in the identification document.

Service Provider accepts the valid electronic signature of Applicant if the signature certificate of the Applicant has been issued by a service provider enlisted in the Trust List of the EU in accordance with a standard NCP, NCP+, QCP-n or QCP-n-qscd certification policy and these can be clearly established by the Service Provider. In the course of the validation of the identity, Service Provider may refuse, without giving any reasons, the acceptance of the signature based on a non-qualified certificate issued by a third party.

Service Provider may use the certification data in the electronic signature as certified data, but it may require the Applicant and the Subscriber to provide further data (e.g. the facsimile of the identification document under Chapter i), and verifies the data (and the validity of the document, as the case may be) in accordance with Chapter iv.

In case the validation of the electronic signature is successful and its certificate is in compliance with the above and if no doubt arises in the Service Provider about the matching of the signatures on the facsimile of the document, and the document and/or the data contained therein are valid on the basis of the data verification under Chapter iv, Service Provider shall deem the validation of the identity successful.

iv. Verification of identification documents and data

In case the requested certificate does not contain the data of any natural person (not including the EV website authentication certificate), and in the case of the Express certificate types (LCP - see 1.2.1), Service Provider requires the facsimile of the identification document of Applicant that is compliant with Chapter i. – physical presence and the presentation of the original documents is not required. In this case the validation of the identity is based on the validity of the document and the data contained therein in accordance with the followings; and in case the document and the data contained therein are valid, Service Provider shall deem the validation of the identity successful.

In case the requested certificate contains the data of any natural person (not including the Express certificate types – LCP, see 1.2.1) and Service Provider validates the identity of the Applicant in accordance with Chapter i or iii, the verification of the validity of the document and/or the data contained therein forms part of the validation of the identity and the establishment of the validity is required for the Service Provider to deem the validation of the identity successful.

In the case of the application for an EV website authentication certificate (EVCP), in addition to the validation of the identity of the Applicant in accordance with Chapter i, the verification of the validity of the identification document and the data contained therein forms part of the validation

of the identity and the establishment of the validity is required for the Service Provider to deem the validation of the identity successful.

Service Provider shall verify the validity and authenticity of the identification documents presented and/or submitted as a facsimile or handed over, as well as the data contained therein in a public registry or in another reliable central registry (with the exception of the OV website authentication certificates, where the validity of the document is verified on the basis of the facsimile). In the case of Hungarian citizens this registry is the Registry of Personal Data and Address of Citizens of the Ministry of Interior. Service Provider shall record the document facsimiles and the results of the verification (see 3.2.3. e).

In case such registry is not available for Service Provider – e.g. in the case of a non-Hungarian citizen private individual – or the availability is unknown or the costs of access and verification are disproportionately high, this fact shall be recorded by Service Provider, and Service Provider shall make a decision on whether or not to issue the subject certificate for the Applicant on the basis of the available deeds, documents and/or data sources. In this case, in case the Service Provider decides to issue the certificate, the Service Provider shall record the mean of verification, the deeds, documents and/or data sources used in a protocol, and it shall retain the protocol together with the data to be retained in relation to the issuance of certificates.

b. Checking the identity of the Subscriber's representative or agent

If the Subscriber or its representative / agent is different than the Applicant, the service agreement shall also be signed by the Subscriber's representative / agent. A personal appearance is not necessary.

The identity of the Subscriber's representative (or, in case of joint representation, representatives) is established on the basis of the legislation, authentic records, public document certifying registry, instrument of incorporation, or trusted and regularly updated data source defined in Chapter 3.2.2. The Subscriber's agent is determined on the basis of the authorisation signed by the representative(s). The Service Provider shall accept a general power of attorney in private documents or public instruments according to Section 6:16. of the Civil Code, or a power of attorney issued as a simple private document authorizing the application for and management of certificates in accordance with the sample published by the Service Provider on its website.

The signature of the Subscriber's representatives / agent as included on the Service Agreement and authorisation is verified on the basis of an authentic specimen signature (e.g. specimen signature drawn up in the presence of an attorney or a public notary, or, signature placed on an official document, or, in the case of an agent, the signature on the letter of authorisation).

Applicant may submit the authorizations and specimen signatures as simple electronic copies, but Service Provider may require the presentation of the original documents. Service Provider shall

retain the electronic copy together with the data to be retained in relation to the issuance of the certificates (see 3.2.3. e).

See also Chapter 3.2.5 for more information on rights and authorisations.

The authentication of the service agreement and authorisation can be performed by other than the Subscriber, in which case it shall be authenticated with an electronic signature (the electronic signature(s) of the representative(s)); the service agreement can also be authenticated with the Agent's electronic signature. The Service Provider shall accept the its representative's or agent's valid electronic signature if their certificates were issued by a service provider included in the EU Trust List in the framework of at least an QCP-n, QCP-l, QCP-n-qscd or QCP-l-qscd certificate policy (see the electronic authentication of the Applicant) and it is recognizable. Non-qualified certificates issued by the TSP are also could be accepted.

c. Checking other subject data

If titles pertaining to a regulated profession or information pertaining to company registration rights are indicated, the Service Provider shall check the pertinent data (if applicable, based on a professional certificate, authentic information described in Chapter 3.2.2, other trusted sdata sources, or documents, the data of a registry kept by a professional chamber, or other official authentic records).

The Service Provider requires that the Applicant send an email to certify the email address to be included in the certificate (or to be in contact, if not included into the certificate) as follows:

- In case of NETLOCK Sign service email address checking is performed automatically as follows:
sending an email to Applicant with randomized link (random access token),
Applicant can confirm the email address by clicking on this link;
validity of the random access token is 120 hours.
- In case of any other certificate:
sending an email to Applicant with random value,
Applicant can confirm the email address by sending back this email contained the random value;
validity of the random value is 30 days.

In the case of application for Personal (see 7.1) certificate, the name of the country and locality of residence of the Applicant among the subject data of the certificate, and Service Provider may require the facsimile of the certificate of domicile of the Applicant in order to verify the above. Service Provider shall verify the address of residence of Applicant, as well as the validity of the certificate of domicile, if the submission of the facsimile of the certificate was required, by using a public or other reliable central database. In the case of Hungarian citizens this registry is the Registry of Personal Data and Address of Citizens of the Ministry of Interior. Service Provider shall retain the facsimile documents and the result of the verification (see 3.2.3. e). In case such registry

is not available for Service Provider – e.g. in the case of a non-Hungarian citizen private individual – or the availability is unknown or the costs of access and verification are disproportionately high, Service Provider requires the Applicant to present the original certificate of domicile of the Applicant. In relation to the validation of the authenticity and the retaining of the facsimile of the document presented, Service Provider shall act in accordance with the provisions of Chapter 3.2.3 a. i.

d. Identifying the Receiver

If the Applicant did not personally appear at the Service Provider (or receipt does not take place immediately after personal identification) and the Service Provider wishes to hand over to the Client the Client device containing the private key that the Service Provider generated, the Approved Agent shall identify the Receiver at a personal meeting with the use of photographic personal identification documents.

e. Recording Applicant, Subscriber, representative, and agent data

The Service Provider will record the data to be indicated as the certificate's Subject (based on the data sources used during the course of the above checks and records this check

The Service Provider stores, in its own system, the following data and documents pertaining to the Applicant and its representative and agent, as well as to the Receiver (see Chapter 9.4):

- The data required for unequivocally establishing the identities of the Applicant, Subscriber's representative and agent, and the Receiver, based on authentic documents;
- The Applicant's home address, based on authentic documents;
- The Applicant's data required for contact (e.g. postal address, telephone number, e-mail address).
- A signed copy of the service agreement;
- The data used to check the electronic signature;
- The data of responses provided to queries in various records;
- The data of the documents used for identification and verification (e.g. document type, identification number, validity)
- The copies of the documents, certifications, and authorisations submitted during the Application, which were either provided by the Applicant or scanned by the Service Provider.

f. Miscellaneous provisions

The Applicant and the Subscriber have to acknowledge the veracity of the data provided during the identification process by signing the Service Agreement.

The Service Provider does not have to indicate an actual natural or legal person as the Subject of the test certificate (if the contents of the certificate unequivocally indicate that it is a test certificate); the checking of such subject data is therefore obviously not an expectation.

3.2.4. Non-verified subscriber information

Only such subject data are included in a certificate issued by the Service Provider that the Service Provider has verified (as written in Chapter 3.2), or about the authenticity of which the Applicant or Subscriber has provided a written statement beforehand in full knowledge of their liability under criminal law. If the Service Provider is unable to credibly ascertain the veracity and correctness of the data, it can deny the issuance of the certificate (see Chapter 4.2.2).

3.2.5. Control of eligibilities and delegation

If the Subscriber is a legal person, one natural person(s) may proceed at the Service Provider as Applicant. Such natural persons can be the official representative(s) of the legal person or a third person authorised by such person(s). These persons shall be identified in accordance with Chapters 3.2.3 or 3.3, and the Service Provider shall record the results of the check.

In the case of authorisations granted for specific periods of time, the fact that the expiration day has not yet been reached and (in case of legal persons) that the principal's right of representation is still valid shall be checked for each use.

If a natural person End-User is also named as the Subject of the certificate in addition to the legal person Subscriber, the Subscriber's representative(s) or agents shall grant their consent for the inclusion of the given legal and natural person's name and other data in the certificate.

If the certificate includes a full or partial right of representation (or a right that can be interpreted as such) (hereinafter jointly: right of representation), the Service Provider is obligated to ascertain the validity of the right of representation and its contents as included in the certificate before issuing the certificate, based on legislation, authentic public records, instruments of incorporation or, in absence of the above, an authorisation; the Service Provider is also obligated to record the results of the check.

Control of eligibilities and delegation of website authenticating certificates (OVCP és EVCP)

If the Subject (Subject or SAN field) of the certificate is a domain name, the Service Provider verifies that the Subscriber has the right to use and the control of the domain name.

TSP uses the following methods for verifying that the Subscriber has the control to use the domain:

1. Constructed email to domain contact (BRG 3.2.2.4.4), which consists of the following steps:

- a. sending an email to Applicant with a unique randomized link (random access token), to the email address related to the domain or one of the subdomains that is given by the Applicant;
- b. local host of this email address shall be 'admin', 'administrator', 'webmaster', 'hostmaster', or 'postmaster'.
- c. Applicant can confirm the email address by clicking on this link.

Validity of the random access token is 30 days. With validation of the domain, the related subdomains are also validated.

2. Agreed-Upon Change to Website (BRG 3.2.2.4.6), which consists of the following steps:

- a. sending an email to Applicant with a unique random value;
- b. Applicant places the value in the /.well-known/pki-validation directory on webserver;
- c. Applicant informs TSP about placing the value using the related function of client menu, as result of which TSP system automatically checks the value.

Validity of the random access token is 30 days. With validation of the domain, the related subdomains are also validated.

3. DNS Change (BRG 3.2.2.4.7), which consists of the following steps:

- a. sending an email to Applicant with a unique random value;
- b. Applicant places the value in DNS TXT record related to the domain; the value shall be prefixed with "netlock=" label;
- c. Applicant informs TSP about placing the value using the related function of client menu, as result of which TSP system automatically checks the value.

Validity of the random access token is 30 days. With validation of the domain, the related subdomains are also validated.

4. DNS CAA Contact Email (BRG 3.2.2.4.13), which consists of the following steps:

- a. sending an email to Applicant with a unique randomized link (random access token), to the email address consisted as "ContactEmail" in the relevant CAA Resource.
- b. Applicant can confirm the email address by clicking on this link.

Validity of the random access token is 30 days. With validation of the domain, the related subdomains are also validated. DNS record format shall be as follows: „CAA 0 contactemail user@domain.hu”

5. Email to DNS TXT Contact (BRG 3.2.2.4.14), which consists of the following steps:
 - a. sending an email to Applicant with a unique randomized link (random access token), to the consisted contact email address in the relevant DNS TXT record.
 - b. Applicant can confirm the email address by clicking on this link.

Validity of the random access token is 30 days. With validation of the domain, the related subdomains are also validated.

DNS TXT record format shall be as follows:

- A "validation-contactemail" subdomain shall be made;
- DNS TXT record of this subdomain shall contain the contact email address (a single address and only email address is allowed to be consisted in DNS TXT record, according to RFC 6532 3.2).

If the Subscriber does not own the domain name (as displayed in the official registry) or, in case of UCC web site authentication certificate, the domain names (OVCP and EVCP), the authentic consent of all owners is required for issuing the certificate. During the course of checking the above, the Service Provider proceeds similarly to the process of checking representations and authorisations. The Service Provider may also check the applied domain names using technical methods. (See also Chapter 3.2.3. point b.)

In order to accept the website authentication certificates by browsers, avoid the possible abuses with them, as well as the verifiability of the relationship between the domains and the certificates, the so called "Certificate Transparency"⁹ protocol is applied for the website authentication certificates, before issuance.

⁹ More information about the so-called „Certificate Transparency”: <https://www.certificate-transparency.org>

According to the RFC 6962, in the frame of the CT procedure, if the validation process as defined in this chapter (3.2) is success, but before the issuance, TSP submits a certified pre-certificate to a public CT log, where the precertificate will be recorded.

About the publication of the pre-certificate, CT log sends back a signed and timestamped confirmation. A reference of this confirmation will be placed in a right field of the certificate (see chapter 7.1) directly before the issuance.

Domain validation shall be performed also in case of website-authenticating test certificate.

3.2.6. Criteria for interoperation

During the provision of services, the Service Provider may cooperate with other Service Providers, who will acknowledge the requirements included in the Trust Service Policy as binding upon themselves.

The Service Provider discloses on its website all cross-certified certificates that it is the Subject or issuer of.

3.3. Identification and authentication for managing certificates

In the case of a process resulting in the issuance of a new certificate (see Chapter 4 Certificate lifecycle requirements, in particular, Subchapters 4.6 Certificate renewal, 4.7. Re-key, and 4.8 Certificate modification), Service Provider shall identify and verify the Client or clients and verify the data set out in the application in accordance with the identification procedure set out in Chapter 3.2 .

In case Service Provider has already carried out the followings:

- verification of the identity of the Applicant, verification of his personal data and his right/power to act;
- verification of the identity of the Subscriber and the verification of his identifiers and his right to use the other data to be specified in the certificate;
- verification of the identity of the person or persons entitled to represent the Subscriber;
- verification of the identity and authorization of the agent of the representative or representatives of the Subscriber;
- verification of the data to be specified as the Subject of the certificate and recorded in the registry of Service Provider; and
- verification of the possession of the private key,

then Service Provider shall repeat these procedures in accordance with the rules of initial identity validation set out in Chapter 3.2 only if the earlier validation is obsolete or not reliable, or if the data of the Applicant, Subscriber or Subject recorded earlier have changed

In the case of a new application, Service Provider deems reliable the identity validation and authentication procedures under Chapter 3.2 with the following conditions:

- the result of the identity validation procedures under Chapters 3.2.3 a. i., ii. and iii. when the requested certificate is valid;
- the verification of the identifier data of the natural persons and entities under Chapters 3.2.2 and 3.2.3
 - in the case of verification using public or other reliable data source, for 30 calendar days from the date of verification;
 - in the case of verification based on the presentation of an authentic public document, for 30 calendar days from the date of presentation of the document;
 - in the case of the translation or facsimile of the authentic public document certified by a public notary, for 30 calendar days from the certification by the public notary;
- the authorizations under Chapters 3.2.3 b. and 3.2.5 and other statements of consent, as well as specimen signatures in case the Service Provider is not aware of their revocation or expiry.

In case these conditions are not met, Service Provider shall deem the result of the procedures obsolete and shall repeat the procedures in accordance with Chapter 3.2.

Applicant shall re-submit to the Service Provider the documents or facsimiles of the documents that serve for the verification and validation of the data of the Applicant, Subscriber and Subject to be included in the certificate, set out in Chapter 3.2 or the verification and validation of the rightful use thereof only in case of their expiry or any of the data contained therein have changed since the verification procedures carried out in the course of the processing of the previous application.

In case the application contains a new signature or stamp public key and/or includes the request for a new Client Device, then the provisions under Chapter 3.2.1 shall be complied with in all cases.

In case of applications for the management of website authentication certificates (OVCP and EVCP), Service Provider shall repeat the verification of the data and the identification at least in every 27 (OVCP) or 13 (EVCP) months.

3.3.1. Identification and certification in the case of a valid certificate

In case the validation of the identity of the Applicant has already taken place in relation to a prior application for certificate, and this certificate is still valid at the time of the new application, Service Provider shall carry out the new identity validation procedures under Chapter 3.2.3. a only in case the issuance of the certificate subject to the current application requires a method of identity validation providing a level of security higher than the former method.

In case the data to be verified for the issuance of the requested certificate are identical to the data verified prior to the issue of the certificate issued previously by the Service Provider to the Client

and this certificate is still valid at the time of the processing of the new application, Service Provider does not require the presentation of the documents or the submission of the copies thereof in respect of the above data, but repeats the verification of the previously recorded documents in a public or other reliable database (unless if the previous verification took place within 30 days).

In case an original document, or a facsimile thereof attested by a notary, was required in connection with a former certificate application of Applicant, Applicant shall present or submit these documents again in relation to the actual application (unless if the original document was presented or the facsimile/translation thereof was attested by the notary within 30 days).

3.3.2. Identification and certification in the case of an invalid certificate

In case the validation of the identity of, and the verification of the data of, the Applicant has already taken place earlier, but the resulting certificate is not valid any more, Service Provider shall repeat all validation and authentication procedures under Chapter 3.2. In case the data of the Applicant and Subscriber, as well as the data of the Subject to be recorded in the certificate, and a public or other reliable data source is available for the verification thereof, and the previously signed letter of authorization or other statement of consent is valid, Service Provider may not require the presentation or the sending of the facsimiles of these documents.

Service Provider shall not accept the service agreement, authorization (power of attorney) or any other document signed or stamped with an invalid certificate.

3.4. Identification and authentication for status change request

The Service Provider provides certificate revocation, suspension, and reactivation services. The Service Provider always identifies the applicant of the status change and ascertains that they have authorisation to perform the given action.

The Applicant's authorisation is checked as per [Chapter 4.9.2](#) and the action is processed as per [Chapter 4.9.4](#). The Service Provider identifies the Applicant of the status change as set forth below for the certificate's Applicant and Subscriber:

CHANNEL	IDENTIFICATION OF THE APPLICANT FOR STATUS CHANGE
Client Menu	Enter user name and password.

(Only for suspension requests)	
Phone	Of the personal information recorded in the client menu registration, at least three different pieces of information have to be checked. Identification is considered successful if all three pieces of information provided by the applicant are the same as those recorded in the client menu registration.
Email	If a status change request arrives by email, the identification of the requester is based on the sender email address. If the sender email address is the same which is placed in the certificate of the status change request, the identification is success. If the sender email address is <u>not</u> the same which is placed in the certificate of the status change request, TSP tries to connect via phone with the person who entitled to request to change the status of the certificate, to identify her/him via phone (see above) and to confirm or refute the request.

In case of being contacted by the authorities, identification takes place on the basis of the body's official (electronic or traditional) seal or its electronic signature.

4. CERTIFICATE LIFECYCLE REQUIREMENTS

The present Chapter 4 describes the actions that manage the lifecycles of the certificate issued by the Service Provider.

The certificate's lifecycle extends from the application for and the issuance of the certificate until its expiration or revocation. During this time, there is a possibility for suspending, activating, or modifying the certificate (if applicable in the case of the given certificate policy (see [Chapter 1.2.1](#)) or key use (see Chapter 7.1.2)) or replacing the certificate's keys. The Service Provider ensures that the Relying parties can also apply for certificates for testing (see Chapter 7.1). Of the rules set out in the present Chapter 4, only those rules are applicable to test certificates where explicitly indicated by the text of the Statement.

In case of NL Sign signature services, the Client applications that manage the certificate lifecycle are implemented in a manner integrated with the service.

4.1. Certificate enrolment

The conditions and method laid out in the present Statement can only be used to apply for the services defined in Chapter 1.1. to request certificates written in Chapter 1.2.1

The present Chapter 4.1 describes only the procedures pertaining to original certificate applications. The certificate issuance that takes place in the framework of renewal, modification, or re-key applications is described in the appropriate Chapters (4.6-8).

The certificate application submitted previously to the Service Provider's Central or External Registration Authority by the Applicant is required for the issuance of all end-user certificates (see [Chapter 1.3.2](#) and [Chapter 4.1.2](#)).

The Service Provider provides easy-to-understand information in its regulations and/or on its website (see [Chapter 1.1.2](#)) regarding:

- the non-qualified nature of the certificates that can be applied for and the legal effects related to their application;
- their use (see Chapter 1.4);
- the business and legal information pertaining to the service (see [Chapter 9](#));
- the conditions for concluding the Service Agreement;
- the rights and obligations of the Parties;
- the parts of the Service Provider's General Terms and Conditions (GTC) that pertain to services related to certificates;
- the security measures necessary in relation to the use of private keys;

- the use of the Client device, if the Applicant acquired such from the Service Provider.

Service Provider shall publish its statements and other information documents on its website in non-editable PDF format, and shall publish information by contents displayed directly on its website.

At least after the conclusion of the agreement, the Service Provider shall make available the service agreement, the service policy and the statement via link(s) in e-mail.

4.1.1. Who can submit a certificate application

The following parties can apply for end-user certificates in accordance with the requested profile:

CERTIFICATE PROFILE (See Chapter 7.1.)	APPLICANT
PERSONAL PROFILE	The natural person indicated as the Subject of the certificate, on behalf of itself.
PSEUDONYM PROFILE	The pseudonym indicated by the natural person as the Subject of the certificate, on behalf of itself.
BUSINESS PROFILE	The natural person indicated as the Subject of the certificate, on behalf of itself, in certification of the fact that the organization also indicated as the subject of the certificate granted its consent for the certificate application. OR According to the preliminary agreement between the Service Provider and the Client, the representative or agent of the organization indicated as the Subject of the certificate, naming the natural person whose data it also wishes to indicate as the Subject of the certificate. OR The government body providing for electronic administration.
ORGANISATIONAL PROFILE	The representative or agent of the legal person

	indicated as the Subject of the certificate. OR The representative or agent of the legal person holding the trademark indicated as the Subject of the certificate.
NON-QUALIFIED OV, EV WEBSITE AUTHENTICATION PROFILE	The representative or agent of the organization holding or rightfully using the domain indicated as the Subject of the certificate.

Any natural person can apply for a certificate for testing purposes (see [Chapter 7.1](#)) with any profile on behalf of itself, the organisation it represents, or its device.

The Service Provider manages a risk list of the natural and legal persons for whom it registers a risk related to certificate application, and may also use external data sources for its risk assessment. Based on the risk assessment, the Service Provider can reject the certificate application.

In the case of managed SCD service, the registration of End Users and the application for the NL Sign signature service may take place together with the procedures applicable to the certification service (see Chapter 4).

4.1.2. Enrolment process and responsibilities

The certificate enrolment process starts with the application submitted by the Applicant to the Service Provider's Central or External Registration Authority and ends with the issuance of the certificate. During the course of this process, the Applicant is liable for the veracity of the data included in the application and the Service Provider is responsible for checking those and correctly displaying the certificate subject data.

a. Client System Registration and Certificate enrolment

The application for the issuance of certificate may be initiated following the registration (see below) with the Client Menu available on the Website of the Service Provider, by signing in the Client Menu and selecting the certification application function and submitting the data requested by the system (see below).

The Client can initiate its application for a test certificate (see Chapter 7.1) by sending an email to the Service Provider's Registration Authority (see Chapter 1.1.2). The application, after agreed upon with the Client, can be performed if approved by the Service Provider's Legal Department.

Following negotiations with the Service Provider's Internal Auditors, any of the Service Provider's employees can request a test certificate for the purposes of internal testing.

In case of the NL SIGN service the Applicant can apply for a certificate in the NL SIGN system.

In the case of the service plans set out in the GTC the Application may be initiated by filling and sending the plan order forms available on the website of Service Provider. In this case the registration with the Client Menu (see below) and the recording of the application in the system of Service Provider (see below) takes place on the basis of the data submitted to Service Provider in the order form.

The Service Provider can deviate from the above, described means of the certificate application process in the case of a separate agreement made with Client, or with the Partner to the Service Provider, provided that an External Registration Authority is involved in the latter case (e.g. in case of bulk application for certificates or in the case of a special type of certificate).

During the certificate application process, the Service Provider uses the data provided when applying for a certificate to prepare, and then send to the Applicant in an electronic format, the service agreement applicable to the issuance of the requested certificate.

The certificate application process, which is required for certificate enrolment, is partially automated processes but also require human intervention. The steps that the Applicant has to take during these processes are discussed in detail in the guidelines available on the Service Provider's website.

i. Data recorded in the course of the registration with the Client Menu

Service Provider records the data required for certificate applications and for contacting the Applicant and the Subscriber.

In the course of the registration of Applicant with the personal Client Menu Service Provider records and retains the following data in its IT system:

- name (mandatory);
- identity card number (mandatory)
- country of home address (mandatory);
- city of home address (mandatory);
- postal code, street and house number of home address (optional);
- phone number (mandatory);
- e-mail address (mandatory);
- login name (mandatory);
- password (mandatory);
- password reminder (optional).

In case a certificate is requested for a legal person (in case of organisational, business, OV SSL or EV SSL profile see Chapter 7.1), the following data shall also be recorded:

- name (mandatory);
- country of registered address (mandatory);
- city of registered address (mandatory);
- postal code, street and house number of registered address (optional);
- phone number (optional);
- e-mail address (mandatory).

In case of certificates for website authentication (OVCP and EVCP) the Service Provider records and stores the following data in its IT system.

- server name (mandatory);
- country (mandatory);
- city (mandatory);
- the URL containing the domain name (mandatory).

ii. Information required and recorded for certificate enrolment

Certificate enrolment can be initiated by submitting the following data (as part of the application or documents) in accordance with the requested certificate profile. Furthermore, the Subscriber's data required for contract conclusion and invoicing are also required, regardless of the certificate profile and the Applicant's name and password.

CERTIFICATE PROFILE (see Chapter 7.1)	REQUIRED DATA*
PERSONAL PROFILE	The data of the natural person indicated as the Subject of the certificate: • number of the personal identification document; • the family and given name(s) included in the personal identification document; • the home address or residence in the official address certification; • e-mail address.
PSEUDONYM PROFILE	• The data of the natural person applying for the certificate, as in the case of the personal profile. • The pseudonym to be used in the certificate.
BUSINESS PROFILE	• The data of the natural person to be indicated as the Subject of the certificate, as in the case of the personal profile (except address). • The data of the legal person to be indicated as the Subject of the certificate and the data of its representative agent, as in the case of organisational profile.
ORGANISATIONAL PROFILE	The data of the organization indicated as the Subject of the certificate: • the name indicated in the identification document; • the registered address indicated in the identification document; • the name of the organizational unit (optional, except for webpage authentication certificates); • e-mail address; • taxpayer identification number; • the following data of the representative(s) or agent of the organization

	• name • e-mail address.
OV and EV WEBSITE AUTHENTICATING PROFILE	All data submitted in relation to the organizational profile, as well as the submission of the domain name(s) to be indicated as the Subject of the certificate. Furthermore, Applicant shall also provide a Certificate Signing Request (CSR) file.
* <i>The scope of the requested data may be extended in certain cases.</i>	

When applying for a certificate for testing (see Chapter 7.1), the Applicant has to provide the purpose of the testing and the profile of the certificate to be tested.

iii. Submission of documents

In case Service Provider requires the facsimile of the identification document of the Applicant for the validation of identity under Chapter 3, it shall be sent by Applicant to the dedicated e-mail address of Service Provider as soon as practically possible following the recording of the request for the issuance of the certificate (see Chapter 1.1.2).

In case a public document or any other official document is needed for the identification of any identity set out in any certificate application under Chapter 3, or for the verification of any right or power, or of any data to be included in the certificate due to the lack of public or other reliable data source or the disproportionately high cost of the access thereof, Applicant shall also present these documents to the Service Provider following the submission of the application, or shall submit to Service Provider the facsimile or translation attested by a notary. Applicant may send the simple electronic copies of these documents to the dedicated e-mail address of Service Provider in advance (see Chapter 1.1.2), which may facilitate the application process.

Service Provider shall, after recording the application, provide the Applicant with precise information on the documents to be presented.

iv. Additional conditions for certificate enrolment

1. In addition to the above, the Applicant also has to indicate
 - a. the planned use of the certificate,
 - b. the type of Subscriber (private person, company, government, or other),
 - c. and also has to submit the service agreement, authenticated as described in Chapter 4.2.1, to the Service Provider.
2. By signing the service agreement, the Client declares the following:
 - a. its personal information included in the agreement are true and that it provided those to the Service Provider voluntarily;
 - b. it has familiarized itself with, understands, and accepts the General Terms and Conditions, the present Practice Statement applicable to the requested certificate, and the Service Provider's Trust Service Policy, which are available on the Service Provider's website;

- c. prior to the conclusion of the agreement, it has received the information as required by relevant legislation and has understood the limitations pertaining to the certificate (e.g. key use or the undertaking of liability by the Service Provider);
 - d. in the case of website authentication certificate, Applicant consents that TSP – before the issuance – submits a certified pre-certificate to a public CT log, where the pre-certificate will be recorded (see 3.2.5), and accepts that the issuance is possible exclusively after this submission;
 - e. it authorises the Service Provider to issue the certificate indicated in the service agreement.
3. By signing the service agreement, the Client furthermore certifies the following:
- a. it grants its consent for the handling of the data provided when registering in the client menu and in its Application;
 - b. it requests the authentication of the public key set out in the agreement and its registry, storage, and handling in the certificate's public certificate repository (see also Chapter 4.4.2);
 - c. it is familiar with the rights and obligations of the contracting parties.
4. If an organization is named as the certificate Subject, its representative or agent declares the following in the service agreement or - if such is attached separately to the service agreement - in the annex to the service agreement:
- a. the certificate enrolment is taking place with its knowledge and consent;
 - b. it authorizes the Applicant to apply for the certificate, or
 - i. with its suspension, revocation, or activation (4.9),
 - ii. renewal (4.6),
 - iii. modification (4.8),
 - iv. to proceed in the re-key process (4.7);
 - c. it undertakes to pay the service fees incurred in relation to the agreement;
 - d. it has familiarized itself with, understands, and accepts the GTC, the present Practice Statement applicable to the requested certificate, and the Trust Service Policy, which are available on the Service Provider's website (see Chapter 1.1.2).

b. Responsibilities of Clients

During Application, the Applicant is responsible for exactly providing the data discussed in the present Chapter (4.1.2), for familiarising itself with the information sent by the Service Provider via email, and taking the steps requested by the Service Provider. If the present Statement requires the certification of identity for the issuance of the requested certificate, the Applicant is responsible for such certification as per Chapter 3.

The service agreement has to be signed by the Applicant and the Subscriber, as set out in Chapter 4.2.1.

4.2. Certificate application processing

The rules of the present Chapter (4.2) apply to applying for new certificates (Chapter 4.1) and to the processing of requests for renewal (Chapter 4.6), modification (Chapter 4.8), and re-keys (Chapter 4.7) - also including the identification-authentication procedure that precedes Certificate issuance, the acceptance or rejection of the issued certificate by the Client, and the duration of processing. The applicable chapters contain any rules that differ from those applied by the Service Provider under this Chapter for processing any requests.

When processing a certificate application, the employees of the Central or External Registration Authority check the personal and organisational data provided when filling out the electronic order form; they also identify the Applicant and his right to proceed and - in case of device order - generate the key pair. The Service Agreement is prepared automatically or with the involvement of the employees of the Registration Authorities, subject to the mean of the application.

In case of the NETLOCK SIGN service, the Central or External Registration Authority is not involved in the generation of the key. The key is generated by the users following the submission of the certificate application, in the protected environment of NETLOCK SIGN.

During the Application, the Service Provider also checks the trueness of the provided email address by requesting confirmation of certificate enrolment from this address and forwarding instructions and information to this address, the performance by and knowledge of which by the Applicant are essential for conducting the certificate enrolment process.

If, based on the application or the Service Provider's offer, the private key is generated for a Client device provided by the SP, the Service Provider will generate the key during the processing of the application (see Chapter 6.1), after which it compiles a package containing:

- the Client device and, if required for its use, the Client device reader;
- the information required for the first use of the Client device.

The Service Provider will inform the Client on the completion of the package (Client device, reader, and information) by sending an email to the address provided during the Application. The Receiver can then take over the package at the place and with the method provided in the email.

4.2.1. Performing identification and authentication functions

The identity validation and authentication processes to be carried out prior to the issue of the certificate are carried out by the Registration Authorities of the Service Provider in case Applicant has specified all data and information and submitted the facsimile of all required supporting certificates and documents, which are required to be specified and submitted to the Service Provider in accordance with the profile of the requested certificate pursuant to the present practice statement (see Chapter 4.1.2).

The Registration Authorities of Service Provider use independent sources to check, in accordance with [Chapter 3](#), the data submitted or acquired during the application and the Applicant's identity

and right to proceed. Registration Administrators and Validation Specialists perform the identification and authentication procedure in line with the requirements pertaining to the work processes included in the Registration Authorities' internal regulations. These internal regulations may set forth additional requirements (not discussed in this Statement) for identifying certificate applications that the Service Provider considers to be high-risk and for which supplemental control procedures are required.

See Chapters 3.2 and 3.3 regarding the identification of the Applicant and the Subscriber.

a. Certification of the Service Agreement and submitting it to the Service Provider

The Service Agreement has to be authenticated by the Applicant and, if applicable, the Subscriber prior to every certificate issuance, even if the certificate was issued on the basis of a data check performed earlier.

The service agreement includes the Applicant's and Subscriber's statement pertaining to the fact that they have familiarized themselves with their obligations and undertake to keep those.

The service agreement can be authenticated and submitted in hard copy format with a handwritten signature or electronically with an electronic signature and, if applicable, an electronic seal.

The Applicant has to sign the hard copy of the service agreement in the same manner as the handwritten signature on the personal identification document. If the Subscriber is different than the Applicant, it has to sign the hard copy of the authorisation by way of its representative or agent with the same signature used on the submitted specimen signature (see Chapter 3.2.3).

If the service agreement is authenticated electronically, the personal identification data in the certificate used for the signature have to be the same as the personal data of the Applicant / Subscriber indicated in the service agreement or the unequivocal certificate identification data indicated in the authorisation. The Subscriber can also use a seal for authentication. In this case, the organisation identification data indicated in the seal have to be the same as the Subscriber data included in the service agreement.

If the authorisation does not form a part of the service agreement but is a separate document, the method used to sign the agreement and the authorisation may differ, i.e. one can be hard copy-based and the other can be electronic.

The Applicant cannot authorise others to sign the service agreement; however, an authorised person can also sign the service agreement on behalf of the Subscriber.

The person acting as the attorney-in-fact on behalf of the Subscriber may also act as the Applicant, in such a case only Applicant shall sign the Service Agreement on behalf of the Client, whereby

Applicant makes his statements both on his behalf and on behalf of the Subscriber. After its approval, Service Provider shall certify the Service Agreement by sealing it with its own electronic stamp, or with the electronic or handwritten signature of the employee of the Registration Authority who is authorized to do so. In the case of electronic signature or seal, the certificate thereof is issued on the basis of the NCP, NCP+ or QCP certification policies. Service Provider shall, after certifying the Service Agreement, send it to Applicant in the form of an electronic copy.

b. CAA verification (OVCP and EVCP)

In the case of website authentication certificates (OVCP and EVCP), the Service Provider shall carry out CAA verification.

In the course of the CAA verification the Service Provider shall query the CAA record of the domain.

Service Provider deems that the certificate is authorized in the following cases:

- in the case of non wildcard domain, the CAA record issue contains „netlock.hu“, „netlock.net“ or „netlock.eu“;
- in the case of wildcard domain, the CAA record issuewild contains „netlock.hu“, „netlock.net“ or „netlock.eu“.
- the CAA record is unavailable.

In case the CAA record contains issue or issuewild, but it is empty, Service Provider shall refuse the issue of the certificate.

4.2.2. Approval or rejection of certificate applications

The Service Provider certifies receipt of the Application by sending an automatic reply to the email address provided during the Application. The automatic response does not mean that the Service Provider has accepted the Application and merely serves to inform the Client that any Registration Authority of the Service Provider has received the Application and it will commence its processing.

The Service Provider's Registration Authorities decide on its acceptance or rejection during the processing of the certificate application. The Registration Authorities will accept the certificate application if the identification and authentication steps set out in Chapter 4.2.1 have been successfully completed. i.e.

- the Applicant's person has been successfully identified;
- the data provided as the certificate subject have been checked and found to be true;
- the Service Agreement has been properly signed.

If identification and authentication were successful and the signed Service Agreement has been accepted, the employee performing the check approves the certificate application.

The Service Provider will call upon the Applicant to submit missing information if the identification and authentication steps set out in Chapter 4.2.1 are unsuccessful because

- the Service Provider does not have all the data or documents at its disposal to process the Application (see Chapter 4.1.2), *or*
- the available data are not authentic or their authenticity cannot be determined, *or*
- the Applicant's right to apply for the certificate cannot be established.

The Service Provider will reject or delete the certificate application if the identification and authentication steps set out in Chapter 4.2.1 are unsuccessful because

- the data provided in the application are false, *or*
- the Applicant is not authorised to submit the given certificate application

Additional circumstances that can lead to the rejection or deletion of the certificate application:

- General, business, and legal conditions:
 - the Applicant fails to comply with the Service Provider's request for completion or clarification within the deadline;
 - the service fee has not been paid by the deadline set out in the GTC;
 - the Subscriber has overdue amounts for any services under the present Statement;
 - the authorised party does not receive the Client device within 30 days of being notified;
 - the conditions necessary for issuing the certificate are not met – for any reason - within 30 calendar days from the date of submission of the application;
 - final liquidation or settlement proceedings are under way against the organization indicated as the certificate subject;
 - the entity(-ies) indicated as the certificate subject and/or the Applicant's home/registered address are in a country subjected to a technological or economic embargo imposed by Hungary or the European Union.
- Circumstances regarding identification and authentication:
 - in the case of the NL Sign service, the End-User did not approve the application;
 - the relationship between the entity(-ies) indicated as the certificate subject and the Applicant/Subscriber is not clear;
 - the Applicant's right to apply for the certificate is not clear;
 - doubts arise regarding the originality, trueness, or validity of the data provided in the certificate application;
 - doubts arise regarding the originality, trueness, or validity of the documents submitted in their original or copies thereof to certify the data provided in the certificate application;

- the Applicant and/or Subscriber do not grant consent for reproducing and/or storing reproductions of the documents presented for the purposes of verifying the data provided in the certificate application;
- the subject of the certificate application is the issuance of a certificate containing the data of an organisation without legal personality or an association;
- other conditions violating the Service Provider's regulations.

The Applicant will be notified of rejected applications and of the reason therefor.

The Service Provider will not issue certificates (OVCP or EVCP) for certain domain endings (which are defined in its internal regulations) and internal domain names; it automatically rejects applications containing such domain names.

4.2.3. Time to process certificate applications

The certificate application will be considered processed once the certificate has been issued or rejected by the Service Provider.

The Service Provider will process the certificate application within 14 days of having received the documents required for certificate application.

The Service Provider will generally issue the certificate within an additional 3-5 workdays if the conditions for issuing the certificate have been met.

In case of a request for missing information, the duration of the request for missing information is not part of the deadline for processing the certificate application.

4.3. Certificate issuance

The rules of the present Chapter (4.3) apply to applying for new certificates (Chapter 4.1) and to the processing of requests for renewal (Chapter 4.6), modification (Chapter 4.8), and re-keys (Chapter 4.7) - also including the Service Provider's activities conducted during certificate issuance and informing the End-User on certificate issuance. The applicable chapters contain any rules that differ from those applied by the Service Provider under this Chapter for certificate issuance conducted on the basis of modification, renewal, or re-key requests.

The time of certificate issuance is the time when the Service Provider makes the signed certificate available in the Client Menu; the start of the certificate's validity can differ from this time.

a. The issuance of end-user certificates

A condition for issuing an end-user certificate is the submission by the Applicant of a certificate application (as defined in Chapter 4.1) to the Service Provider. The Service Provider will only issue the certificate if the application has been processed as set out in Chapter 4.2.

A certificate application approved by the Service Provider's Registration Authority is submitted to the Service Provider's Certification Authority, that takes the steps necessary for the issuance of the certificate. The Service Provider can only issue the certificate with the data provided during the application process.

Payment is due before certificate issuance in the manner defined in the GTC. The Service Provider can also agree with the Subscriber differently, in which case the Service Provider can create and issue the certificate before the payment of the service fee and can also set a deadline by which the Subscriber has to pay the service fee.

The End-User can start using the keys after the issuance of the certificate, as set forth below:

CERTIFICATE	KEYS AND THE USE OF THE CERTIFICATE
SOFTWARE-BASED CERTIFICATE	In the case of a software-based certificate, the Applicant generates the key itself on its own computer. Following its issuance, the End-User has to install the certificate on its computer as shown by the instructions available on the Service Provider's website. The keys and the certificate can then be used.
DEVICE-BASED CERTIFICATE	The Service Provider will only hand over the ordered Client device to an authorised Receiver. Following its issuance, the End-User has to upload the certificate to the device as shown by the instructions available on the Service Provider's website. The keys and the certificate can then be used. If the keys included in the certificate were generated by the Service Provider during the course of the application, the certificate can only be issued if the Service Provider has ascertained that the authorised Receiver has received the Client device. However, the Service Provider may, based on a preliminary agreement concluded with the Applicant, issue the certificate and upload it to the device in a suspended state before handing it over. In this case, the End-User shall activate the certificate without delay, but no later than by the deadline set out in Chapter 4.9.13. The keys and the certificate can then be used. In the case of government certificates the Subscriber shall, following the issue of the certificate, confirm the receipt of the Client Device, Service

	Provider shall inform the Applicant in e-mail of the above. In case the confirmation of the successful delivery fails to take place within 30 days from the issue of the certificate, the Service Provider shall revoke the certificate.
OV, EV SSL	In the case of an SSL certificate, the Applicant generates the key pair itself on the server to be authenticated. The keys and the certificate can then be used after the certificate has been installed on the server.
CERTIFICATES ISSUED IN THE NL SIGN SERVICE	In the case of NL Sign services, the Applicant generates the key itself in the NL Sign system. The keys and the certificate can be used immediately after the certificate has been issued.

b. The issuance of TSP certificates

TSP certificates are issued in the manner defined in the Service Provider's Security Regulations and with the control of at least two trusted employees; records shall also be drawn up. The Service Provider publishes TSP certificates in the manner and by the deadline set out in Chapter 2.2.

4.3.1. TSP actions during certificate issuance

a. End-user certificates

Based on the data provided during the application, the Service Provider creates the certificate in its IT system and, after the service agreement has been signed and approved, certifies it with its TSP certificate. The certificate will then be made available to the End-User in the client menu and, in the case of a NETLOCK Sign service, the NETLOCK sign system. Unless the Applicant requests otherwise, the certificate will then also be available in the public certificate repository (see Chapter 4.4.2). During these activities (i.e. issuance), the Service Provider ensures that the entire process is secure, thus preventing the certificates from being falsified.

Unless the Service Provider and Subscriber agree beforehand, the certificate can only be issued following the payment of the service fee; the Service Provider will therefore prepare, based on the invoicing data provided during the application, the hard copy or electronic invoice or the proforma invoice required for payment of the service fee and will mail it to the invoicing/email address provided in the application (see the GTC) before issuing the certificate.

b. TSP certificates

Simultaneously to making the certificate available, the Service Provider also publishes a brief description of the purpose of the TSP CA certificate. The certificates certifying the timestamp replies and other certificates may be downloaded from the public certificate repository of Service Provider. During these activities (i.e. issuance), the Service Provider ensures that the entire process is secure, thus preventing the certificates from being falsified.

4.3.2. Notification by the TSP of issuance of certificate

The Service Provider notifies the End-User on the issuance of the certificate - no later than the day the certificate becomes valid - by sending an email to the address in the certificate. If the Service Provider issues a certificate that also certifies a right of representation, the Service Provider will inform the Client on the issuance of the certificate without delay.

Special provisions pertaining to administrative administrators and persons authorised to perform issuance

Service Provider will also inform the authority that authorised the Applicant of having generated a private key and issued a certificate. The notification will be sent via email to the address provided by the authority in the Application.

4.4. Certificate acceptance

The rules of the present Chapter (4.4) apply to applying for new certificates (Chapter 4.1) and to the certificates issued on the basis of requests for renewal (Chapter 4.6), modification (Chapter 4.8), and re-keys (Chapter 4.7). The applicable chapters contain any rules that differ from those applied by the Service Provider under this Chapter for certificate issuance conducted on the basis of modification, renewal, or re-key requests.

4.4.1. Conduct constituting certificate acceptance

Before downloading or activating the certificate or starting to use the private key, the Client is obligated to check the veracity of the data in the certificate. The End-User can view the certificate data by logging into the Client Menu. If it discovers any irregularities or deviations, it cannot start using the certificate or private key and is to notify the Service Provider's Customer Service immediately about its objection; it shall then take the steps necessary for revoking/suspending the certificate (see Chapter 4.9).

The Client has to check whether the private key and the certificate are connected by executing the task for which the key is intended and by verifying the action with a certificate.

In case of device-based certificates, the Service Provider will consider the certificate, the connected public key, and the private key paired to be accepted if the Client does not raise any objections at the Service Provider within 5 workdays of the receipt of the Client device or does not initiate its revocation or suspension. In other cases, the Service Provider will consider the end-user certificate to be accepted by the Client 5 workdays after certificate issuance.

Special rules pertaining to administrative administrators and persons authorised to perform issuance

The authority applying for the certificate is obligated to indicate in writing the fact that it has received the private key and the certificate. If such receipt or its certificate does not take place within 30 days of the request, the Service Provider will revoke the certificate.

4.4.2. Publication of the certificate by the TSP

Following the issuance of the end-user certificate, the Service Provider will publish it in the public certificate repository unless the certificate's Applicant has requested otherwise. The Applicant can submit such requests to the Service Provider's Registration Authorities by email during the processing of the certificate application.

4.4.3. Notification of certificate issuance by the TSP to other entities

a. End-user certificates

The Service Provider does not notify any other actors on certificate issuance besides those set out in Chapter 4.3.2.

b. TSP certificates

The Service Provider publishes information on the issuance of TSP certificates on its website (see Chapter 1.1.2).

4.5. Key pair and certificate usage

4.5.1. Subscriber private key and certificate usage

The Certificate and the private key paired to the public key included in the Certificate can be used for the purposes defined in the "Key Usage" and "ExtendedKeyUsage" fields, in line with Chapters 7.1 and 1.4.

Other requirements for the use of the certificate:

- If the private key was generated for a cryptographic device, the End-User can only activate and use the private key on the device for which it was generated (see more in chapter 1.4.1).
- If the private key was generated for an SCD, the End-User can only activate and use the private key on the SCD for which it was generated (see more in chapter 1.4.1).
- If the key was generated for a cryptographic device, the End-User can only activate and use the private key on the device over which it has control.
- The private key has to be under the sole control of the End-User.
- The use of expired, revoked, or suspended certificates or related keys is not permitted.
- If the End-User makes a copy of the private key, it has to handle the copy with the same level of diligence as the original copy.
- The End-User is obligated to inform the Service Provider immediately if any of the following events transpire prior to the expiration of the certificate, and shall immediately terminate the use of the private key:
 - the loss or theft of the private key, or if the private key becomes compromised
 - the loss of sole control over the private key, e.g. due to the activating data becoming compromised
 - the inaccuracy of or a change to the data included in the certificate.
- If the TSP key used to sign the end-user certificate becomes compromised, the End-User is obligated to immediately terminate the use of the private key and the certificate.
- See Chapter 6.2.10 if the certificate expires or is revoked.
- The certificates issued in the framework of the NL Sign service can be used exclusively in the NL Sign system.

4.5.2. Relying party public key and certificate usage

When using the certificate, the Relying Party's circumspect procedure is a requisite for maintaining the security level guaranteed by the Service Provider, the Relying Party shall proceed in line with the Service Provider's regulations, with especial regard to the following:

- it is to only accept public keys in case of use that is in line with the Certificate's "KeyUsage" and "ExtendedKeyUsage" fields (see Chapter 7.1.);
- it is to check certificate validity and status (see Chapter 4.9.6.);
- it is to take into account all restrictions that are included in the certificate or the regulations referred to by the certificate (see Chapters 1.4 and 6.1.7.);
- it shall only use trusted software for using keys and certificates.

If the Relying Party does not proceed in line with the Service Provider's regulations, the Service Provider does not assume liability for the resulting damages.

4.6. Certificate renewal

The Client may request the certificate provided by the SP to be renewed before the expiration of its validity. During the course of renewal, the Service Provider generates a new certificate with the public key in the certificate to be renewed and based on the Subject data.

In case of renewal, the Client cannot request that the Subject data be modified; however, the certificate's other data can change (e.g. certificate serial number and validity, Service Provider data, CRL/OCSP information).

The Service Provider can initiate the renewal of end-user certificates at any time at its own discretion.

End-user certificates can be renewed more than once; the Service Provider is authorised to reject requests for renewal.

4.6.1. Circumstance for certificate renewal

The Client can request that its certificate be renewed if the following conditions are met:

- the certificate is valid;
- the validity of the certificate will expire in no more than 30 days;
- the public key used in the certificate can still be considered to be cryptographically secure and is expected to remain such during the validity of the renewed certificate;
- the private key paired to the public key included in the certificate has not been compromised.

No more than 30 days before the expiration of the certificate, the Service Provider sends an email to the address included in the certificate, in which it informs the Client on the approaching expiration date and the process for certificate renewal / applying for a new certificate.

An application for certificate renewal can be submitted following the instructions available on the Service Provider's website or, based on a previous agreement, by other means in writing.

The Service Provider can initiate the renewal of an end-user certificate at its own discretion if the following conditions are met:

- the certificate is valid;
- the certificate is to be revoked before the expiration of its original validity due to an external circumstance (e.g. a change in legislation or a supervisory decision) and the renewal can ensure that the certificate will meet the new conditions;
- the public key used in the certificate can still be considered to be cryptographically secure and is expected to remain such during the validity of the renewed certificate.

The Service Provider will send a notification to the email address provided in the certificate regarding the end-user certificate renewal it initiates.

Renewal of the Service Provider certificates is subject to a valid certificate to be renewed.

4.6.2. Who may request renewal

Renewals of end-user certificates can be requested by the Service Provider or the Applicant or Subscriber of the certificate that is to be renewed.

4.6.3. Processing certificate renewal requests

The Service Provider certifies the receipt of the application for certificate renewal by sending an automatic reply to the email address included in the certificate. The automatic response does not mean that the Service Provider has accepted the Application and merely serves to inform the Applicant that the Service Provider's Registration Authority has received the application and it will commence its processing.

The certificate renewal process is partially an automated process, but it also requires human intervention. During the application for renewal, the Service Provider sends instructions and information to the email address in the certificate, the performance by and knowledge of which by the Applicant are essential for conducting the certificate renewal process. The steps that the Applicant has to take during the renewal process are discussed in detail in the guidelines available on the Service Provider's website.

During the renewal application process, the Applicant has to provide its invoicing data and the data required for preparing the new service agreement. The Service Provider sends the service agreement to the Applicant in an electronic format.

a. Identification and authentication

In case of an application for certificate renewal, the identification of the Applicant and the signing and forwarding to the Service Provider of the service agreement necessary for the issuance of the renewed certificate take place as set out in Chapter 4.2.1, with the following exceptions.

In the case of a signature certificate, if the Applicant authenticates the relevant Service Agreement with the certificate to be renewed, the Service Provider shall check the information to be listed in the new certificate based on the certificate to be renewed. In this case TSP does not check the data in any authentic datasource or official document, because the data in the original certificate – if the certificate is still valid – can be considered authentic.

During renewal, the Applicant declares the following by signing the service agreement:

- the data checked when the original certificate was issued has remained unchanged;
- the documents that certified the veracity of its data at the time are still valid;

- it is not aware of the certificate private key having been compromised.

b. Approval or rejection of renewal applications

The Service Provider decides on the acceptance or rejection of a renewal application during its processing. The Service Provider will accept the certificate application if the identification and authentication steps set out in Chapter 4.6.3.1 have been successfully completed.

The renewal application will be considered complete and authentic once the service agreement has been signed. The Service Provider will not sign the service agreement, but will indicate its acceptance by issuing the renewed certificate.

The trusted employee of the Service Provider's Registration Authority will check whether the renewal application is complete and the service agreement is correct and authentic. If the data provided when applying for a renewal are incomplete and/or the service agreement is incorrect, unsuitably authenticated, or its authentication cannot be established, the Service Provider's Registration Authority will call upon the Applicant to submit missing information.

The Service Provider can reject the request for renewal if the following conditions are met:

- the missing information requested by the Service Provider is not provided by the expiration of the certificate that is to be renewed;
- during the course of processing the application, the Service Provider finds out that the data checked when the original certificate was issued have since become invalid, in which case the Service Provider will revoke the certificate to be renewed (see Chapter 4.9);
- during the course of processing the application, the Service Provider finds out that the private key of the certificate to be renewed has become compromised, in which case the Service Provider will immediately implement measures to revoke the certificate;
- any conditions that can result in the rejection of a certificate application and are also applicable to renewal;
- the Client owes overdue payments for an invoice issued for any of the Service Provider's services;
- the certificate to be renewed cannot be unequivocally identified.

The Service Provider can reject the renewal of the certificate with other reasons set out in writing (e.g. supervisory decision).

If the renewal request is rejected, the Client can maintain the continuity of the services by applying for a new certificate.

c. Time to process renewal applications

The Service Provider processes certificate renewal requests with the time set out in Chapter 4.2.3. In case of a request for missing information, the duration of the request for missing information is not part of the deadline for processing the renewal application.

d. Issuance of the renewed certificate

If the applicable conditions are met, the Service Provider will issue the renewed certificate 2-10 workdays before the expiration of the original certificate, unless agreed upon otherwise by the Service Provider and the Client.

The Service Provider does not assume liability if the renewed certificate is not issued before the expiration of the original certificate and the continuity of the service is interrupted if such was caused by the Client's omission or delay.

See also Chapter 4.3.

4.6.4. Notification of new certificate issuance to subscriber

The Service Provider will notify the Client on the issuance of the renewed certificate in the manner set out in Chapter 4.3.2.

4.6.5. Conduct constituting acceptance of a renewal certificate

The provisions of Chapter 4.4.1 are applicable to the acceptance of the renewed certificate.

4.6.6. Publication of the renewal certificate by the TSP

The provisions of Chapter 4.4.2 are applicable to the publication of the renewed certificate.

4.6.7. Notification of certificate issuance by the TSP to other entities

The provisions of Chapter 4.4.3 are applicable to notifying other actors.

4.7. Re-key

The Client is provided with the possibility of requesting the replacement of the public key and its private key pair before the expiration of the validity of its certificate provided by the SP. During the course of the re-key, the Client will generate a new key pair on behalf of itself or the Service Provider will generate one for it, after which the Service Provider will create a new certificate (including the new public key) with the use of the subject data included in the certificate on which the re-key is based. The Client has to destroy the private key belonging to the revoked certificate (see Chapter 6.2.10).

In case of a re-key, the Client cannot request that any data besides the key be modified; however, the certificate's other data can change (e.g. serial number and validity, Service Provider data, CRL/OCSP information).

The Client can request the re-key in writing; information on the method for submitting the application is found on the Service Provider's website. In addition to the written request, the Applicant also has to initiate a new certificate application (as set out in Chapter 4.1.2) in order to start the re-key process.

The Service Provider may initiate the re-key of end-user certificates at its own discretion at any time. The Service Provider will inform the Client of re-keys performed at its own discretion by sending an email to the address in the certificate.

Re-keys are possible for both valid and revoked (e.g. due to a compromised key) certificates.

4.7.1. Circumstance for certificate re-key

The Client can initiate the replacement of the key pair belonging to the certificate within the validity of the certificate.

The Service Provider can initiate the replacement of the keys of an end-user certificate if the key pair can no longer be considered to be cryptographically secure or it is forced to do so by an external circumstance (e.g. a change in legislation or a supervisory decision).

The Service Provider will send a notification to the email address provided in the certificate regarding the end-user certificate re-key it initiates.

4.7.2. Who may request certification of a new public key

The provisions of Chapter 4.6.2 are applicable to re-key applications.

4.7.3. Processing certificate re-keying requests

The provisions of Chapter 4.6.3 are applicable to processing requests for certificate modification, with the deviation that the valid status of the certificate and the non-compromised private key is not a prerequisite.

4.7.4. Notification of new certificate issuance to subscriber

The provisions of Chapter 4.3.2 are applicable to notifying the Client.

4.7.5. Conduct constituting acceptance of a re-keyed certificate

The provisions of Chapter 4.4.1 are applicable to the acceptance of the certificate.

4.7.6. Publication of the re-keyed certificate by the TSP

The provisions of Chapter 4.4.2 are applicable to the publication of the certificate.

4.7.7. Notification of certificate issuance by the TSP to other entities

The provisions of Chapter 4.4.3 are applicable to notifying other actors.

4.8. Certificate modification

The Client has to request the modification of its certificate provided by the SP within its validity if its subject data change within its validity.

During the course of certificate modification, the Service Provider creates a new certificate with the public key in the certificate to be modified and with the subject data modified according to the application. If the certificate on which the modification request is based contains invalid data because of a change in such data, the Service Provider will revoke the certificate during the modification process (see Chapter 4.9).

If the modification request takes place in the 30-day period prior to the expiration of the validity of the certificate for which the application is submitted, the modification is considered to also be a request for renewal (see Chapter 4.6). In this case, Chapter 4.6 is governing regarding the validity period of the new certificate.

In case of a modification, the certificate's other data can also change (e.g. certificate serial number and validity, Service Provider data, CRL/OCSP information) in addition to the requested change in subject data.

The Service Provider may also initiate the modification of end-user certificates at its own discretion at any time. The Service Provider will inform the Client of the above by sending an email to the address in the certificate. In this case, the Service Provider will determine the validity period of the new certificate.

An application for certificate modification can be submitted by the Client following the instructions available on the Service Provider's website or, based on a previous agreement, by other means that take place in writing.

End-user certificates can be modified more than once; the Service Provider is authorised to reject requests for modification.

4.8.1. Circumstance for certificate modification

The provisions of Chapter 4.6.1 are applicable to the circumstances of certificate modification, with the difference that the modification request can be initiated at any time within the certificate's validity period.

4.8.2. Who may request certificate modification

The provisions of Chapter 4.6.2 are applicable to Applicants of certificate modification.

4.8.3. Processing certificate modification requests

The provisions of Chapter 4.6.3 are applicable to processing requests for certificate modification, with the following deviations:

- the Service Provider's Central or External Registration Authority will check the changed subject data as defined in Chapter 4.2.1;
- the statement on the fact that the subject data remained unchanged and the validity of the documents presented at the time of the original check does not pertain to the changed data;
- the Service Provider will not reject the application due to the invalidity of the data certified at the time of issuing the original certificate.

4.8.4. Notification of new certificate issuance to subscriber

The Service Provider will notify the Client on the issuance of the modified certificate in the manner set out in Chapter 4.3.2.

4.8.5. Conduct constituting acceptance of modified certificate

The provisions of Chapter 4.4.1 are applicable to the acceptance of the renewed certificate.

4.8.6. Publication of the modified certificate by the TSP

The provisions of Chapter 4.4.2 are applicable to the publication of the modified certificate.

4.8.7. Notification of certificate issuance by the TSP to other entities

The provisions of Chapter 4.4.3 are applicable to notifying other actors.

4.9. Certificate status change

The Client may request the status of its certification to be changed before the expiration of its validity. The request for status change can include the suspension, activation, or revocation of the certificate (see *Chapter 1.6.1 Definitions of the Trust Service Policy*).

In case of a status change request, the Service Provider will change the status of the certificate subject to the request on the basis of the application, as set forth below:

- only active certificates can be suspended;
- only suspended certificates can be activated;
- valid and suspended certificates can be revoked.

A suspension is for a fixed term, within which time the Client is to revoke or reactivate the certificate; otherwise, the Service Provider will revoke the certificate at the end of the period. A suspended certificate will once again become valid after activation, and will then also be considered valid for the term of the suspension. The revocation permanently invalidates a certificate from the moment of its revocation (or its preceding suspension).

The revocation or suspension can pertain to both end-user certificates and TSP certificates.

The suspension and activation is not applicable in the case of certificates for website authentication certificates (OVCP and EVCP)

4.9.1. Circumstances for revocation and suspension

The Service Provider will evaluate the request for the revocation/suspension no later than within 24 hours of its receipt by taking into account the following circumstances; based on the evaluation, it will revoke or suspend the end-user certificate or will reject the application for revocation/suspension.

The following circumstances may serve as basis of the revocation or suspension of the end user certificates. In the following cases Service Provider shall revoke or suspend the certificate not later than within 24 hours from the receipt of the Request:

- Compliant request submitted by Client (Status Change request of Client);
- Client notifies Service Provider that the original certificate request was not authorized and does not authorize it subsequently;
- Non-compliance of any obligation of the Client;
- Notification by any third party regarding a lost and found client device;
- any other circumstance set out in the GTC;
- compromising of the private key that belongs to the public key of the certificate;
- compromising of the service provider private key used for certifying the certificate;
- unauthorized use of name or data,

data incorrectly recorded in the certificate, incorrectness, change, misleading nature of the data;
the Client failed to request the activation of the certificate within the time period of suspension;
use of the certificate in bad faith;
a related final, binding and executable resolution of any court or authority;
the technical properties of the certificate expose any of the parties to a level of risk that exceeds an acceptable level on the basis of the significant professional recommendations (e.g. the key length is shorter than recommended);
breach or termination of the service agreement;
the certificate has not been issued in compliance with the applicable policies;
the Service Provider becomes aware that the Client is not entitled to use any of the names (e.g. FQDN) indicated in the certificate;
the Service Provider becomes aware of the termination of the right of representation indicated in the certificate;
the provision of the expiry information services pertaining to the certificate is terminated;
termination of the trust service, unless if the Service Provider had early arranged for the continuation of the provision of the CRL and OCSP services related to the certificates issued by the Service Provider;
required by the law.

Possible grounds for suspension of the certificates:

initial suspension following the issue of the certificate in order to increase the security of the shipment;
a strong presumption of any circumstance that serves as ground for the revocation of the certificate.

The activation is not applicable in the case of certificates for website authentication certificates (QCP-w and EVC).

The Service Provider shall make arrangements within at least 7 days for the revocation of the service provider certificates in the following cases:

the compliant, written request of the Certification Authority (in the case of outsourced issuer);
the Certification Authority notifies the service provider that the original issuer certificate request was not certified and does not certify or authorize it subsequently (in the case of outsourced issuer);
compromising of the private key that belongs to the public key of the certificate;
compromising of the service provider private key used for certifying the certificate;

use of the certificate in bad faith;
data incorrectly recorded in the certificate, incorrectness, change, misleading nature of the data;
the provision of the expiry information services pertaining to the certificate is terminated;
the technical properties of the certificate expose any of the parties to a level of risk that exceeds an acceptable level on the basis of the significant professional recommendations (e.g. the key length is shorter than recommended);
a related final, binding and executable resolution of any court or authority;
termination of the trust service;
required by the law.

4.9.2. Who can request status change

The Service Provider, courts, the Supervisory Body, other authorities, and, in the case of end-user certificates, Applicants and Subscribers can request the suspension, revocation, or activation of certificates. In case of regulated professions the Chamber of the profession can also request the suspension and revocation of the certificate if Client is no longer authorised to exercise a regulated profession.

In case of notification by a third-party of an abuse of the Service the Service Provider will investigate the circumstances and to decide on the suspension of the certificate.

Client can activate the certificate, only if the requesting of the suspension was requested by Applicant or Subscriber and the circumstances of the suspension have already eliminated. If TSP suspended the certificate at its own discretion, after the circumstances of the suspension have eliminated, TSP shall activate the certificate forthwith.

4.9.3. Procedure for revocation, suspension and activation

a. Procedure for revocation and suspension

The revocation or suspension procedure is a process that starts with the receipt of the status change request for revocation or suspension by the Service Provider or with the Service Provider's decision or instruction and ends with the revocation or suspension of the certificate or, in case of an unsuitable application, with the rejection of the application.

The Service Provider evaluates requests for revocation and suspension without delay and before other requests.

Revocation, suspension, and activation can be requested by the authorised parties (see Chapter 4.9.2) by email or phone. The request for revocation, suspension, or activation has to contain at least the following data:

the certificate serial number,
the name of the (natural or legal) person requesting the revocation / suspension,
the contact information of the person requesting the revocation / suspension,
the time of the revocation / suspension (if not immediate).

Suspension can be claimed in client menu, in which case the suspension will be automatically made.

If the key is compromised or lost, the Service Provider conducts a re-key procedure (see Chapter 4.7). The Service Provider can also handle client requests for revocation by issuing a suspension for the time of processing the request.

The use of the private key belonging to the suspended certificate shall also be suspended for the term of the suspension. The private key belonging to the revoked certificate has to be destroyed immediately after revocation, if this is possible (see Chapter 6.2.10).

The following rules of liability are applicable to the damages arising from the accepting the certificate as a result of certificate status changes:

Until the request for revocation or suspension is received by the Service Provider, the Client is liable for any resulting damages.

Following the receipt of the revocation or suspension request by the Service Provider, the Service Provider is liable for any resulting damages until the time the changed status of the certificate is published.

If the Service Provider has already published the invalid status of the certificate (revoked or suspended), the Service Provider does not assume any liability for any Relying Parties still considering the certificate to be valid.

See chapters 9.6 and 9.8.

b. Procedure for certificate activation

Those persons can request that the suspended certificate be (re-)activated who are authorised to request the certificate's suspension or revocation. The application can take place in the manner set out in Chapter 4.9.3.1 with the condition that the activation of the certificate cannot be initiated in the Client Menu. If the certificate is not activated during the term of suspension set out under Chapter 4.9.13, the certificate will be automatically revoked after the expiration of the term of suspension.

4.9.4. Revocation request grace period

Before executing status change requests, the Service Provider checks them according to the following:

1. The identification of the Applicant: see the contents of Chapter 3.4
2. The right of the Applicant: see the contents of Chapter 4.9.2
3. The veracity of the application: see the contents of Chapter 4.9.3.1

The executability of the status change request:

For revocation requests: if the certificate is valid or suspended.

For suspension requests: if the certificate is valid.

For activation requests: the certificate is suspended and the circumstances that led to the suspension are no longer applicable.

Once the Service Provider's Central or External Registration Authority has ascertained that the Applicant has authorisation and the application is complete and authentic, it will suspend/revoke the certificate without delay.

If the above requirements are not met, the Service Provider rejects the application; otherwise, it has to take measures without delay to revoke, suspend, or activate the certificate without any further consideration. The Service Provider can also handle the application for revocation by temporarily suspending the certificate in the interest of clarifying the circumstances that led to the revocation.

The Service Provider will inform the certificate's Applicant and the Subscriber via email about all executed and rejected applications for suspension, revocation, and certificate activation.

The Service Provider publishes certificate status changes in the framework of its certificate status services (see Chapters 4.9.7-10 and 4.10).

4.9.5. Time within which TSP must process the status change request

The deadlines for processing revocation/suspension/activation requests are as follows depending on the channel used for the application:

CHANNEL	PROCESSING DEADLINE	MAXIMUM PROCESSING DURATION
CLIENT MENU (only suspension)	Requests are processed continuously, 24/7.	Maximum of 24 hours
PHONE (See Chapter 1.1.2)	Requests are processed continuously, 24/7.	maximum of 24 hours

If the Service Provider is unable to ascertain the legality of the revocation, suspension, or activation request (or the authorisation of the requesting party) within the above time frame, it will consider the request to have been submitted by an unauthorised person until proven

otherwise and will close the revocation, suspension, or activation process as having been unsuccessful.

Following the implementation of status change requests, the Service Provider validates the change:

- immediately in the Online Certificate Status Service (OCSP);
- a new revocation list will be issued no later than 1 hour following the change;
- in the public certificate repository no later than 1 hour following the change.

4.9.6. Certificate status checking requirement for relying parties

When accepting and using the information included in the Certificate, the Relying Parties have to proceed with suitable diligence, taking into account the requirements of Chapters 1.4 and 4.5 and the contents of the table in Chapter 7.1 that presents the relationships between certificate profiles, certificate policies, and uses. It is thus especially recommended to check:

- the validity of the end-user certificate;
- the validity period of the intermediate CA's certificate (TSP certificate) used to authenticate the end-user certificate;
- the validity period of the top-level Root CA's certificate (TSP certificate) used to authenticate the intermediate CA's certificate;
- the certificate status of the end-user and TSP certificates by querying the CRL or OCSP-based certificate status information referred to in the certificates.

The certificate can be considered to be valid if the time of the verification (e.g. the time of the signature or seal) is within the certificate's validity period at which time the certificate was in a valid status, and these conditions are also true for all certificates in the certificate chain.

To determine the past validity of expired certificates, the respective revocation list or OCSP response valid at the given point in time is required (e.g. these can be integrated into an electronic signature or seal at the time of authentication).

The validity of website authentication certificates (OVCP and EVCP) has to be established for the moment the website was authenticated.

The Relying Parties can receive information on the current status of various certificates with the use of certificate status services (see Chapter 4.10). Only the currently valid certificates can be queried in the public certificate repository available on the Service Provider's website - and only if the Applicant of the queried certificate has granted its consent for disclosing the various data in the certificate. Suspended and revoked or expired certificates are not accessible via the public certificate repository.

4.9.7. CRL issuance frequency

Certificate Revocation Lists (CRLs) primarily include those revoked and suspended certificates that were still valid at the time the list was issued; however, the Service Provider may also issue CRLs that include all of the revoked and currently suspended certificates that the Service Provider issued, regardless of the time of their issuance. Suspended certificates will be removed from the list after being reactivated. The Service Provider certifies CRLs with its own electronic signature.

Generally 4, but no more than 24, hours elapse between the issuance of CRLs pertaining to two consecutively issued end-user certificates; CRLs may not be valid for more than 24 hours. New CRLs pertaining to TSP certificates are generally issued every 24 hours, but no less frequently than every 12 months (in case of cross-certified certificates by maximum 31 days); CRLs may not be valid for more than 12 months. A CRL is issued with the above frequency even if no certificate revocations, suspensions, or activations have taken place since the last issuance. CRLs always include the latest time by which the subsequent list has to be issued.

4.9.8. Maximum latency for CRLs

The Service Provider will publish the certificate revocation list (CRL) no later than one hour following the approval of the status change request.

4.9.9. On-line status checking availability

The Service Provider also provides an Online Certificate Status Service (OCSP) for verifying certificate status, as set out in Chapter 4.10.

4.9.10. On-line status checking requirements

The Service Provider supports Online Certificate Status Protocol (OCSP) requests received with the 'GET' and 'POST' parameters defined by RFC 2560 or RFC5019 for querying certificate status information. See: Chapter 4.10.

All Relying Parties are authorised to perform OCSP requests. The Service Provider always serves requests with the proper parameters, by taking into account the provisions laid down in Chapter 6.5. Requests are processed and OCSP replies are sent automatically. The Service Provider authenticates OCSP replies with its own TSP certificate dedicated to this purpose (OCSP responder certificate). The Relying Party that checks the validity of the certificate with the use of the OCSP service also has to check the signature of the OCSP reply.

When the certificate in question is valid, the OCSP reply issued by the Service Provider contains "good" status information if

- the OCSP request pertains to a certificate issued by the Service Provider;

- the OCSP request pertains to the availability of the OCSP indicated in the certificate.

4.9.11. Other forms of revocation advertisements available

The Relying parties can also use the public certificate repository to collect certificate status information: if they do not find a specific certificate issued by the Service Provider here, it is to be considered as not valid.

If the Service Provider terminates the use of its root certificate, it is to publish this fact on its website.

4.9.12. Special requirements re-key compromise

The Service Provider will always notify the Client(s) by sending an email to the address in the end-user certificate if it gains knowledge of a threat of the end-user key(s) becoming compromised or the possibility of any of the circumstances set out in Chapter 4.9.1.

In the case of the assumed or proven key compromise, it will perform the steps of the revocation procedure (Chapter 4.9.1.1). A compromised private key can never be used again; if possible, steps are to be taken to have it destroyed and it is to be provided the same supervision and protection until its destruction as given a valid private key (see Chapter 6.2.10).

The Client is obligated to take all steps to prevent or mitigate damages, including notifying any Relying Parties affected by the private key having been compromised.

If the TSP's intermediate CA private key is compromised or threat arises of such, the steps of the revoking the certificate shall be performed (Chapter 4.9.1.2).

If the TSP's root CA private key is compromised or threat arises of such, TSP shall destroy the root CA certificate and the related keys immediately, then informs Clients and Relying parties via its webpage and if it is possible via email. Furthermore TSP also informs the Supervisory Body and that browser developers whose root program includes the TSP's root certificate.

4.9.13. Limits on suspension period

A certificate can be suspended until the suspicion of the circumstances that led to its revocation is confirmed or rebuked, but for no more than 30 calendar days. The Service Provider has to provide for the revocation or activation of the certificate as soon as possible. The start of the suspended status is to be calculated from the time the suspension request is approved, i.e. the request defined under Chapter 4.9.3.1, which time is indicated in the CRL. If the suspicion of the circumstances leading to its revocation is not confuted during this period, the Service Provider will automatically revoke the certificate.

Suspension is not applicable in the case of certificates for website authentication certificates (OVCP and EVCP).

4.10. Certificate status services

The Service Provider provides Relying Parties with the services required for checking the status (valid, suspended, revoked) of certificates issued on the basis of the present Statement.

4.10.1. Operational characteristics

The CRL and Online Certificate Status Service pertaining to the various certificates are available at the URLs indicated in the certificate's `crldistributionPoints` and `authorityInfoAccess:OCSP` certificate extension fields (see Chapter 7.1.2). These records can be used to verify certificates within their periods of validity. Following the time indicated in the certificate's "notAfter" field

the certificate will not be included in the CRL even if the certificate has been previously revoked/suspended.

the Service Provider provides the last certificate status within the certificate's validity period as a response to OCSP requests.

After the validity period of certificates the status information can be checked in former CRLs, available (by individual request) at the Service Provider.

During the management of certificate status services, the Service Provider shall proceed according to the following:

- it ensures the continuous, 24/7 online availability of certificate status information (at the URLs indicated in the certificate's applicable fields and on the Service Provider's website);
- the time data indicated in the CRL and OCSP responses will be synchronized at least once a day with the Coordinated Universal Time (UTC);
- it uses a PKI-based signature to ensure the integrity and authenticity of certificate status information;
- it ensures that information on revocation is included amongst the respective certificate status information for at least the certificate's original validity period;
- the revocation information pertaining to expired certificates is accessible amongst the archived CRLs issued during the validity of the certificate;
- it offers a CRL and OCSP for the purposes of verifying certificate status;
- it ensures that the CRL and OCSP services harmonize with each other: the information on a certificate status change has to be available in both of these services and has to be the same;

- it ensures that certificate revocation information is publicly and internationally accessible;
- it ensures that the revoked and suspended certificate statuses are differentiated amongst the certificate status indications;
- it ensures that suspended certificates are removed from the Certificate Revocation List (CRL) after activation;
- in the case of certificate suspension or revocation due to a key being compromised, the Service Provider issues an extraordinary CRL after registering the status change; in case of revocation or suspension for any other reason, the status change will be published no later than in the next planned revocation list.

In the case of web site authentication certificates (OVCP and EVCP) the Service Provider will keep the size of the CRL under 7 MB (if possible) in the interest of providing for a fast download.

4.10.2. Service availability

The Service Provider continuously (24/7) provides as part of its certificate services, the availability of requests for revoking and suspending end-user certificates and of CRLs; as set forth below.

In regard to the availability of

certificate status services;
the other Terms and Conditions applicable to the use of certificates issued by the Service Provider; and
services related to status change

and also taking into account the contents of Chapter 4.9, the Service Provider ensures the following:

99% availability on an annual level;
the duration of any single service disruption will not exceed 3 hours.

For the Web site authentication certificates (OVCP and EVCP) the response time of CRL and OCSP services will be no more than 10 seconds under normal loads.

Service Provider provides the activation of the end user certificates on business days during the hours of service published on its website (see Chapter 1.1.2).

TSP ensures the CRLs issued by it to be available on the original URL for 2 years after CRL is issued. Availability (URL) of CRLs that are older than 2 years may change.

4.10.3. Optional features

The Service Provider will not apply any more requirements for the certificate status service.

4.11. End of subscription

Service Provider provides information on the termination of the service agreement in the GTC.

4.12. Key escrow and recovery

Service Provider shall store the private keys of the end user certificates issued within the framework of the NL Sign service, but the key restore service is not available, since the private key shall be stored in way that excludes access by the Service Provider to the private key. In other cases Service Provider shall not store or save the private keys of the end user certificates in any way whatsoever, and therefore Service Provider cannot restore such keys in case these keys are stolen or damaged while in possession of the end user.

4.12.1. Key escrow and recovery policy and practices

In the case of the non qualified end user certificates, key escrow and key recovery services are not provided.

Client is allowed to make a backup of her/his own private key, exclusively if she/he can provide the compliance storage and protection of it. The same level of security requirements apply to copies of end-user private keys made by the Client as to the original private key (see Chapter 6.2). The number of copies of a private key should not exceed the amount necessary for maintaining the service.

The Service Provider also saves and stores its own TSP private keys.

4.12.2. Session key encapsulation and recovery policy and practices

The Service Provider does not store or recover symmetric keys.

5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS

In the interest of decreasing risks, the Service Provider stores the hardware, software, and other devices required for the services it provides in two different locations physically separate from each other: in a primary location and a secondary location. The requirements applicable to the two locations are the same; any deviations are indicated at the applicable points.

The configuration of the Service Provider's systems is regularly checked in order to filter out any changes that are in violation of the security requirements.

The devices of the Certificate and Registration Authorities are handled exclusively by authorised and suitably trained personnel whose knowledge is checked.

Backups are made of the Authorities' files (see Chapter 6.5). The Service Provider retains the backups for the time set out in Chapter 5.5.2.

The Service Provider examines the physical, procedural, and personal requirements by regularly assessing risks. The Service Provider keeps an inventory of assets which include the devices (and information assets) that it uses.

The Service Provider's private Security Regulations include the requirements pertaining to information security rules.

The Service Provider reviews the Security Regulations and asset inventory regularly or immediately following any significant changes to ensure they remain continuously applicable, suitable, and effective.

5.1. Physical controls

The aim of physical controls is to prevent unauthorised access, damages, and unlawful entry to the Service Provider's confidential information and physical premises (server rooms). The Service Provider uses a suitable system of authorisations to limit physical access; these authorisations are regularly reviewed.

The Service Provider ensures that the loss of and damages to values are avoided, that values are not compromised, and that operating activities are not disturbed by applying the measures set out in the Service Provider's Security Regulations.

Services that process critical or sensitive information are performed and modules that use cryptographic modules are used and stored in secure locations. The provided protection is proportionate to the risks determined by the Service Provider in the risk assessment.

5.1.1. Site location and construction

The Service Provider performs the services subject to the greatest risks in a secure, protected computer room located on its site. Physical access, the supervision and checking of entry, the power supply, air conditioning, protection against leaks and flooding, fire prevention and fire protection, the storage of data media, the accessibility of the telecommunications network, electromagnetic radiation, etc. are all controlled on the basis of the same factors of protection. Access by unauthorised persons to the computer room is made difficult, but the security personnel can quickly gain access in case of a breach. The security zone does not have any windows; with the exception of the door, the only way access can be gained is by demolishing the reinforced walls. The room is equipped with redundant climate control, automatic fire fighting, and intrusion alarm systems. All equipment is hooked up to a multiply redundant electricity supply.

The Service Provider's secondary location is a server safe in a protected secure computer room, the security level of which is the same as that of the on-site location.

The Service Provider's Central Registration Administrators perform key generation, the preparatory actions pertaining to key storage devices, certificate issuance, and the management of status changes in a separate server room specially designed for this purpose. The protected server room was designed expressly for this purpose.

5.1.2. Physical access

The relevant internal operational documents contain the exact parameters of the security zones and the list of persons who are authorised to enter. Persons other than the employees who fill trusted roles can only enter the security zone with separate authorisation and if accompanied. Access to the computer room takes place with a personalized electronic card; all access is logged both physically and electronically. Within the computer room, the TSP systems are installed in a separate area where access is only granted after biometric identification. Round-the-clock video surveillance is provided for the room that provides access to the security zone as well as for the computer room itself.

The access system to the secondary location does not use biometric identification; however, security guards provide round the clock protection to protect homogeneity and the security of the secondary location. Access to the server room is granted to authorised employees with their key cards; entry and exit is continuously logged. Round-the-clock video surveillance is provided for the server room.

In the framework of critical services, the Service Provider's risk assessment deals with the regulation of physical access, protection against natural catastrophes, the factors of protection against lightning and fire safety, the faults of support equipment (especially electricity and climate control equipment), the collapse of the building, leaky water pipelines, protection against

groundwater, protection against theft and breaking and entering, and restoration after catastrophes.

The Service Provider stores TSP certificates separately from its normal operations and access to those is granted only to trusted employees.

5.1.3. Power and air conditioning

The uninterrupted power supply of the Service Provider's protected computers is especially important in order to ensure continuous operation, in the interest of which the Service Provider uses (has used) the following:

- uninterruptible power supply,
- selective short circuit protection,
- protection against electrical anomalies, lightning, and overvoltage.

The system providing the uninterruptible power supply is structured as follows:

- diesel generator,
- local battery-based uninterruptible power supply,
- redundant circuit selector.

The following operational procedure is followed:

- if the network power supply is interrupted or decreased, the system switches to the backup power supply,
- the system meanwhile starts the generator,
- when the network power supply is again usable (for 5 minutes continuously), the system returns to its use.

A selective short circuit protection was used in the computer room to develop several systems that operate independently of each other and thereby support continuous operations. The distribution network was designed to ensure that if any group of equipment is short circuited, power will be cut off from that group while the other equipment groups that are operating flawlessly can remain operational.

In the server room, the computer rooms have an air conditioning system independent of the rest of the building. A suitable filtration system is used to ensure the cleanliness of the air inducted into the protected computer room, which filters out various pollutants and also provides the staff with the air they require. The humidity and temperature of the air is continuously monitored. The air conditioning systems provide for the cooling that the IT systems require. Continuous operation is also supported by a second (backup) climate control system which will turn on if necessary. The location of the climate control systems ensures that their maintenance does not cause any disturbances to the computer room's operations.

5.1.4. Water exposures

The Service Provider's service locations are protected from leaks and floods. The use of a raised floor increases security in the protected computer room.

5.1.5. Fire prevention and protection

The Service Provider's service locations are operated in line with fire safety requirements. The locations are equipped with fire and smoke detectors as well as manual and automatic fire extinguishers. The location of manual fire extinguishers and escape routes are indicated in high visibility locations.

5.1.6. Media storage

A security zone and a rented bank safe is used to ensure the safe storage of the Service Provider's data media. The Service Provider has several backups of critical data. The Service Provider continuously ensures and takes the necessary steps to prevent the deprecation of its data media.

The Service Provider disposes of data media that contain sensitive data in the manner set forth in the Security Regulations, if such are no longer necessary. The Service Provider permanently deletes the contents of disposed tools or irreparably destroys them.

5.1.7. Waste disposal

The Service Provider shall proceed according to the following regarding physical destruction:

- paper-based documents are shredded,
- floppy disks are shredded (after removal from their housing),
- other magnetic data media are demagnetized and then crushed,
- other data media are crushed.

5.1.8. Off-site backup

In the interest of providing for the continuity of business and of avoiding data loss, the Service Provider makes backups and ensures that the entirety of the IT system can be restored if necessary. Backups are protected from unauthorised access, modification, deletion, and destruction. Preparation for extraordinary situations includes the application and testing of plans for specific situations.

The Service Provider provides for the secure storage of the data by using write-only media, saving backups in a remote location, or concurrently storing those in more than one place.

5.2. Procedural controls

The Service Provider ensures that its systems operate securely, in accordance with applicable rules, and with a minimal risk of error. In the interest of the above, it employs a suitable number of staff with appropriate skills, technical knowledge, and experience.

In the case of non-qualified services, the Service Provider operates an internal management and control policy, including the connected responsibility system, that is up to date and meets the requirements of relevant legislation and standards. The control activities of independent system controllers also ensure that the system operates suitably.

The Service Provider has a quality assurance and information security management system in place that is continuously monitored by an external, independent system controller.

The Service Provider classifies the managed data created during the provision of non-qualified services into a security class on the basis of the risk assessment defined by relevant legislation and in the Practice Statement; it furthermore ensures that they are suitably recorded, checked, and protected, and that the required responsibility system is used.

5.2.1. Trusted roles

Only those persons can fill trusted roles (see Chapter 5.2.1 of the Trust Service Policy) at the Service Provider for whom it certifies with technical experience, education, and vocational qualifications that they are protected from corruption and have the necessary expertise.

The role that is generally responsible for the IT system is filled by a person who has a vocational higher education degree¹⁰ and at least three years of experience in IT security.

The Service Provider employs the person fulfilling a trusted role in the framework of employment; moreover, the person in the trusted role is free of all interests that can negatively affect the reliability or security of the service. The Service Provider ensures that the person dealing with the provision of services has the required and suitably up-to-date skills and experience. The Service Provider ensures that all trusted roles are fulfilled.

The Service Provider keeps a current registry on trusted roles; in case of any changes, it reports the change without delay to the Supervisory Body.

¹⁰ A vocational higher education degree means a university degree in mathematics or physics, or a college or university degree in an engineering major of a technical science.

5.2.2. Number of persons required per task

The following activities are performed by the Service Provider in the physical presence of at least two designated trusted employees with direct authorisation, in a physically protected environment:

- generating of TSP key pairs;
- issuing intermediate CA certificates;
- saving and restoring TSP private keys;
- destroying TSP private keys.
- backing up and restoring the end-user private keys in the NLSign service

5.2.3. Identification and authentication for each role

All of the Service Provider's employees in trusted roles can only access the secure zone after proper identification and authentication, which in addition to which further identification is also required for access to IT systems. Access to the secure zone and the system is not possible without successful identification and authentication, thus no activities critical to security can be performed without these steps.

The Service Provider personally identifies all users of its IT systems and all actors of administrative processes, with the exception of users with read-only authorisation for public data services. Only authorised persons can access the Service Provider's IT systems. The Service Provider provides for the administration of access by System Administrators, System Operators, and Independent System Controllers, including the management and ad hoc modification of user accounts or the termination of access.

Access to the various applications is restricted. The system can differentiate between the various trusted roles, thus especially access by System Administrators and System Controllers.

Staff is identified and authenticated before they are allowed to use applications critical to services, and they can be held accountable for such activities.

The Service Provider records the permission levels for the various trusted roles in the Human Resources Policy.

5.2.4. Roles requiring separation of duties

In these systems, the Service Provider applies security measures and defines permission levels that minimize unauthorised or unintentional modifications and decrease the possibility of violations.

In the interest of separating roles

- the security officer does not perform the tasks of the independent system controller and the manager generally responsible for the IT system;
- the independent system controller does not perform the tasks of the manager generally responsible for the IT system;
- the security officer does not perform the tasks of the system administrator; and
- the independent system controller does not perform the tasks of the validation specialist and the system administrator.

The Service Provider uses a strict control policy to ensure that registration tasks are separated, i.e. the data required for the issuance of certificates should not be validated by the same trusted employee who approves the issuance of the certificate. Inspection procedures can be audited.

The Service Provider's Security Regulations contain the detailed rules on conflicts of interest.

5.3. Personnel controls

The purpose of security measures pertaining to personnel is to decrease the risk of human error, theft, fraud, and abuse.

In the interest of the above, the Service Provider deals with personnel security even during the hiring process, and then ensures personnel security with checks performed during the term of employment.

The Service Provider has a detailed and exact Personnel Policy that it continuously maintains as part of its Security Regulations. The Service Provider documents the temporary and permanent roles and responsibilities defined in the Personnel Policy in job descriptions, which include:

- the information management performed by each role and the classification of risks based on their effects on the various authentication processes,
- technical and experience requirements,
- a description of the activities regarding the position and the tasks of the given employee, the scope and extent of responsibilities, and the name of the related positions.

The Service Provider's employees may not fill trusted roles until the time the checks regarding the persons and the required statements have been implemented and until they have participated in the required trainings and gained the necessary experience.

The Service Provider's executives, managers, and employees in trusted roles are independent of all business, financial, and other influences that could influence the trust shown towards the services offered by the Service Provider.

5.3.1. Qualifications, experience, and clearance requirements

The Service Provider employs staff and, if applicable, subcontractors who possess the necessary expertise, reliability, experience, and qualifications and who have received appropriate training regarding security and personal data protection rules and shall apply administrative and management procedures which correspond to European or international standards.

All persons designated to fill a trusted role at the Registration Authority undergo an initial check (to verify their reliability and technical suitability). During this basic security check, the inspectors check the data provided in the curriculum vitae (details, references, professional advancement, etc.). During the course of the above:

- the data pertaining to education are compared to the certificates and degrees to be submitted by the candidate,
- the statements made regarding practical experience are verified with personal references, based on publications, and by other means.

Service Provider shall ensure that the Registration Administrators and Agents shall have sufficient knowledge for performing their activities in compliance with the practice statement, to this end Service Provider shall provide the Registration Administrators and Agents with trainings in the following subject matters:

- basic PKI knowledge;
- principles and procedures of authentication and certification set out in the Certificate Policy and the Practice Statement;
- phishing and other techniques threatening the reliability of the authentication and certification procedure.

Service Provider shall maintain a registry of the trainings.

The Registration Administrators and Agents shall not carry out their activities without the knowledge set out above, and therefore Service Provider requires the Registration Administrators and Agents to successfully pass the related examination.

The Registration Administrators and Agents are familiar with current official documents and other equivalent documents as well as with their types and characteristics, and they are also capable of verifying the validity of the submitted documents.

All employees who fulfil trusted roles have to undergo periodical security checks in addition to the basic security check.

Persons qualified as a “high security risk” at the basic or any periodical security checks cannot fill a trusted role. Trusted roles may only be filled by people who have no criminal records, which shall be certified during the hiring process with a Certificate of Good Conduct that is no older than 3 months.

Employees who are employed in trusted roles are succumbed to periodical security checks every year (see Chapter 5.2.1).

Following their appointment, Validation Specialists participate in basic training that provides them with the theoretical and practical knowledge required for their position; they are to take an exam at the end of the training. The main purpose of this form of training is to become familiar with and understand the uniform security policy applicable to the service in the interest of correctly applying the current procedures based on those. The Personnel Policy contains more information.

Employees can fill trusted roles after gaining suitable experience.

5.3.2. Inspection Procedures

During the hiring procedure, the Service Provider checks the identity of the persons during their physical appearance or by checking their photographic personal identification documents. In addition to the above, the Service Provider also takes into consideration the information pertaining to previous employers, relevant education, and professional references.

Employees in trusted roles cannot receive access to the Service Provider's systems before these checks have been performed.

5.3.3. Training requirements

Employees in trusted roles have to have the knowhow required for performing their tasks. In the interest of ensuring this knowhow, employees in trusted roles have to take an exam to certify their knowledge. They cannot access the TSP systems until passing this exam. The exam and the training extend to the following, depending on the type of trusted role:

- PKI basic knowledge;
- Authentication and control rules and procedures;
- Security and data protection rules;
- General threats to information authentication processes (including data fishing and other social engineering tactics);
 - the requirements of the Practice Statement and other regulations;
 - The legal consequences of certain acts;
 - The unique features of the Service Provider's IT system and the method for its management.

5.3.4. Retraining frequency and requirements

The Service Provider defines its training and retraining practices in the annual retraining plan.

If any significant changes take place in the trust services, all employees undergo a modular retraining with the necessary structure and level in addition to being provided the required documentation.

5.3.5. Job rotation frequency and sequence

The Service Provider's Personnel Policy defines the applicable rules.

5.3.6. Sanctions for unauthorized actions

The Service Provider regulates the sanctions applied for the unauthorised use of the Service Provider's system and for any errors, omissions, or damages caused during the provision of the service in the employment contracts of the persons filling trusted roles.

5.3.7. Independent contractor requirements

The same security rules apply to any contractors used by the Service Provider in other than employment relationships as to its employees.

5.3.8. Documentation supplied to personnel

The Service Provider continuously ensures that the current regulations and documentations necessary for persons participating in the provision of services are available to them.

5.4. Audit logging procedures

In the interest of retaining the actions involving certificates and the preparation of Client devices and the data used during these processes, the Service Provider's authentication system performs a wide array of logging activities that meet the requirements of legislation and applicable standards and requirements. The log file includes the exact time of the record, the calendar date of the logged event, the type of event, the data required for traceability and reconstructing the event, the name of the user or other person that caused the event, and whether the action was successful or not. The Service Provider synchronizes the time indicated in its logs with a frequency that ensures that the difference between its own time and the current time does not exceed 1 second. Any deviations that exceed this amount will also be logged.

The Service Provider's other system also perform logging. The characteristics of these logs depend on the given application. The log elements are created separately in the various modules. Since the system consists of several components, the log files are not created in one location; however, they are processed in one central location.

The Service Provider protects all records in the log file from changes and unauthorised access. The log is handled in a manner that excludes the possibility of its destruction, the deletion or

modification of its records, and modifying the order of records in any way. The Service Provider regularly backs up the log file and ensures that log data are continuously evaluated and controlled. The Service Provider documents the method of accessing logged information and the time for which it must be stored.

At an operative level, the operational descriptions of the various systems regulate the handling of log data.

5.4.1. Types of events recorded

The system used by the Service Provider logs all the events and errors required by relevant legislation that are critical from the aspect of services. Log files are recorded automatically or manually. In addition to the log files, the Service Provider also uses records to record various events.

The Service Provider sets forth in detail in the Security Regulations the exact data/events that it records in relation to each event.

Logged events are recorded in the log file as dated entries. The Service Provider protects all log entries from modification, unauthorised access, destruction, deletion, or any changes to the order of entries by using electronic signatures, saving, and backups.

Searches for event type and/or user can be performed in the log files. The log entries are in text format.

5.4.2. Frequency of processing log

The Service Provider's log entries are reviewed on a daily basis by Independent System Controllers who have the required expertise and authorisation. Evaluation takes place both manually and with the use of software tools.

During the course of the evaluation, the evaluator analyses the error messages generated by the systems, the significant changes to the traffic data, the trends that differ from the usual, and suspicious activities. The evaluator or the software tool records the fact and results of the evaluation as well as any necessary measures.

The Service Provider's network protection systems are also equipped with an automatic alarm function, which goes off if any unauthorised access is detected. In the case of such alarms, the log entries are immediately reviewed. The Service Provider may also review the log data if any irregularities are found, if complaints are received, or if otherwise contacted.

5.4.3. Retention period for audit log

Log files are stored at the place of their creation and are also archived (see Chapter 5.5.2); the related certificates are stored for a period of 10 years after their expiration (one year in the case of other services) or until the final closing of any legal disputes that are incurred and reported in relation to those. Log files are accessible to Independent System Controllers.

5.4.4. Protection of audit log

The log entries of the Service Provider's authentication system are stored with the Service Provider's electronic signature and in a manner that excludes the possibility of undetected deletion or insertion.

Backups protect log files from accidental and intentional damages. In the case of log entries containing personal information, the Service Provider ensures that the data storage is confidential. Only those persons are authorised to access the log files who require access for their roles (generally the Independent System Controllers). The Service Provider checks access in a secure manner.

5.4.5. Audit log backup procedures

Log files are regularly saved in the manner defined in Chapters 5.1.6 and 5.1.8. If the log entry is created in only one location, the Service Provider ensures that a backup will be created within 24 (twenty four) hours.

5.4.6. Audit collection system

The applications automatically collect and store log entries in the log files. The Service Provider collects the saved media on a daily basis. The Service Provider's own employees transport the media to the place of storage.

5.4.7. Notification to event-causing subject

The persons, units, and applications that cause a log entry are not notified by the Service Provider; however, it may include them in inspecting the event. If the parties that caused the event are in a contractual relationship with the Service Provider or if otherwise required by relevant legislation, they are obligated to cooperate with the Service Provider.

5.4.8. Vulnerability assessments

During the course of processing log entries, the Service Provider performs assessments regarding vulnerability. In addition to the processing performed on a daily basis, the Service Provider's experts also review extraordinary events every month, on the basis of which they assess

vulnerabilities. Based on these assessments, the Service Provider takes steps to improve the security of the system.

Every year, the Service Provider performs a risk assessment, with the help of which it identifies, evaluates, and classifies into risk classes the foreseeable external and internal threats that could lead to the unauthorised access, disclosure, modification, destruction, or other abuse of the certificate management processes (e.g. in the case of signature or key escrow services, access to client private keys). The risk assessment also extends to expected damages if such threat were to become real. In addition to the above, the risk assessment also includes a description of the processes and security measures that the Service Provider takes to prevent these threats.

5.5. Records archival

The Service Provider retains the data pertaining to the service in the manner and for the time defined in this Chapter. Together with the retention, the Service Provider also provides a tool with which the contents of the issued certificate can be determined.

The Service Provider protects all entries in archived data files from unauthorised modification, deletion, destruction, and access. Archived data files stored electronically are affixed with at least advanced electronic signatures or seals and with timestamps. The Service Providers ensures that for the time that it stores the data, they remain authentic and accessible and interpretable to authorised persons.

5.5.1. Types of records archived

The Service Provider has to retain the data related to the certificates it issues - thus especially related to their creation and issuance and including personal information. In accordance with the above, the following are archived:

- the data provided by the Applicant and the Subscriber during certificate enrolment (see Chapter 4.1.2.1);
- the electronic or hard-copy documents, or copies thereof, that came into the possession of the Service Provider during the course of the identification and authentication processes (see Chapter 4.2.1);
- the ID of the Registration Administrator who accepted the application (see Chapter 4.2.2);
- the name of the Registration Authority that performed identification and authentication;
- the information disclosed during the certificate status change procedure (see Chapter 4.9.3);
- the information logged in accordance with the present Statement (see Chapter 5.4).

The Service Provider archives electronic data in an electronic format. The Service Provider archives documents available in hard copy format either in the form of an electronic copy or in their original hard copy format.

5.5.2. Retention period for archive

The Service Provider archives the electronic and hard copy information and personal data pertaining to certificates for at least ten years following the expiration of the certificate as defined by the certificate, or until the legal dispute regarding the signature/seal certificate, regarding the verification of the signature/seal performed with the public key in the certificate, or regarding the signature/seal created with its private key pair is closed in a final ruling. For the same periods as set forth above, the Service Provider also ensures that tools are available that can be used to determine the contents of the issued certificates.

5.5.3. Protection of archive

To protect electronic documents and data, the Service Provider applies the requirements set out in Chapter 5.4.4 regarding both documents received in electronic format and the electronic copies that the Service Provider itself makes.

The Service Provider stores the documents available in hard copy format within the security zone defined in Chapter 5.1, thus ensuring that only Registration Administrators, Certification Administrators, and Validation Specialists can access those.

5.5.4. Archive backup procedures

The provisions pertaining to saving log files set out in Chapter 5.4.5 are applicable to archive backups.

5.5.5. Requirements for timestamping of records

The Service Provider affixes the data to be archived with timestamps or time data in the manner defined in Chapter 5.4.1.

5.5.6. Archive collection system

The Partner to the Service Provider shall store confidential the data and documents requested from the Clients by the External Registration Authorities and shall forward them to the Service Provider at the intervals and in the form set out in the agreement.

5.5.7. Procedures to obtain and verify archive information

Access to the archive can be requested by submitting a request to the Service Provider's customer service. Access is provided for Clients to the data that pertain to them; other persons are provided access as laid out in Chapter 2.4.1. The Service Provider always checks authorisation and logs access.

5.5.8. Miscellaneous archiving provisions

The Security Regulations contain the detailed provisions applicable to archiving.

5.6. Key changeover

The Service Provider replaces its own key that it uses if the TSP certificate expires or the keys that it uses become deprecated. In addition to the above, the Service Provider can also decide to replace keys at its own discretion.

In the case of a new certificate generated with a new key, the Service Provider aligns its profile and data with current regulations and best practices.

5.7. Compromise and disaster recovery

In order to identify the threats that affect the services and to manage any possible risks, the Service Provider uses a risk management assessment and also has a Business Continuity Disaster Recovery Plan (ÜFKT), which applies to the management of extraordinary situations, the prevention as soon as possible of emergencies, and to the provision of continuous operations.

The Service Provider informs the Supervisory Body, the other involved bodies (if applicable), and the Clients of the service that are negatively affected, immediately, but no later than within 24 (twenty four) hours, of any violations of the security of the Service Provider's systems or if the integrity of the data becomes compromised, if such has a significant effect on the services or the stored personal data (incident).

5.7.1. Incident and compromise handling procedures

In accordance with the contents of applicable regulations, the Service Provider continuously monitors the system activities pertaining to logging on to IT systems, to IT system users, and to requests for the provision of services. The Security Regulations contain the exact factors for these checks.

If the Service Provider detects a critical vulnerability in its IT systems, it will perform one of the following measures within 48 hours of detecting such vulnerability.

- a. Repairs the critical security hole.

- b. If a critical security hole cannot be repaired within 48 hours, the Service Provider will prepare and implement an action plan to mitigate the vulnerability, the primary task of which is the following:
 - c. repairs the most critical security holes in accordance with the CVSS¹¹ (starting with the highest score);
 - d. repairs the security holes of the systems that do not have supplemental protection mechanisms and which are subjected to the threat of unauthorised access and to becoming compromised if the vulnerability is not decreased.
 - e. The Service Provider documents the facts because of which the vulnerability does not have to be repaired, which can include the following:
 - f. The Service Provider disagrees with the vulnerability scoring defined by the CVSS;
 - g. the vulnerability was misidentified;
 - h. the vulnerability cannot be exploited due to the subscriber protection mechanism;
- or

The ÜFKT applied by the Service Provider also includes the disaster recovery plan. The ÜFKT contains procedures that describe the fastest method for restoring reliable services as soon as possible. The Service Provider regularly performs checks (at least annually) to test whether the security regulations are executed correctly regarding the technical and personnel aspects.

The Service Provider uses backups to ensure that it can restore the entirety of its IT system if necessary. The Service Provider protects the backups from modification and access by unauthorised persons.

5.7.2. Computing resources, software, and/or data are corrupted

The Service Provider has equipment and systems with advanced security to minimize the chance of hardware and software errors or data corruption. The ability to restore the Service Provider's services is guaranteed by its background agreements and its own reserve equipment, which are capable of substituting any of the critical equipment within the time undertaken in Chapter 5.7.4. The Service Provider's regular backups (see Chapter 5.5) and transaction logging (see Chapter 5.4) ensure that data can be restored if any data storage equipment becomes faulty. In the worst case scenario, this system is capable of restoring the data of the previous day.

The ÜFKT contains event reporting requirements for the cases in which any of its equipment become faulty and for irregular operations (some are automated and some are the responsibility of the managing personnel). The reports are evaluated by a professional staff, who minimize any damages and service downtime by executing response procedures.

¹¹ Common Vulnerability Scoring System v3.0 (<https://www.first.org/cvss/specification-document>)

The ÜFKT contains the detailed rules pertaining to faults experienced by critical system components.

The system elements that provide certificate status information shall have priority in the course of the restore.

5.7.3. Entity private key compromise procedures

a. End-user key compromise

See the contents of Chapter 4.9.12 for the end-user key becoming compromised.

b. TSP key compromise

If the TSP key is compromised, the Service Provider informs its Clients, contractual partners, the Relying Parties, and the Supervisory Body. It indicates that the certificates issued with the affected Service Provider keys and the certificate status information are no longer valid. The Service Provider will revoke the certificate that contains the private key that has become compromised.

The ÜFKT contains the additional requirements applicable if the TSP private key is compromised and the procedure to be followed. In case of a disaster, the Service Provider will take the necessary steps in order to avoid the reoccurrence of the disaster.

c. Change in algorithm

If any of the algorithms used by the Service Provider or any related parameters do not meet the requirements applicable during any period of the planned term of use or are not suitable for intended use for the entire period of the planned term of use (regarding both end-user and TSP certificates), the Service Provider informs its Clients, contractual partners, the Relying Parties, and the Supervisory Body, and also takes the steps necessary to revoke the affected certificates.

5.7.4. Business continuity capabilities after a disaster

The Service Provider has a business continuity plan in place that it puts into effect in case of a catastrophe. In case of a catastrophe (including if any of the TSP private keys or other authenticating data are compromised or if any critical elements of the TSP systems become faulty), the Service Provider's normal operations will be reinstated, and it will also be ensured that the errors do not happen again.

The aim of the Service Provider is to restart all services as soon as possible after averting the error and restoring integrity. The recovery of the reliable operation of certificate status services receives priority over the recovery of all other services and activities.

If the duration of the extraordinary operating event exceeds that set forth in Articles 36 and 45 of the BM Decree, the service provider informs the Supervisory Body without delay, including the provision of the following information pertaining to the event:

- the start of the extraordinary operating event, a description of the event, and, if different, the time it was discovered,
- the effects of the extraordinary operating event (which include, in the case of a security event, a description of the effected services, IT components, and personal data, as well as the number of effected trust service clients),
- the expected duration of the extraordinary operating event,
- the measures taken and planned in the interest of preventing the extraordinary operating event in the future, and
- the end of the extraordinary operating event.

After a natural or other disaster or if the Service Provider's equipment becomes faulty, the Service Provider undertakes to start the provision of the following services within 24 hours:

- status change services,
- OCSP services.

The Service Provider undertakes to start all other services within 5 workdays.

5.8. CA or RA termination

If the Service Provider terminates its activities in a planned manner or for an extended period of time, it will perform the following before cessation of its activities:

- Service Provider shall use all reasonable efforts in order that a suitable service provider takes over its registries and its obligations of service provision until the termination of the provision of the service at the latest.
- Service Provider shall, at least 60 days prior to the termination of the provision of the service, publish a notification on its website and send e-mail notification for its clients having an e-mail address, and shall inform the Trust Services Supervisory Authority of the above termination. In the notification the Service Provider shall indicate the organization – with classification identical to those of the Service Provider – which will take over the certificate status information registries, as well as the obligations to maintain the registration information and event log archives for the term prescribed for, or undertaken by, the Service Provider.
- Service Provider shall destroy its own private keys and shall revoke the certificates related thereto, and shall publish the related information on its website.
- In case only certain trust service(s) is/are terminated, then Service Provider shall continue to provide the related revocation information, if possible.

- In case of all trust services terminate:
TSP ensures that status information (of end-user and TSP certificates) published and handled by TSP to be available on the original URL until the termination (then availability of status information shall be ensured by the provider that takes over the services); *and*
On the day of termination TSP destroys the root CA certificate and its private key, and publishes a press release about these.

After the revocation of the certificates, Service Provider shall continue to meet its obligation of publication until the termination of its activities.

- The Service Provider revokes the as-yet unrevoked certificates it issued at least 20 days before the termination of its activity.
- In case of all trust services terminate, TSP informs the browser developers whose root program includes the TSP's root certificate 20 days before the planned time of termination of the root CA certificate.
- The Service Provider will revoke all management rights and authorisations derived from agreements concluded with any companies in a contractual relationship with the Service Provider and participating in certificate issuance or with the Registration Authority; the Service Provider will also call upon all Registration Authorities to hand over the data they store.
- In the interest of retaining the registration information and event log archives, the Service Provider will create a full backup including a timestamp. The backup includes the data of previous changes related to certificates, to their status or possible suspension, and to revocation, the Practice Statement pertaining to the issuance of the certificates, signature verification data, and the registry of revoked certificates. The Service Provider protects the saved data files from unauthorised modification and ensures that unauthorised access is excluded; it furthermore provides for the accessibility and interpretability of the data by authorised persons for the retention period.
- The Service Provider will not issue new certificates after announcing its termination.

If liquidation or winding up proceedings have been initiated against the Service Provider on the basis of a final court decision, the Service Provider will immediately inform the Supervisory Body of this fact and will name the body conducting the proceedings.

In the interest of transferring its data to another service provider (that will take over the services), the Service Provider will save those on a media and in a format that can be used by other service providers or will make it possible to process those in their original format, for which it will make available the required equipment, documentation, and knowhow.

6. TECHNICAL SECURITY CONTROLS

The Service Provider uses an IT system that consists of reliable and checked products that have been evaluated as regards security technology.

The key management provisions differentiate between the following keys:

TSP private keys:

- private key used to sign end-user certificates and CRL and OCSP responses,
- private key used to sign other certificates and CRL and OCSP responses,
- infrastructure and control keys,
- authorisation response signature key.

TSP public keys:

- the public key pairs to TSP private keys.

End-user private keys:

- the private key of an end-user that it created itself,
- the private key of an end-user created on its behalf by the Service Provider.

End-user public keys:

- the public key pair to end-user private keys.

6.1. Key pair generation and installation

In the case of according to secondary certificate policy displayed in the certificate refers to SCD keystore (see at Service Policy chapter 1.2.1 Certificate Policy) key is generated in a cryptographic device listed in chapter 6.2.1.

If the cryptographic device or client private key is handled by a third party, the Service Provider shall ensure throughout the lifetime of the certificate that this party complies with the necessary conditions (e.g., supervisory records).

If the client's private key is moved between devices, then the Service Provider shall manage the resulting safety risks with appropriate measures.

If the device's certification relevant to the non-qualified service ceases to be valid, the Service Provider shall withdraw the certificates issued to that device.

6.1.1. Key pair generation

Regardless of who generated the key pair, the Service Provider checks whether the public key had been previously issued to another Client.

a. TSP key generation

The Service Provider generates TSP key pairs - thus also including timestamp keys - in a physically protected server room in the presence of at least two trusted employees and with the exclusion of the presence of any other persons; a report is drawn up of the process. The list of persons who fill trusted roles and are authorised to generate keys is included in the Service Provider's Security Policy.

The Service Provider uses the cryptographic hardware modules detailed in Chapter 6.2.1 of this Statement for the generation and storage of TSP keys (including timestamping keys). The Service Provider generates all of the TSP key pairs. With the exception of the saving described in Chapter 6.2.4, the generated private keys remain on the cryptographic hardware modules for their entire lifecycles and are not transferred anywhere before being destroyed. If it becomes necessary to destroy the TSP private key for any reason, such destruction takes place under the control of two persons as required by the device's certificate.

Prior to the expiration of TSP keys, the Service Provider will generate the new CA keys and issue the new TSP certificates in a manner that ensures that the transition is as smooth as possible for the Client and the replacement of the certificate does not cause any disturbances for the Clients and the Relying Parties.

A qualified auditor also observes the generation by the Service Provider of Root CA keys in order to check compliance with the above requirements and the integrity and confidentiality of the key pair. The auditor issues a certificate stating that:

- The TSP has documented its Root CA key generation and protection procedures in its regulations;
- The key generation procedure is suitably in-depth;
- The TSP has put effective control measures in place to ensure that key generation is implemented at a security level that is in line with relevant requirements;
- All procedures of the key generation procedure have been executed.

If the same timestamp key is used in more than one cryptographic module, the Service Provider shall attach the same certificate to it.

The key generation scenario contains the details rules pertaining to the generation of TSP keys.

b. End-user key generation by TSP

The Service Provider uses algorithms for the generation of end-user keys for sign and seal purpose that meet the requirements of the standards applicable at the time of issuance and the

Supervisory Body's decision. The Service Provider rejects all requests for certificate issuance that do not meet these requirements.

End-user keys are generated only by persons who fill trusted roles and either in an automated manner or in the Service Provider's protected server room. If the key pair is used on a Client device, the Service Provider will create it directly on the device and will not store or save it by any other means, with the exception of the cases outlined in Chapter 4.12 Key escrow and recovery.

In the case of NLSIgn Service the Service Provider automatically generates end-user key pairs on its own cryptographic device (HSM Module). The cryptographic device meets the requirements defined for the Service Provider private key cryptographic device (see Chapter 6.2.1).

The Service Provider ensures that its end-user private key and the activating data are inaccessible to others.

See Chapter 6.1.2 Private key delivery to subscriber.

The Service Provider does not generate private keys for web authentication certificates (DVCP).

c. End-user key generation by itself

For non QSCD based enduser certificates the end-user may also generate the end-user key pair. In the case of end-user key generation – if the application concerns a certificate, the secondary Certificate Policy of which indicates an SCD-based keystore – the end-user shall generate the key in one of the SCD or QSCD Client Devices specified in Section 6.2.1. and use the key on that device during the entire period of use. The export of the private key from the device is permitted only for the purposes of taking a back-up copy.

See also Chapter 6.1.3 Public key delivery to certificate issuer.

6.1.2. Private key delivery to subscriber

If the Service Provider generated the end-user key pair, it will deliver it together with the carrier Client device to the End-User in a secure manner, by way of the Receiver.

Menedzselte SCD esetén a szolgáltató nem juttat el kulcsot a felhasználóhoz, a felhasználó értesítést kap arról, hogy kulcsát a korábban megadott aktiváló adattal igénybe veheti.

6.1.3. Public key delivery to certificate issuer

If the key is generated by the End-User, the successfully registered Applicant delivers the public key to the Registration Authority, which first checks whether the Applicant truly has the private key that is paired to the public key sent by the Applicant and then forwards it to the CA, again using a secure channel.

If the Service Provider generates the key pair for the end-user certificate, there is no need to deliver the public key.

In the case of managed SCD, the service provider does not provide the user with a key, the user is just given a notice that the user may obtain his key with the previously submitted activation data.

6.1.4. TSP public key delivery to relying parties

The Service Provider's TSP certificates (including timestamp certificates) are available on the Service Provider's website (Chapter 1.1.2). The availability of TSP certificates is also indicated in the AIA:CAIssuer field of end-user certificates as standard.

The Service Provider's public keys (including timestamp keys) are accessible as part of its TSP certificates.

6.1.5. Key sizes

The key pairs used by the Service Provider (for both TSO and end-user certificates) meet the requirements of the applicable standards and the Supervisory Body's decision. The algorithms used by the Service Provider:

Hash algorithm IDs:

SHA-256 OID ::= { joint-iso-itu-t(2) country(16) us(840) organization(1) gov(101) csor(3) nistAlgorithm(4) hashAlgs(2) SHA-256 (1) }

SHA-384 OID ::= { joint-iso-itu-t(2) country(16) us(840) organization(1) gov(101) csor(3) nistAlgorithm(4) hashAlgs(2) SHA-384(2) }

SHA-512 OID ::= { joint-iso-itu-t(2) country(16) us(840) organization(1) gov(101) csor(3) nistAlgorithm(4) hashAlgs(2) SHA-512(3) }

IDs and key sizes of cryptographic algorithms:

RSA OID ::= { iso(1) member-body (2) USA (840) RSADSI (113549) PKCS (1) PKCS-1 (1) RSA Encryption (1) } – Minimum 2048 bit key length

DSA OID ::= { iso(1) member-body(2) us(840) X9-57 (10040) x9algorithm (4) id-dsa (1) }

The Service Provider may not use the algorithms defined herein past the time indicated in the Supervisory Body's Algorithm Decision.

6.1.6. Public key parameters generation and quality checking

The system used by the Service Provider checks two different aspects of the compliance of key generation parameters:

the compliance of random number generation used for the parameters (whether the generation is statistically random enough),
the fulfilment of the conditions and relationships pertaining to parameters.

The basis for checking the compliance of random number generation is whether all cryptographic hardware modules used in the system are capable of statistically testing the consistency and independence of the bit sequence it generates. The modules enable the calling of the tests by way of a standard interface.

Besides the testing instruction that can be called with the use of the external interface, the hardware modules also continuously test their own random number generation and stop if they find any faults.

6.1.7. Key usage purposes (as per X.509 v3 key usage field)

a. Root CA key

The key issued by the Root CA can be used only for the following purposes:

- Signing Root CA certificates (self-signed certificate)
- Signing certificates pertaining to the authentication of subordinated services
- Signing and cross-certifying Intermediate CA certificates
- Signing internal TSP certificates (e.g. OCSP)
- For testing, if the signature of the Root CA is required for live use

b. Intermediate CA key

The key issued by the Intermediate CA can be used only for the following purposes:

- Signing end-user certificates
- Signing internal TSP certificates (e.g. OCSP, CRL)
- For testing, if the signature of the Intermediate CA is required for live use

c. End-user certificate keys

The various types of end-user certificates can be used for the following purposes:

- Creating electronic signatures
- Creating electronic seals
- Website authentication and creating encrypted communication

in accordance with the integrated X509v3 bits.

See [Chapter 7.1.2 Certificate extensions](#) for the corresponding values of the key usage fields.

6.2. Private key protection and cryptographic module engineering controls

The Service Provider implements physical and logical protection that prohibits unauthorised certificate issuance.

The Service Provider stores its private keys in a secure manner that prevents access and use by unauthorised persons. The Service Provider stores the TSP private keys used for the creation of certificates, for the authentication of certificate status services, and for other purposes in a physically protected environment and uses those only for the purposes defined for the given key.

6.2.1. Cryptographic module standards and controls

The Service Provider proceeds as set forth below in regard to the creation, saving, storage and destruction of TSP keys (also including timestamp keys):

keys are created, stored, saved, restored, and destroyed in a physically secure environment under the control of two persons (the joint presence of two employees filling trusted roles) (see Chapter 6.1.1.1),
in accordance with applicable standards, CA keys are generated, stored, and used on ISO/IEC 19790 or FIP PUB 140-2 level 3 equivalent hardware cryptographic devices with at least EAL4 certificates with the ISO/IEC 15408 or equivalent security requirements (see Chapter 6.1.1.2 and Chapter 6.2.7 Private key storage on cryptographic module),
keys can only be used by the authorised persons for functions in line with the purpose of their creation,
before using their own TSP keys, the Service Provider's systems make sure that the certificates belonging to these keys are valid,
the Service Provider's certificate, CRL and OCSP signing keys are different from the keys used for all other functions,
the Service Provider's keys are updated with an out-of-band technique,
when exporting a key stored in a secure cryptographic module from a module, the Service Provider ensures that the key is protected,
the systems that process information sensitive from the aspect of cryptography (private or secret keys) outside of a cryptographic device are protected by the Service Provider from becoming compromised by electromagnetic radiation (see Chapter 5.1.3).

The Service Provider handles and operates the cryptographic devices used to provide qualified services separately from those used for non-qualified services and other activities, which latter devices can thereby not influence the reliable operation of the products that are used to provide the qualified service.

The Service Provider keeps a record of its products that are directly used to provide trust services, in which they are classified according to security.

Before the service provider uses its products that implement trust services used to provide a service for any other purposes besides its own provision of services, it ascertains that the product does not contain any data linked to a trust service and that such data cannot be recovered. The Service Provider logs this examination and the measures taken on its basis.

The key storage, key generation and signature creation devices used and provided by the Service Provider could be the followings (end-user and TSP private keys are allowed to be generated exclusively in these devices):

Devices	Hardware and firmware specifications	The specification of the software used directly for key management
TSP key device	- Luna® PCI-E Cryptographic Module and Luna® PCI Cryptographic Module for Luna® SA (Hardware Versions: VBD-05-0100, VBD 05-0101 és VBD-05-0103, Firmware Versions: 6.10.7, 6.10.9 and 6.11.2) - SafeNet PCIe Hardware Security Module and SafeNet PCIe Hardware Security Module for SafeNet Network HSM (Hardware Versions: VBD-05-0100, VBD-05-0101, VBD-05-0102 and VBD-05-0103; Firmware Versions: 6.24.6 and 6.24.7) - ProtectServer Internal Express 2 (PSI-E2) Hardware Versions: VBD-05-0200, Firmware Versions: 5.01.02 and 5.01.03)	- Luna cryptographic module drivers - SafeNet drivers - ProtectServer Internal Express 2 (PSI-E2) drivers
QSCD Client device (can be used as SCD device too)	- SafeNet eToken (Smartcard or USB token), Version 9.1, Athena IDProtect/OS755 Java Card on Atmel AT90SC25672RCT-USB Microcontroller with IDSign applet embedding - IAS Classic v3 application on Java Card platform with P5CC081V1A chip, according to MultiApp ID V2.1 open standard, MPH117 v2.2 with filter (also known as: Gemalto ID 340) - Bit4id Crypto Java Card (J-SIGN v1.8.9) Version EEPROM: 1.8.9, Version ROM: 1.6.0 - Bit4id Crypto Java Card (J-SIGN3 v1.1.4) Software: 1.1.4, Hardware: 6.2.1 - IAS Classic V4.4.2 with MOC Server 1.1 on MultiApp V4.0.1 (also known as: Gemalto IDPrime 940A)	Drivers for Bit4ID/Oberthur/Gemalto tools
SCD Client device	- IDOneClassIC Card: ID-One Cosmo 64 RSA v5.4, applet IDOneClassIC v1.0 embedded, P5CT072VOP-en, - IDOneClassIC Card (ID-One Cosmo 64 RSA v5.4.1, applet:	- Oberthur device drivers - NLSIGN system - ProtectServer Internal Express 2 (PSI-E2)

	IDOneCIE v1.01.1 platforms: P5CT072VOP, P5CC072VOP and P5CD072VOP) secure signature creation tool • NLSIGN system (managed SCD) • ProtectServer Internal Express 2 (PSI-E2) Hardware version VBD-05, firmware version: 5.00.02)	drivers
--	--	---------

The conformity certificates and other informations on the above devices can be downloaded from the website of Service Provider (see Chapter 1.1.2).

The Service Provider continuously monitors the validity of the certificates for the devices it has applied and any newer restrictions pertaining to their application. In the interest of the above, it has implemented internal administrative policies to keep records of the validity of the certificates and to track the changes in the validity of certifications performed within the European Union. These policies require checking the status of these certifications at least monthly. Furthermore, the Service Provider also communicates with the manufacturers and distributors of the devices affected by the certification to be informed as soon as possible about the changes of the certifications, and to be able to fulfill its related Service Provider's duties.

Service Provider can employ other key handling and signature creation devices for its own use and as Client devices also, if they possess the certification required for the intended usage.

Information about devices that are currently available for end-user certificates are published on TSP website (see 1.1.2).

6.2.2. Private key (n out of m) multi-person control

The Service Provider's Security Regulations contain the detailed rules on the multi-person control of private keys.

6.2.3. Private key escrow

See Chapter 4.12.

6.2.4. Private key backup

Saving takes place in a ciphered format. When saving, the private key is copied from the cryptographic hardware module that generated the private key (in accordance with the type of the cryptographic hardware module) to smart cards in several parts (see Chapter 6.2.2) and in a protected manner; otherwise, it ends up in the backup HSM module. The saved copies are provided the same type and strength of protection as the original copy of the hardware module that generated the key. An algorithm and key size is used for encryption that ensures protection for

its entire remaining validity. The copies of the TSP private key not being used are protected with a level of security equal to the productive key.

The Service Provider saves the following TSP private keys:

- the Root CA's authenticator private key,
- the Intermediate CA's authenticator private keys.

See Chapter 4.12.1 regarding the saving of end-user private keys.

6.2.5. Private key archival

The Service Provider archives neither TSP private keys nor end-user private keys.

6.2.6. Private key transfer into or from a cryptographic module

The transfer into a cryptographic module of TSP private keys - thus also including timestamp private keys - is implemented by the Service Provider in a physically protected environment with the joint participation of at least two trusted employees and with the exclusion of the presence of any other persons.

See the contents of Chapter 6.2.4.

6.2.7. Private key storage on cryptographic module

In the case of the TSP private keys stored on cryptographic devices, the Service Provider ensures that the keys cannot be accessible outside the device (with the exception of the saving set out in Chapter 6.2.4). In the case of cryptographic devices, the Service Provider provides protection against forgery even during transport and storage.

See the contents of Chapter 6.2.1.

6.2.8. Method of activating private key

The activation of TSP private keys - thus also including timestamp private keys - is implemented by the Service Provider in a physically protected environment with the joint participation of at least two trusted employees and with the exclusion of the presence of any other persons. The Service Provider's Security Regulations sets forth the details of the method for activating TSP keys.

The end-user private keys generated by the Service Provider and the Client devices can only be activated with the use of activation data.

For signature and seal certificates applied for with SCD key storage (see 1.2.1), the private end-user key shall be activated in accordance with the description of the device.

In the case of NETLOCK Sign the end-user private key can be activated, as the user guide of the device describes.

6.2.9. Method of deactivating private key

The Service Provider's Security Regulations set forth the details of the method for deactivating TSP keys.

The end-user private key used in the NLSign service is immediately and automatically deactivated by the Service Provider after every individual or batch signature/seal action.

6.2.10. Method of destroying private key

The Service Provider destroys the TSP keys in a manner that ensures that the signing keys cannot be restored. During the course of destruction, the Service Provider uses secure deletion processes that actually overwrite all instances of the key on all storage devices on which copies of the key could have occurred.

If a TSP device is destroyed, the Service Provider ensures that the private keys stored on it are also destroyed.

The end-user has to irrecoverably destroy the private keys of end-user signature / seal / website authentication certificates if the certificate has been revoked or its validity expires and no new certificate is issued with the use of the public key paired to the private key.

In the case of NLSign service in the above cases and if the activation data is restored, the Service Provider irrevocably destroys the end-user private keys stored as part of the signature service.

6.2.11. Cryptographic Module Rating

See the contents of Chapter 6.2.1.

6.3. Other aspects of key pair management

The Service Provider uses the TSP keys in the manner and for the validity period indicated in the certificate.

6.3.1. Public key archival

The Registration Authority archives all certificates created by the Service Provider for the following period:

TSP certificates: for 10 years starting from the end of their term of validity,

end-user certificates: for the time following their expiration as required by relevant legislation (see Chapter 5.5.2).

6.3.2. Certificate operational periods and key pair usage periods

Type	Certificate lifetime	Key pair usage period
Certificates for non-qualified signature and seal authentication	maximum of 2 years	The Service Provider does not set a limit for the lifetime of the key but can require the generation of a new key at any time.
Website authentication certificates	maximum of 1 year (365 days)	The Service Provider does not set a limit for the lifetime of the key but can require the generation of a new key at any time.
TSP certificate	maximum of 20 years	Equal to the validity of the certificate.
Test Certificate	maximum of 2 years	The Service Provider does not set a limit for the lifetime of the key but can require the generation of a new key at any time

The certificate's validity is indicated in the certificate. The validity of the certificate commences at the time of its issuance or thereafter.

6.4. Activation data

The issues related to the activation data are set out in the following chapters.

The installation and restoration of the service key pair on the cryptographic device shall only be carried out under the dual (or higher) control of employees employed in trust position.

The Service Provider shall provide the change of the activation data of the Client Device (SCD or QSCD, managed SCD) in possession of the current activation data. Service Provider shall, under no circumstances, store the end user activation data, save for storage in the memory during the signature workflow.

6.4.1. Activation data generation and installation

The Applicant provides the activation data as part of the key generation or, if a Client device provided by the Service Provider is being used, it is generated by the Service Provider.

The Service Provider generates the activation data belonging to the Client device in a secure manner and independently of the device. The Service Provider provides the Receiver with the activation data in a sealed envelope. The End-User can activate its Certificate (see Chapter 4.9.3.2 if the Service Provider has uploaded it to the Client device in a suspended state) or upload it to the

Client device (see Chapter 4.3 if the Service Provider only generated the private key for the Client device and is making the certificate available in the Client Menu) after receiving the device and the envelope. It is recommended that the activation data be changed when the Client device is first used.

In the case of NLSing Service the end-user creates the activation data during key generation. The Service Provider is not familiar with and does not store the activation data, with the exception of its storage in memory for the time of the signature work process.

The activation data can be changed in possession of the current activation data.

6.4.2. Activation data protection

The Service Provider only records the activation data for the Client devices so it can hand it over to the person utilising the service; the Service Provider does not retain a copy.

In case managed SCD (certificate requested via the NL SIGN service) is used, the activation code cannot be restored by the service provider.

6.4.3. Other aspects of activation data

The End-User has to ensure that the private keys it is provided are activated and deactivated in a secure manner.

In case managed SCD (certificate requested via the NL SIGN service) is used, the activation code cannot be restored by the service provider.

6.5. Computer security controls

Only authorised persons can access the Service Provider's systems. The Service Provider protects the boundaries of internal zones with firewalls and takes the steps necessary to ensure that sensitive data cannot be recovered when data media are reused.

The Security Policies applied by the Service Provider ensure that data can only be added and the measures related to changing certificate status (suspension, revocation, activation) can only be accessed by authorised persons.

The Service Provider uses monitoring and alarm equipment to filter out unauthorised access.

6.5.1. Specific computer security technical requirements

The Service Provider uses multi-factor authentication for all users authorised to issue Certificates in the manner set out in the Security Regulations.

6.5.2. Computer security rating

The Service Provider's Risk Management Regulations for internal use contain the applicable provisions.

6.6. Life cycle technical controls

6.6.1. System development controls

In the case of the systems developed by the Service Provider, the risks are assessed and analysed from a security aspect.

In the case of the software that it developed, the Service Provider applies a change management procedure for issuance, modification, and urgent software repairs. If possible, the change management procedure is completed before placing into operation. Urgent repairs can be an exception to the above, in the case of which the documentation can also be prepared afterwards if placing the software repair into operation at a later time would threaten the Service Provider's operations or would result in serious financial or moral damages.

The Service Provider's Software Development and IT Change Management Regulations for internal use contain part of the applicable provisions.

6.6.2. Security management controls

The Service Provider uses trustworthy systems and products that are protected against modification and ensure the technical security and reliability of the processes supported by them. The Service Provider devotes special attention to security even during purchases: the suppliers of its systems of key importance are suppliers evaluated in accordance with the Purchasing Regulations and the purchased equipment are also evaluated equipment. The manufacturers of the equipment are organisations with numerous references and a reliable background. These rules ensure that if necessary, the Service Provider receives the necessary support for its equipment and that any warranty and guarantee claims can be validated against the supplier if any faults occur. The majority of used and integrated equipment are readily available through commercial distribution, meaning they can be replaced with relative ease from several different sources.

The Service Provider protects its IT systems and information from viruses, malware, and unauthorised software. The Service Provider applies procedures that ensure that security fixes can be applied within a reasonable amount of time (6 months). The Service Provider will not apply security fixes if they contain additional security holes or cause instability.

Only authorised persons can make entries and changes to the Service Provider's data. The authenticity of the data can be verified. The data pertaining to Clients are publicly available for retrieval only where the consent of the person to whom the data relates has been obtained.

6.6.3. Life cycle technical controls

The Service Provider continuously monitors capacity utilisation and prepares forecasts in the interest of ensuring that enough storage space and processing capacities will be available in the future as well.

6.7. Network security

The Service Provider classifies the systems it uses for the provision of services into various security zones. Following the above classification, the Service Provider ensures that the communication between the various zones is secure. During the provision of its services, the Service Provider removes or blocks all connections and ports that are not required by the service.

The Service Provider provides a separate network for service systems. The productive systems are separated from development, test, and other systems. The Service Provider developed redundant network connections for all cases that require high availability external access.

In the interest of continuously maintaining security, the Service Provider regularly (every quarter or as soon as possible if any significant network changes take place) performs vulnerability testing.

In addition to the vulnerability testing, the Service Provider annually (or as soon as possible in case of any significant changes in infrastructure) also performs intrusion tests.

Further provisions regarding network security are part of the Service Policy.

6.8. Timestamping

Within the framework of provision certificate issue service, Service Provider shall use timestamps issued by qualified trust provider if timestamping is needed.

Service Provider shall, at least once a day, synchronize the time source of its systems to UTC time source.

7. CERTIFICATE, CRL, OCSP PROFILES

The Service Provider primarily uses certificate profiles to regulate certificate contents and functions. The Subject(s) of the certificate determine the subject data to be included in the certificates; the purpose of use determines the use of the certificate by way of the X509 extensions.

7.1. Certificate profile

The Service Provider uses different certificate profiles in accordance with the certificate's Subject and use. The various certificate profiles have the data that meet MELASZ eIDAS profile recommendations¹², which is to be interpreted as follows.

End-user certificates contain the following data (irrespective of profile):

Name	Contents
Version	3 (0x2)
Serial Number	contains at least a 64 bit random number
CA signature algorithm (SignatureAlgorithm)	sha256withRSA
Issuer	The Issuer data of the certificate's issuer, corresponding to the Subject data in the CA certificate
Validity	The validity of the certificate (from - to)
The certificate signature	The result of the signature performed with the certificate issuer's CA key
Certificate Policy	The identifier(s) of the policy(-ies) applicable to the given end-user certificate Primarily standard and, if applicable, secondary identifiers. (see Chapter 1.2.1)

Personal certificate profile Subject fields:

¹² <http://www.melasz.hu/lang-en/a-melasz-hirei/1291-melasz-ready-ajanlas-eidas-kompatibilis-tanusitvany-profilokra>

Personal certificates are issued to natural person End-Users; thus only a natural person is indicated as the certificate subject, who is identified in the certificate with the use of his/her actual name. The following profile applies to signature certificates.

Field name	Definition
Subject fields	
commonName (CN)	The End-User's full name as registered in authentic records or, if such is unavailable, the name on the certificate used as identification.
surname (SN)	The surname part of the name indicated in the commonName field, in the breakdown provided by the MELASZ profile recommendation.
givenName (G)	The first name part of the name indicated in the commonName field, in the breakdown provided by the MELASZ profile recommendation.
emailAddress (E)	The End-User's own e-mail address.
serialNumber (CNSN) (1.)	The permanent identifier created by the Service Provider (the Service Provider's + the client's identifier).
serialNumber (2.) <i>Optional</i>	A unique identifier with the contents required by the client or a group of clients.
countryName (C)	The End-User's country of residence; the two-letter country code as defined by ISO 3166-1.
localityName (L) <i>Optional</i>	The locality of the End-User's residence.
Subject Alternative Name fields	
email	The same as field E.
othername	TSP's OID based service ID: 1.3.6.1.5.5.7.8.3=1.3.6.1.4.1.3555.5

Conditions:

With the exception of the serialNumber field, there can be only one of each field.

Fields not included above:

Pseudonym

An organisation cannot be used as the Subject of a personal certificate, and the appropriate fields are therefore not included (CN/organizationName, CN/organizationalUnitName, CN/organizationIdentifier, and CN/title).

Pseudonym certificate profile Subject fields:

Personal certificates are issued to natural person End-Users who are identified by a selected name in the certificate. The person's true name (which the Service Provider knows) and the connected organisation are not included in the certificate. The following profile applies to signature certificates.

Field name	Definition
Subject fields	
commonName (CN)	The pseudonym selected by the Applicant (unique at the Service Provider)
pseudonym (P)	The pseudonym selected by the Applicant. Equivalent to the contents of the commonName field.
serialNumber (CNSN)	The permanent identifier created by the Service Provider (the Service Provider's + the client's pseudonym identifier – see Chapter 1.6.1). 1.3.6.1.4.1.3555. <i>ClientPseudID</i> The value of this field is unique as regards the PSEUDONYM and cannot be the same as the identifier of the pseudonym certificate.
countryName (C)	The Applicant's country of residence; the two-letter country code as defined by ISO 3166-1.
Subject Alternative Name fields	
othername	NetLock's OID based service ID 1.3.6.1.5.5.7.8.3=1.3.6.1.4.1.3555.5

Conditions:

There can be only one of each field.

Fields not included above:

title, organizationName, organizationalUnitName, organizationIdentifier, localityName, surname, givenName, emailAddress, SAN/Email

Business certificate profile Subject fields:

Business certificates are issued to natural person End-Users, in addition to whom an organisation can also be named as the subject of the certificate (who will be the certificate's Subscriber). The natural person applies for the certificate with the consent of the organisation, and the certificate can then be used in its representation (which in this case does not necessarily mean legal representation). The relationship between the organisation and the person can be of any type (e.g. employee, member, contractual)¹³, which is not examined at the time of issuing the certificate; however, the organisation does have to certify the fact of belonging to it (and, if the Title is provided, its contents). The following profile applies to signature certificates.

Field name	Definition
Subject fields	
commonName (CN)	Same as the personal profile.
surname (SN)	Same as the personal profile.
givenName (G)	Same as the personal profile.
serialNumber (1.) (CNSN)	Same as the personal profile.
serialNumber (2.) Optional	Same as the personal profile.
emailAddress (E)	Same as the personal profile.
organizationName (O)	Same as the organisational profile.
organizationalUnitName (OU) Optional	Same as the organisational profile.
organizationIdentifier Optional	Same as the organisational profile.

¹³ As defined by the Electronic Administration Act: "natural person certificate subject: the natural person included in the certificate, regardless of whether the right to represent a non-natural person or a relationship thereto is also certified in the certificate;"

title (T) Optional	The role or position of the certificate subject in the organisation. This field can contain only verified data. Certain titles can only be used in exceptional cases: (e.g. "Attorney" can only be used for persons authorised for attorney certificates and "CEO" and "Managing Director" can only be used for the persons verified by the business association's registration documents).
countryName (C)	Same as the organisational profile.
localityName (L)	Same as the organisational profile.
Subject Alternative Name fields	
email	Same as the personal profile.
othername	Same as the personal profile.
dirname Optional	In special cases, the End-User name with a different manner of writing than that indicated in the CommonName field.

Conditions:

With the exception of the serialNumber field, there can be only one of each field.

Fields not included above:

Pseudonym

Organisational certificate profile Subject fields:

Organisational certificates are issued to legal person Subscribers; thus only this legal person can be indicated as the certificate subject. The profile applies to seal certificates.

Field name	Definition
Subject fields	
commonName (CN)	The Subscriber's full or short name, OR A certified DBA name / Trademark / Product name and the related identifier, which is both unique and used exclusively by the legal person.
organizationName (O)	The Subscriber's full or short name
organizationalUnitName	The name of the Subscriber's organizational unit within the organisation

(OU) Optional	identified in the organizationName field.
countryName (C)	The country of the Subscriber's official seat (the two-letter country code as defined by ISO 3166-1).
localityName (L)	The name of the locality of the Subscriber
serialNumber (CNSN) (1.)	The permanent identifier created by the Service Provider (the Service Provider's + the client's identifier). 1.3.6.1.4.1.3555.5.1. <i>ClientID</i>
organizationIdentifier	The Subscriber's registered identifier (see Chapter 3.1 Naming).
emailAddress (E)	Subscriber's e-mail address.
Subject Alternative Name fields	
email	The same as field E.
othername	NetLock's OID based service ID: 1.3.6.1.5.5.7.8.3=1.3.6.1.4.1.3555.5
dirname Optional	The following, as used by the organisation and certified by a statement: • DBA name • or Trademark • or Product name and related identifier.

Conditions:

With the exception of the serialNumber field, there can be only one of each field.

Pseudonyms cannot be used in organizational certificates.

Fields not included above:

Title, Pseudonym, organizationIdentifier, surname, givenName

The interpretation of the data contents included in the certificate:

The certificate belongs to the organisation called O, as indicated in the certificate (within which, if indicated, the OU organizational unit).

OV website authentication certificate profile Subject fields:

The OV SSL certificate is a website authentication certificate that has a Subject of an organisation legal person (Subscriber) and at least one domain name.

Field name	Definition
Subject fields	
commonName (CN) Optional	If the field is present, it can contain one domain name from among those included in the SAN/dNSName.
organizationName (O)	The Subscriber's full or short name, OR Certified DBA name / Trademark.
countryName (C)	The two-letter country code as defined by ISO 3166-1 of the country in which the Subscriber is registered.
localityName (L)	The locality of the Subscriber's registered address.
stateOrProvinceName Optional	The name of the state of the Subscriber's registered address (if applicable).
organizationIdentifier Optional	Same as the organisational profile.
Subject Alternative Name fields	
DNSname	The domain names of the websites authenticated by the certificate. Only existing domains name rightfully used by the Applicant can be used. They can contain wildcards.

Conditions: -

Fields not included above:

title, pseudonym, surname, givenName, organizationalUnitName.

Subject fields for EV website authentication certificate profiles:

The EV SSL certificate is a website authentication certificate that has a Subject of an organisation (Subscriber) and at least one domain name.

Field name	Definition
Subject fields	
commonName (CN) Optional	If the field is present, it can contain one domain name from among those included in the SAN/dNSName.
organizationName (O)	The Subscriber's full or short name as included in the authentic extract from the company registry or other records suitable for verification (or in the appropriate documents of other organisations), OR Certified DBA name, after which the organisation name is indicated in parentheses.
countryName (C)	The two-letter country code as defined by ISO 3166-1 of the country in which the Subscriber is registered.
localityName (L)	The locality of the Subscriber's registered address.
streetAddress Optional	The street address, type, and house number of the Subscriber's registered address.
postalCode Optional	The postal code of the Subscriber's registered address.
stateOrProvinceName Optional	The name of the state of the Subscriber's registered address (if applicable).
organizationIdentifier	Same as the organisational profile.
cabfOrganizationIdentifier	Its data content is the same as that of the organizationIdentifier field.
serialNumber (CNSN) (1.)	The permanent identifier created by the Service Provider (the Service Provider's + the client's identifier). 1.3.6.1.4.1.3555.5.1. <i>ClientID</i>
serialNumber (CNSN) (2.)	The same as the organizationIdentifier field.
jurisdictionCountryName	The name of the country the laws of which are applicable to the Subscriber.

e	The jurisdictionLocalityName and jurisdictionStateOrProvinceName fields also have to be filled out if they are applicable.
businessCategory	EV SSL business category (Private Organization, Government Entity, Business Entity, Non-Commercial Entity).
Subject Alternative Name fields	
DNSname	The domain names of the websites authenticated by the certificate. Only existing domains name rightfully used by the Applicant can be used. Cannot contain wildcards.

Conditions: -

Fields not included above:

title, pseudonym, surname, givenName, organizationalUnitName.

TSP Root CA certificate profile:

Field name	Contents	
Certificate Serial Number	The certificate's unique identifier (non-sequential, with at least 64 bits of entropy)	
public key	see minimum algorithms table	
Validity	The validity of the certificate (from - to)	
subject:commonName (CN)	Root CA name	
subject:countryName (C)	HU	
subject:localityName (L)	Budapest	
subject:organizationalUnitName	Certificate CAs (Certification Services)	
subject:organizationName (O)	NetLock Kft.	
Signature	the Root CA's own signature	
Extensions		Critical

basicConstraints	CA:TRUE	Yes
keyusage	keyCertSign, cRLSign	Yes
Subject Key identifier	subject key hash	No

Requirements: the self-signed subject and issuer parts of the root authenticator certificate are the same

Fields not included above: certificatePolicy, extendedKeyusage

TSP Intermediate CA certificate profile

Field name	Contents	
Certificate Serial Number	The certificate's unique identifier (non-sequential, with at least 64bit s of entropy)	
public key	see minimum algorithms table	
Validity	The validity of the certificate (from - to)	
subject:commonName (CN)	Intermediate CA name	
subject:countryName (C)	HU	
subject:localityName (L)	Budapest	
subject:organizationalUnitName	Certificate CAs (Certification Services) or not included	
subject:organizationName (O)	NetLock Kft. or NetLock Ltd.	
Signature	Root CA signature	
Extensions		Critical
basicConstraints	CA:TRUE	Yes
keyusage	keyCertSign, cRLSign	Yes

ExtendedKeyUsage	CA relevant EKU, that shall not be 'anyExtendedKeyUsage' and shall not contain in parallel 'id-kp-serverAuth' and 'id-kp-emailProtection' value in same certificate.	No
Subject Key identifier	subject key hash	No
AIA:Ca issuers	The availability of the certificate of the root CA that issued the certificate, in an http URL format	No
AIA:OCSP	The availability of the OCSP service of the root CA that issued the certificate, in an http URL format	No
CDP	The availability of the CRL service of the root CA that issued the certificate, in an http URL format	No
Authority Key Identifier	The hash of the Root CA's issuing key	No

Conditions: -

Fields not included above: certificatePolicy, extendedKeyusage

The connection of the various certificate profiles with certificate policies and certificate types:

The table defines the profiles and certificate policies that the various certificate types are available with.

Profile	Certificate policies	Certificate types
Personal	NCP, NCP+	Signing
Pseudonym	NCP, NCP+	Signing
Business	NCP, NCP+	Signing
Organisational	NCP, NCP+	Seal
Website authentication	OVCP, EVCP	Website authentication

Service Provider	-	Service Provider
------------------	---	------------------

The Service Provider can create additional special profiles within the certificate profiles listed above (e.g. business profiles that meet the requirements of certain professions).

7.1.1. Version number(s)

The Service Provider issues certificates in accordance with the X.509v3 specifications.

7.1.2. Certificate extensions

The Service Provider uses the certificate extensions defined in the X.509v3 specifications by indicating the critical fields. All end-user certificates include the following certificate extensions:

Extension	Critical	Contents
basicConstraints	yes	CA:FALSE
subjectKeyIdentifier	no	The Subject's own key ID
Subject Alternative Name	no	Other names of the Subject. See the Subject fields of the various certificate profiles for how this is to be filled out.
authorityKeyIdentifier	no	The certificate issuing CA's key ID
crlDistributionPoints	no	The availability of the CRL
Authority Information Access:CAIssuers	no	The availability of the TSP certificate
authorityInfoAccess:OCSP	no	The availability of the OCSP
Certificate Policies	no	The identifier of the Certificate policies that was used for issuing of the certificate (see the Chapter Certificate policies). If more than one HRs are identified, the field is included more than once. No policy constraints are used. Of the policy qualifiers, only the User Notice field is filled out, the contents of which is a brief textual description, indication, or supplementation with restricting information of the policy valid for the certificate, in a format that is legible for humans. In the case of Express certificate types (LCP), Service Provider

		shall hereby inform the Relying Parties that the validation of the identity of the Applicant by personal appearance or equivalent validation formed no part of the identification and authentication procedure preceding the issue of the certificate.
Keyusage	yes	The permitted possibilities for using the private key paired to the public key included in the certificate (see below for filling out).
extendedKey Usage	no	The use possibilities of the private key extending keyusage (see below for filling out).
SCT	no	X509 v3 extension accordance with Google Certificate Transparency Policy ¹⁴ .

Filling out end-user key use extensions, according to certificate types:

Cert type / Key use	Qualified signature and seal certificates	Non-qualified signature and seal certificates	Certificate for Website Authentication
Keyusage	nonRepudiation	nonRepudiation, digitalSignature	keyEncipherment, digitalSignature
extendedKey Usage	documentSigning, emailProtection	clientAuth and optional emailProtection	serverAuth

The End-User can use the private key only for the purposes indicated here (the parentheses include the certificate's applicable use):

- nonRepudiation: ensuring non-repudiation (Verification of signatory)
- digitalSignature: Electronic signature (Verification of integrity and authenticity)
- KeyExchange: Key exchange
- keyAgreement: Key agreement
- keyEncipherment: Key encryption (Key decryption)
- clientAuth: Client identification (Client authentication)
- serverAuth: Server identification (Server authentication)
- documentSigning: Signing a document (Microsoft extension)

¹⁴ See at <https://github.com/chromium/ct-policy>

- emailProtection: Also usable in case of signing and encrypting certificates

7.1.3. Algorithm object identifiers

The Service Provider indicates in the certificate the name and parameters of the algorithm used for the authentication of the certificate. Refer to Chapter 6.1.5 for the possible values.

7.1.4. Name forms

The provisions of Chapter 3.1 are governing as regards Subject names forms.

The value in the certificate's CA ("Issuer") field is the same as the "Subject" value in the issuing CA certificate.

7.1.5. Name constraints

The Service Provider indicates any name constraints in the "nameConstraints" field.

7.1.6. Certificate Policy object identifier

In the certificates issued on the basis of the Certificate Policy, the Service Provider indicates the Certificate Policy OID.

7.1.7. Usage of Policy Constraints extension

The Service Provider sets no requirements.

7.1.8. Policy qualifiers syntax and semantics

The Service Provider can include brief information regarding the usage of the Certificate in the Certificate Policies extension's Policy Qualifier field. The field also includes the online address (URL) at which the Practice Statement is available.

7.1.9. Processing semantics for the critical Certificate Policy extension

The Service Provider sets no specific requirements.

7.2. CRL profile

7.2.1. Version number(s)

The Service Provider issues CRLs in line with the x509 and RFC5280 standards with the frequency and contents defined in the Policy.

7.2.2. CRL extensions

The CRL does not contain any fields marked as critical. The Service Provider provides CRLs with serial numbering increasing at a rate of one.

The certificate's CRL profile:

Field	Contents
Version	V2
Issuer	The Issuer data of the certificate issuer that issued the CRL
Last update	Date of last update
Next update	Date of next update
Signature	Electronic signature of the issuer
CRL entry	The serial number of the invalidated certificate, the date, time, and reason of invalidity in a format in line with RFC 5280.
CRL entry extension	

7.3. OCSP profile

7.3.1. Version number(s)

During the course of the OCSP service, the Service Provider supports the certificate status questions and responses created on the basis of version V1 of the RFC 6960 standard.

7.3.2. OCSP extensions

The OCSP responder certificate includes the NoCheck extension, meaning the OCSP responders do not have to be checked by the client.

The certificate profile of the OCSP responder:

Field name	Contents	Critical
basicConstraints	CA:FALSE	Yes
Certificate Serial Number	The certificate's unique identifier (non-sequential, with at least 64bit s of entropy)	No

extendedKeyusage	OCSPSigning	No
keyusage	digital signature	Yes
private and public key	see minimum algorithms table	No
Validity	The validity of the certificate (from - to)	No
Subject Key identifier	subject key hash	No
Authority Key identifier	CA key hash	No
OCSPNocheck	empty	No

Conditions: -

Fields not included above: certificatePolicy

8. COMPLIANCE AUDIT

In line with European Union and Hungarian regulations and the requirements laid out in the Trust Service Policy, the Service Provider performs its service activities according to the following standards (see Chapter 9.15 for legal compliance).

Standard identifier	Short English name
ETSI EN 319 401	ESI; General Policy Requirements for Trust Service Providers
ETSI EN 319 411-1	ESI; Policy and security requirements for Trust Service Providers issuing certificates; Part 1: General Requirements
ETSI EN 319 412-1	ESI; Certificate Profiles; Part 1: Overview and common data structures
ETSI EN 319 412-2	ESI; Certificate Profiles; Part 2: Certificate profile for certificates issued to natural persons
ETSI EN 319 412-3	ESI; Certificate Profiles; Part 3: Certificate profile for certificates issued to legal persons
ETSI EN 319 412-4	ESI; Certificate Profiles; Part 4: Certificate profile for web site certificates

The Service Provider performs (and has others perform) compliance inspections and checks in the interest of ensuring that the processes, staff, devices, and environment related to its Services always meet relevant legislative and professional requirements.

Before commencing the provision of its services, the Service Provider had an external, independent conformity assessment body evaluate those on the basis of applicable standards and legislation, adhering to the following:

- evaluation takes place on the basis of the pieces of legislation and standards laid out in this Chapter;
- the evaluation takes into account all of the unique features of the Service Provider's trust services to be audited;
- the evaluation covers all service activities related to its subject.

8.1. Frequency or circumstances of assessment

In line with EU law, the Supervisory Body supervises the Service Provider's activities. At least every year, the Supervisory Body holds an on-site inspection at the Service Provider's registered address or site.

The results of the audits and the documents drawn up in the course of such audits are confidential, with access provided only to persons with suitable authorisation.

Once a year, the Service Provider conducts an internal self-audit, with the help of which it regularly reviews compliance with the Service Policy and the present Statement, as well as previous audits and evaluations; if any derogations are uncovered, it takes the necessary measures to correct those.

In case the Partner to the Service Provider operating the External Registration Authority (Authorities) does not have an annual external audit report supporting the compliance with the applicable requirements, Service Provider shall audit the compliant operation of the External Registration Authority (Authorities) at least on an annual basis, and on a case by case basis by random samplings between the annual audits.

In the course of the annual self-revisions, the Service Provider audits at least 3% of the website authentication certificates (OVCP and EVCP) selected with random sampling, it has issued since the previous self-audit.

The Service Provider has an independent accredited conformity assessment body perform a conformity assessment audit at least every two years.

The Service Provider's compliance with the ISO 9001 and ISO 27001 standards (as detailed in Chapter 1.1.2 of this Statement) is evaluated and continuously monitored by an external auditing organisation, with a frequency of at least once a year.

NETLOCK Ltd. regulates external partners and service providers and checks their contractual obligations in accordance with the ISO 27001 standard.

8.2. Identity/qualifications of assessor

Internal audits are performed by an experienced professional who has the suitable legal and technical know-how, a higher education degree, and at least 5 years of experience in regulation, IT system audits, or trust services.

External conformity assessments are performed by a legal person that has suitable authorisation granted by a national accreditation organisation of an EU Member State.

During the course of external conformity assessments, the Service Provider cooperates with a natural or legal person, or a group of natural persons, who or that

- is/are capable of performing an audit as regards the standards set forth in Chapter 8;
- meet the requirements set out in Chapter 8.3;

- has/have suitable experience regarding PKIs, IT, IT security solutions, technologies, and audits, and regarding the functions of the External Registration Authority in the course of the audit thereof;
- in the case of audits/evaluations performed on the basis of ETSI standards, has/have
- the accreditation defined by ETSI EN 319 403, *or*
- equivalent accreditation as defined by a national standard, *or*
- accreditation to perform an ISO 27001 assessment with the ISO 27006 methodology provided by the National Accreditation Authority in accordance with ISO 17021;
- in the case of WebTrust audits, has/have the license to perform WebTrust audits;
- whose activities are governed by legislation or a professional code of ethics;
- has/have insurance of at least USD one million to cover any omissions or errors in the assessor's activities.

8.3. Assessor's relationship to assessed entity

The trust employees filling the role of Independent System Controller who perform internal conformity assessment at the Service Provider are independent of the Service Provider's organizational units responsible for services.

The auditors who perform external conformity assessment are independent from:

the owners, managers, and operations of the audited Service Provider;
the audited organisation, i.e. neither the auditor nor any direct relation is in an employment relationship with the Service Provider;
the results of the activities performed during the assessment, which do not affect their relationship.

8.4. Topics covered by assessment/audit

The following topics are covered by assessments/audits:

- compliance with applicable law;
- compliance with technical standards;
- compliance with the Trust Service Policy(-ies) and Practice Statement(s);
- compliance of applied processes;
- compliance of physical security;
- compliance of staff;
- compliance of IT security;
- adherence to data protection privacy policy
- occasional configuration monitoring of the Trust Services according to security requirements.

8.5. Actions taken as a result of deficiency

The Service Provider summarizes the results of external and internal conformity assessments in a report that includes the system components and processes that were audited. The document includes the evidence used during the audit and the assessor's findings. The report furthermore contains the deficiencies and derogations uncovered by the audit and the deadlines set for their repair. The uncovered deficiencies are classified into the following categories in accordance with their severity:

“Slight” deviation, for which the documents certifying the corrective measures have to be presented during the subsequent assessment.

“Severe” deviation, for which the documents certifying the implemented corrective measure have to be presented during the current assessment.

The Service Provider is obligated to provide a written response to the deviations recorded by the independent assessor and to present as of the next assessment the measures taken to correct those.

8.6. Communication of results

The Service Provider will not disclose the detailed assessment report drawn up on the assessment or audit. However, it will disclose the issued certificate within three months of the assessment.

9. OTHER BUSINESS AND LEGAL MATTERS

9.1. Fees

The Subscriber is obligated to pay in advance the value of the periodic services and the other services made use of in addition or during applying for those (e.g. optional services), as well as other fees determined by the Service Provider (e.g. administration fee), in the manner set out in the GTC and according to the price list made available on the Service Provider website or in the individual client offer.

In the price list published on its website and in its offers, the Service Provider determines especially, but not exclusively, the following fees for the services set out in the present Statement and the related optional service fees.

Periodic Services:

- Certificate service (see Chapter 9.1.1 fejezet);
- NL Sign service (see Chapter 9.1.4.1)
- Service pack(see Chapter 9.1.4.2);
- services not detailed in the present practice statement (see Chapter 9.1.4.2);

Optional services related to certificate issuance:

- Mobile registration service;
- Delivery of Client device with an approved agent;
- Identification via a Registration Agent;
- Post payment);
- Management of Client requests for amendments to the Service Agreement;
- Unlocking a blocked Client device;
- Replacing a Client device;
- Other administrative fees.

The Service Provider publishes on its website the exact definitions and conditions of the various optional services. The Service Provider may suspend the provision of optional services and can also introduce other optional services in addition to those listed above, about which it will publish information on its website.

The fees for applying for services and for the optional services provided with those are payable to the Subscriber together with the fee of the given service.

The Service Provider can also sell the services as part of service packages, in which case the service fee is included in the service package fee. The conditions of packages and the other rules pertaining to the Service Provider are laid out in the GTC.

9.1.1. Certificate issuance or renewal fees

The Certificate creation service fee includes the issuance of the certificate (as part of an initial, renewal, modification, or re-key process), its publication during the entire term of validity (in the certificate repository or in the CRL), the provision of related services (e.g. certificate status), and storage during the entire retaining period.

9.1.2. Certificate access fees

The Service Provider does not charge for queries from the certificate repository if they take place in accordance with the applicable rules of Chapter 2.4, if the interface maintained by the Service Provider for the purpose on its website is used, and if certificates are queried one at a time with the manual entry of the data required for viewing certificates.

The Service Provider only provides for other uses of the certificate repository (e.g. large number of automated queries) on the basis of a separate agreement and with the conditions and for the service fee set forth therein.

9.1.3. Status changes or status information access fees

The Service Provider does not charge for certificate status changes (see Chapter 9.1.3).

The Service Provider only provides for uses of the certificate status service other than that set out in Chapter 2.4 (e.g. frequent or a large number of OCSP queries) on the basis of a separate agreement and with the conditions and for the service fee set forth therein.

9.1.4. Fees for other services

a. Fees for NLSign service

The signature service fee includes the fee of the related certificate and optional timestamp services for the given period and the creation of the given number of signatures/seals.

b. Fees for service packs

The fees of the service packs under the GTC include the fees of the timestamps that can be used during the term, and the fees of the client devices.

c. Fees for other services not detailed in this Statement

The Service Provider may also charge a fee for the services not detailed in this Statement if those are published on its website in accordance with the GTC or it concludes an agreement with the Subscriber for the provision of such service.

9.1.5. Refund policy

If the service agreement is terminated for a proven serious breach of contract on behalf of the Service Provider as defined in the GTC or due to an amendment of the GTC, or the Service Provider terminates the given service during the term of the agreement (and it is not taken over by another service provider), the Service Provider will pay a fee commensurate to the provided services to the Client as compensation. If the service agreement is terminated or rescinded within 14 days of its conclusion, the Service Provider will refund the entire service fee.

In other cases, e.g. the service agreement is terminated (before its expiration), or the service was not used, the Client device was not taken over, or the service packages pertaining to the contractual term (e.g. a certain number of timestamps or signatures, or the entire validity period of the certificate) are not used up, the Service Provider will not refund any part of the paid service fees to the Subscriber. The fees of these services were set with the express assumption that a certain proportion of Clients would only make use of a part of the quotas.

9.2. Financial responsibility

The Service Provider restricts its financial liability as set forth below:

In respect of the various services and certificate types, it sets different values for assumptions of liability in the Price list which can be validated per insurance event (which took place as a result of one or more reasons but are linked in time). If more than one Client or several different agreements and the related certificates, timestamps, or files are affected in a given insurance event, the rate of compensation is determined for the individual Clients and agreements (certificates) in a manner that ensures that the highest value of assumption of liability is not exceeded by the total amount of compensation and the value of such assumption for the given service or certificate type is limited in all cases.

The Service Provider provides information on the value of assumed liability on its website. The value of assumed liability is minimum 3,000,000 (three million) HUF.

These amounts were defined for the full price amounts included in the Services price list. If the Client receives the services at a discounted rate, the amount of compensation will be defined commensurately to the provided discounts and will be proportionate to those.

9.2.1. Insurance coverage

Service Provider has liability insurance in order to cover the costs for indemnifying Clients and Relying Parties and any other incurred costs. The liability insurance covers the Service Provider's indemnification liabilities incurred during the provisions of all services set out in this Statement. See Chapter 9.6.

The liability insurance shall, in addition, cover the followings:

- the damages caused to trust service clients in connection with the breach of the trust service agreement,
- the non-contractual damages caused to trust service clients and third parties,
- the costs payable to the Trust Services Supervisory Authority under the Electronic Administration Act due to the non-performance of the obligations prescribed by the Electronic Administration Act, and
- the costs of the procedures of the compliance assessment bodies involved by the Trust Services Supervisory Authority under the applicable provisions of eIDAS, provided that such costs are claimed by the Trust Services Supervisory Authority as procedural costs.

The insurance coverage set out in the insurance agreement shall not be lower than HUF 3,000,000 (three million Hungarian forints) per damage.

In the case of web authentication certificates (EVCP), the upper limit of compensation paid by liability insurance is the forint value of 5,000,000 (five million) USD, at the bank exchange rate at the time of paying indemnification.

9.2.2. Other assets:

The Service Provider has cover for the costs related to the performance of the requirements for terminating the service. A HUF 25,000,000 bank guarantee is in place for the fulfilment of the obligations.

9.2.3. Insurance or warranty coverage for relying parties

The Service Provider is liable for the damages caused to third parties that it does not have a contractual relationship with in accordance with the general rules of the Civil Code.

9.3. Handling of business information

The Service Provider stores and handles the confidential information that comes into its possession by taking into account the provisions of relevant legislation and in accordance with Chapter 5 and the Service Provider's private Data Management Regulations.

When the obligation of storage expires, the Service Provider irrevocably deletes the confidential information, unless provided otherwise by the Client.

9.3.1. Scope of confidential information

The Service Provider considers all data pertaining to any Clients and not included in Chapter 9.3.2 to be confidential information. The following are especially confidential information:

- the Client personal information that is not included in the certificate;
- registration data (e.g. audio and video recordings, document copies);
- the audio recordings recorded at customer service;
- private keys and their activation data;
- certificate enrolment data;
- service agreements;
- private regulations;
- the log data created in connection with the services;
- all data that would threaten the security of services if disclosed;
- all data that, if disclosed, could lead to third parties learning of the above data.

The Service Provider handles confidential information in the manner set out in Chapter 9.3.3.

9.3.2. Information not within the scope of confidential information

The Service Provider does not consider the following information to be confidential:

- the certificate data required for certificate status services;
- all data included in the certificate (see Chapter 7.1), unless provided otherwise by the Applicant during the application;
- other anonymized data that can no longer be linked to the owner of the information or to any persons about which conclusions can be drawn on the basis of the information.

The Service Provider may disclose information not considered confidential, may share such with its partners, and is not liable for their becoming public knowledge.

9.3.3. Protection of confidential information

In addition to the requirements set forth by law and the present Practice Statement, the Service Provider takes all measures, including the method defined in the Data Management Regulations, for the secure handling of the confidential information as defined in Chapter 9.3.1.

The Service Provider stores in an electronic format any data that it was provided in an electronic format; any information provided to it in hard copy format can be stored and managed in both hard copy form and/or electronic format.

The Service Provider retains personal information, protects their security, and prevents data loss, damages, and the incorrect or unauthorised use in the manner laid out in Chapter 5.5 and by taking into account the IT security requirements of Chapter 6.5.

The Service Provider grants access to the confidential information that comes into its possession only to those of the employees defined in Chapter 5.2.1 for whom the information is required (e.g. Registration Administrators).

The Service Provider may transfer the client data to the degree necessary and for the purpose of performing the respective tasks to its sub-contractors and agents in the following cases:

- Creating the devices necessary for the use of the service;
- Invoicing;
- Enforcement of claims against the client.

Service Provider shall disclose confidential information only in the following cases and means specified in the Electronic Administration Act:

- In case Service Provider terminates all of its trust services, pursuant to Section 88 of the Electronic Administration Act, the Service Provider shall, following the termination of the activities related to service provision, provide the statutorily specified recipient service provider with access to the registries related to the services, and shall hand over all data related to the revoked certificates (including personal data).
- Pursuant to Articles 90(1) and 90(2) of the Electronic Administration Act, Service Provider shall, without any delay, provide the investigative authority and/or national security services with the requested data upon request, for the purpose of detection or prevention of criminal offenses that may be linked to the trust services of Service Provider or in the interest of national security, upon the fulfilment of the criteria set out in separate legislation, including the handover of personal and other information verified and recorded in accordance with Article 82 of the Electronic Administration Act in the course of the authentication-certification procedures (see Chapter 3). Service Provider shall draw up minutes of the fact of disclosure, but Service Provider shall not notify the affected Client or Clients of the disclosure, pursuant to the applicable legislation.
- Pursuant to Article 90(3) of the Electronic Administration Act, in the case of civil litigious or non-litigious proceedings that affect the validity of the certificate issued by Service Provider, Service Provider is entitled to disclose, upon request, the personal and other data verified and recorded in accordance with Article 82 of the Electronic Administration Act in the course of the authentication-certification procedures prior to the issue of the certificate (see Chapter 3) to the counterparty to the proceedings or to the representative thereof, or may disclose such data to the court that contacted the Service Provider with such request.
- In case the Trust Services Supervisory Authority calls the Service Provider for the disclosure of data in connection with the performance of the duties within the scope of its competence, Service Provider shall disclose the requested data to the Trust Services Supervisory Authority within the required deadline, in the required, complete, true and correct form.

Service Provider shall have no right to refuse the disclosure of data in the above statutory regulated cases. In the course of the disclosure, Service Provider shall maintain the confidentiality of the data, as well as their complete, true and correct form. The actual management of the Service Provider shall appoint the employee responsible for the performance of the mandatory disclosures and for recording the minutes.

9.4. Privacy of personal information

With the exceptions set out in Chapter 9.3.2, the Service Provider considers Client personal information to be confidential information as defined by Chapter 9.3.1 and handles those in line with the provisions of Chapter 9.4.1 and by providing them suitable protection (Chapter 9.3.3).

9.4.1. Data management

The Service Provider handles Client personal data in line with the provisions of:

- this Statement and the Service Policy,
- Information Act,
- GDPR, and
- the Service Provider's Data Management Regulations.

Service Provider shall prevent the unauthorized access to any data it has been provided with.

Provider shall, in accordance with the laws and regulations in force, retain the information related to the certificates – including information connected to the creation of the certificates – and the related personal data for 10 years from the expiry of the certificate, and for the final and binding resolution of the legal dispute arising in connection with the electronic signature/seal or the electronic document furnished therewith, and shall, until the elapse of the same deadline, provide a device with which the contents of the issued certificate can be established.

Service Provider shall, in all cases, publish the status information of the certificates, and upon the written consent/request of the Client, Service Provider shall publish the Subject data of the certificate, as well as the certificate itself in its public certificate repository.

Service Provider shall have a data processing policy in place, which shall be comprised of detailed provisions on the processing of confidential information and personal data. Service Provider shall, on its website (see Chapter 1.1.2) inform its Clients in a Privacy Notice on the data processing practice laid down by the data processing policy.

The Service Provider is registered by the Nemzeti Adatvédelmi és Információszabadság Hatóság [The Hungarian National Authority for Data Protection and Freedom of Information] (NAIH) as a data controller; Data processing registration number of Service Provider: NAIH-50145/2017

9.4.2. Private information

The Service Provider considers all data in its possession to be private information

- on the basis of which the natural person can be identified, with especial regard to the name of the person or his/her identifier registered by the authorities, and
- which can be linked to a natural person, or
- from which conclusions can be drawn regarding the natural person, and
- which is not listed under Chapter 9.4.3.

The Service Provider requests the Client to provide only the personal information that is indispensable and required for the provision of the requested service. This does not exclude the possibility of the Service Provider also requesting data that allow it to perform its activity more effectively. The provision of these data is not obligatory, and the processing thereof shall be based on the consent of the data subject.

9.4.3. Information not deemed private

The Service Provider does not consider the data referred to in Chapter 9.4.2 to be personal.

9.4.4. Protection of personal data

The Service Provider shall store the personal information pertaining to Certificate issuance but not included in the certificate in a secure manner and shall protect it, in compliance with the applicable requirements (see Chapter 9.4.1). Suitable measures shall be implemented to protect the data from unauthorized access and modifications, especially when forwarding those between the Client and the Service Provider's various units. They shall furthermore be protected against data loss, damage, and unauthorized processing. See also: Chapters 5.3.1, 5.5.1, 5.7.1, 5.7.4, and 9.3.3

9.4.5. Usage of private information

The Service Provider may only disclose the personal data included in the certificate if the preliminary written consent of the Client has been given.

With regard to the requirements set out in the Privacy Act of Hungary, the Services Provider may only use the personal data in a manner and to the extent that is required for the actions related to the certificate (e.g. issuance, status change, renewal, modification, re-key).

9.4.6. Data management

The ground for processing by Service Provider is primarily meeting the statutory obligation of retaining the data related to certificate issuance as set out in the eIDAS and in the Electronic Administration Act. In the case of data falling out of the scope of meeting any statutory obligation,

the ground for processing is the lawful interest of the Service Provider and the data subject, as well as the prior, informed and specific consent of the data subject.

Service Provider shall store and process the personal data in the light of the provisions enlisted in Chapter 9.4.1 and in accordance with the applicable procedural rules set out in Chapter 5, and the personal data may be disclosed by Service Provider to statutorily specified third parties only in the cases enlisted in Chapter 9.3.3 and in the cases set out in the applicable legislation.

9.4.7. Other information disclosure circumstances

In the interest of uncovering and preventing crimes with the use of the trust services that it provides, as well as for reasons of national security, the Service Provider shall forward data free of charge to investigating authorities and national security services if the conditions for data requests set forth in separate legislation are met; the above extends to data certifying the personal identity of the involved parties and other data. The fact of the data provision is recorded by the Service Provider; however, it does not inform the Relying parties of the data provision (see 9.3.3).

9.5. Intellectual property rights

All of the

- names,
- products,
- software and hardware components

used during the course of the service activity are owned by the Service Provider, or the Service Provider uses those lawfully.

Furthermore, the Service Provider owns the following items published / issued / created by them:

- regulations,
- contractual conditions,
- other documents and information prepared by it,
- certificates,
- certificate status service data,
- and individual identifiers disclosed/issued/created by the Service Provider are also owned by the Service Provider.

The Subscriber is the owner of the public and private keys issued by the Service Provider.

The End-User is the user with full rights of the end-user certificate, the public key included therein, and the permanent identifier.

The Service Provider may publish, reproduce, revoke, and manage by other means the end-user certificates (including the public keys and other data in them) that it has issued (see Chapter 4).

During its operations, the Service Provider takes care not to infringe upon the intellectual property rights of third parties.

9.6. Representations and warranties

The Service Provider is liable for damage caused intentionally or through negligence to any natural or legal person due to a failure to comply with undertaken obligations.

In the case of non-qualified services, the party applying for compensation has to prove that the Service Provider acted intentionally or negligently.

The Service Provider is not responsible for damages that exceed beyond the restrictions applicable to the use of services (see this Statement, the Service Policy, the GTC, and the service agreement for the restrictions).

The Service Provider is liable for the service activities performed in the framework of its regulations and for the operations of its Registration and Certification Authority even if any functions are performed by TSP Partners.

9.6.1. The Certification Authority's responsibilities

See Chapter 9.6.1 of the Service Policy.

9.6.2. The RA's responsibilities

See Chapter 9.6.2 of the Service Policy.

9.6.3. Client representations and warranties

See Chapter 9.6.3 of the Service Policy.

The Applicant is responsible for:

- providing and verifying the data required for processing applications (see Chapter 4)
- the veracity, accuracy, and validity of the data provided during registration and application;
- cooperating with the check outlined in Chapter 3 pertaining to identity and the data provided during application, and for taking all steps that can be expected of it to ensure that the process can be completed as quickly as possible;
- checking the data in the certificate after its issuance and for notifying the Service Provider if it uncovers any deviations;
- reporting without delay any changes to data and requesting the suspension or revocation of the Service Provider and for the suspension of the use of the keys;

- becoming familiar with the contents of the Trust Service Policy, this Service Policy, the GTC, and the service agreement before making use of the services.

The End-User is responsible for:

- using its Client device, key, and certificate in accordance with the regulations;
- the secure handling of its Client device, key, and activation data,
- notifying the Service Provider without delay and providing comprehensive information in any disputes regarding the certificate or its use before using legal means to settle the dispute;
- using the services in the manner required by law and this Statement;
- using certificates for the purposes and with the restrictions indicated therein;
- the use of private keys belonging to test certificates without actual commitment and for testing purposes;
- if the End-User's private key, Client device, or activation data ends up in unauthorised hands or suspicion of such arises, the End-User is obligated to inform the Service Provider without delay and to initiate the suspension or revocation of the certificate(s), and the use of the certificate must be terminated.

The Subscriber is responsible for:

- familiarizing itself with the Service Provider's regulations before making use of the service;
- the veracity, accuracy, and validity of the data provided during application;
- cooperating with the check outlined in Chapter 3 pertaining to the data provided during application, and for taking all steps that can be expected of it to ensure that the process can be completed as quickly as possible;
- initiating the modification, re-key, or revocation of the certificate as per Chapters 9.6.3 and 4.9.1 of the Service Policy and Chapters 4.7 and 4.8 of this Statement;
- adhering to the End-User's obligations to the degree it effects those;
- notifying the Service Provider without delay and providing comprehensive information in any disputes regarding the certificate or its use;
- ensuring that unauthorised persons cannot access the data and devices required for making use of the services;
- assuming liability for adhering to the End-User's obligations to the degree it effects those;
- meeting its fee payment obligations.

9.6.4. Relying party representations and warranties

See Chapter 9.6.4 of the Service Policy.

In the interest of the circumspect procedure required for maintaining the security level guaranteed by the Service Provider, it is recommended that Relying Parties:

- check the acceptance and non-qualified nature of the Service on the trust list;
- adhere to the requirements and rules set out in the Service Provider's Trust Service Policy and this Statement;
- use reliable IT environments and applications;
- check certificate statuses with the current CRL or OCSP response (see Chapter 4.9.6);
- take into consideration all restrictions (indicated in the policies and the certificate) applicable to certificate usage.

Relying Parties are authorised to decide at their own discretion and/or on the basis of their own policies on whether to accept certificates and on the method for doing so.

9.6.5. Representations and warranties of other participants

No requirements.

9.7. Disclaimers of warranties

The Service Provider will reject claims for warranty, guarantee, or compensation against the Service Provider for its services if

- the event on which it is based can be traced back to the Client's omission, failure to meet an obligation or responsibility, or an external, unforeseeable event;
- the regulations applied by Relying Parties do not meet the requirements of the present Statement;
- the Service Provider is unable to fulfil its obligations regarding communication due to a fault of the internet or a part thereof;
- the damages are a result of the fault or weakness in the cryptographic algorithms approved by the Supervisory Body.

9.8. Limitations of liability

The Service Provider limits its liability as set forth in Chapter 9.16.5 and below.

The Service Provider is not liable for damages resulting from a circumstance subject to the exclusion of the Service Provider's warranty as defined in Chapter 9.7, or if the Client or Relying Party did not proceed with proper diligence, proceeded contrary to the Service Provider's Conditions, or proceeded unlawfully.

The Service Provider is only liable against third persons for contractual and non-contractual damages related to its services to the extent that they were caused by its own fault, from a breach of its obligations, or for a reason attributable to it, and if the damages can be proven.

The Service Provider does not assume liability for using test certificates for other purposes than testing.

See also the contents of Chapter 9.2 and 9.6 for liability and its limitations.

9.9. Indemnities

The Service Provider has liability insurance to cover its indemnification obligations (see Chapter 9.2).

The Client is obligated to indemnify the Service Provider for any proven losses or damages that are incurred by the Service Provider as a result of the Client failing to meet obligations or adhere to recommendations either intentionally or through negligence.

The general provisions of the Civil Code are applicable to compensation and indemnification proceedings; the Service Provider provides details on the procedure in its GTC.

As regards proving liability, see Chapter 9.6 and the contents of 9.7 and 9.8 for warranty, guarantee, and compensation and indemnification claims.

9.10. Term and termination

9.10.1. Term

The term of this Statement starts on the day this version becomes effective as indicated on the cover (effective date).

The personal scope of this Statement extends to the Service Provider's trusted employees, the Service Provider's partners, to Clients, and to all Relying Parties.

The scope of this Statement includes the provision and usage of services as defined in Chapter 1.1 of this Practice Statement.

9.10.2. Termination

The Statement remains valid until the service is terminated, the Statement is revoked, or until a new version enters into effect. As regards the validity of the certificates issued during the term of this Statement, Chapter 9 of the Statement shall be applied even after the validity of the Statement itself, regardless of the manner for the termination of its validity.

9.10.3. Effect of termination

If the present Statement is revoked, the Service Provider shall publish on its website the detailed rules for revocation and the rights and obligations that remain in effect thereafter. The Service Provider undertakes to guarantee that the regulations pertaining to the protection of confidential information as defined by relevant legislation shall remain in effect even if the Practice Statement is revoked.

9.11. Individual notices and communications with participants

In the interest of communicating with its Clients, the Service Provider operates a customer service office and telephone service, which is available at the contacts provided in Chapter 1.1.2 (also see Chapter 1.3.2).

During the administration of service usage and other tasks related to end-user certificates, Customer Service primarily communicates with Clients via emails. Customer service can also be contacted both by phone and in person.

The Service Provider provides a unique identifier to all Customer Service emails sent to Clients, based on which the given data or topic can be easily identified if contacted by the Client. If a Client responds to such an email, the subject of the email should be kept the same in order to facilitate the process.

If the Client sends an email other than a response to a Customer Service email, it should take all steps necessary to ensure that the email can be identified as easily as possible, e.g. by providing an electronic signature/seal to the email and/or sending it from the email address in the certificate in question.

In the course of contact by email, it is also necessary for the service or certificate in question to be unequivocally identifiable.

If the Client contacts the Service Provider by email, the Registration Administrator is responsible for deciding what steps can be taken on the basis of the email. If the Service Provider requires more information, it provides information in its response. If doubt arises regarding the identifiability of the Client, the Service Provider will attempt to contact the Client by phone to conciliate personal information.

In addition to communication by email, the following channels of communication are also open to Clients.

Phone

A customer service representative is only available at the customer service number during the indicated times; otherwise, a message can be left (except for certificate revocation, see Chapter 4.9.4).

Personally in the customer service office

The Service Provider only provides personal service at its customer service office (see Chapter 1.1.2) with appointments.

9.12. Modifications

If any changes occur in normative regulations, security requirements, the market environment, or other circumstances, the Service Provider will amend its Practice Statement.

Compliance of regulations with each other, relevant legislation, and applicable standards is examined at least annually. The regulations are to be reviewed and amended whenever justified by changes in relevant legislation and/or the environment of technical standards. Based on the experience it has gained during its operations, the Service Provider continuously reviews its Practice Statement.

The amended statement may enter into effect on the day of the publication thereof and the notification of the Trust Service Supervisory Authority, at the earliest, but in extraordinary cases, such amendments may even enter into effect immediately.

The Service Provider reports to the Supervisory Body immediately any changes that occur to its former registered data, regulations, or the provision of trust services.

See also Chapter 1.5 and 2.1.

9.12.1. Amendments

The Service Provider collects requests for changes (see 1.5), performs the amendments, fulfils internal and external information provision obligations, and has the changes enter into effect.

The Service Provider will examine requests for amendments as regards their compliance with the content requirements defined in the Service Policy, the law, and standards. If no objections are raised regarding either, it accepts the request for amendment and commences its processing.

By collecting the modifications, the Policy Adopting Unit shall create internal, non-public drafts of the statements, which shall be subject to an internal review before the publication. Service Provider shall, if possible, batch the changes into a new version of the statement, in order to reduce the number of issues of the statements.

The person who approved the Statement (see 1.5) approves the amendments, prior to which the above requirements regarding content and form are again checked. The Supervisory Body, Clients

and Relying Parties are then notified (see 9.12.2). The Service Provider has final liability and responsibility for approving the Policy; after its notification, the Supervisory Body registers the Statement.

The versions of the amended statements – including the public drafts – shall always be published with new version numbers.

The Service Provider accepts comments regarding the published draft Policy or Practice Statement for 14 days after its entry into effect; comments are to be submitted by email. In case of any comments affecting the merits, the Service Provider makes the necessary modifications to the draft and finalizes and published the version changed on the basis of the comments 7 days before its entry into effect.

9.12.2. Notification mechanism and period

The Service Provider shall inform the Trust Services Supervisory Authority of any planned changes to its Policy and Practice statements as compared to the former regulations reported to and registered by the Supervisory Body, at least 30 days before such change. Simultaneously with the notification the Service Provider shall send to the Trust Service Supervisory Authority the new version(s) of the Service Policy and Practice Statement with the amendments approved, and – for informing the Clients and the Relying Parties – shall publish it on its website (see 2.1.2).

In case Service Provider plans to launch a new service as a result of, and simultaneously with, the change, Service Provider shall notify the Trust Service Supervisory Authority, on the day of launching the new service.

The notice shall be made by filling the form published by the Trust Service Supervisory Authority, in accordance with Decree 470/2017/GOV. The Service Provider shall attach the followings to the form

- the amended and approved new version of the Certificate Policy;
- the amended and approved new version of the Practice Statement;
- the amended and approved new version of the extract of the Practice Statement;
- the other instruments and documents set out in Decree 470/2017/GOV.

9.12.3. Circumstances under which OID must be changed

New public versions of the Practice Statement – also the drafts – are published with new version numbers, i.e. two documents with different contents shall not have an identical OID.

The identifier of the document shall is comprised of the following elements – the elements are separated by dots:

- Service Provider OID (1.3.6.1.4.1.3555),
- marking of public documents (1),
- marking of Practice Statements (1),

- the unique serial number of this document among the public Practice Statements (15),
- an indication that the document is not an annex (0),
- version (which is the effective date in short date format),

i.e. in the case of the present service practice statement:

1.3.6.1.4.1.3555.1.1.15.0.ÉÉHHNN

Please note that the new Practice Statement will only be applicable to certificates issued after its effective date. Any certificate issued prior to the release of the Statement will not be subject to the new guidelines.

9.13. Dispute resolution

The Service Provider (including service provider partners) receives questions, objections, and complaints pertaining to its activities by email, phone, or in person at the Service Provider's customer service offices (see Chapter 1.1.2).

If any disputes or complaints occur, Clients are obligated and Relying Parties and other third parties are recommended to notify the Service Provider immediately before taking legal steps and to inform the Service Provider of all aspects of the case. The Parties will always attempt to settle disputes by amicable means through negotiations.

9.13.1. Dispute resolution provisions

The Service Provider will examine complaints within 30 calendar days of their having been reported and will inform the complainant by email of the results of the inspection, unless agreed on otherwise by the parties. If the examination of the complaint is expected to take more than 30 calendar days due to the nature of the complaint, the Service Provider will inform the Client that submitted the complaint.

In case of complaints filed in person or by phone, the Service Provider will draw up records on the receipt of the complaint.

After examining the complaint, the Service Provider will fix (if applicable) the error within the time technically justified and will inform the reporting party about this activity in writing.

If the reporting Client does not accept the response, it can initiate negotiations with the Service Provider. If the Service Provider rejects an application for negotiations or if the negotiations do not lead to results within 20 workdays of their commencement, the dispute can be settled according to Chapter 9.13.2.

9.13.2. Amicable dispute resolution through negotiations

If the negotiations between the Client and the Service Provider do not lead to results, the Client is recommended to turn to the Budapesti Békéltető Testület [Budapest Conciliatory Body] before initiating court proceedings.

The contact information of the competent bodies as of the entry into effect of this Statement:

Budapesti Békéltető Testület [Budapest Conciliatory Body]:

- Address: 1016 Budapest, Krisztina krt. 99. III. em. 310.
- Mailing address: 1253 Budapest, Pf.: 10.
- Email address: bekelteto.testulet@bkik.hu
- Website: www.bekeltet.hu

Budapest Főváros Kormányhivatala Fogyasztóvédelmi Osztály [Budapest Government Office, Consumer Protection Department]:

- Address: 1056 Budapest, Váci utca 62-64.
- Phone: +36-1 328 5862
- Mailing address: 1364 Bp., Pf.: 234
- Email: budapest@bfkh.gov.hu

9.13.3. Litigious dispute resolution

If the dispute cannot be settled with any of the negotiation methods outlined in Chapter 9.13, the Parties will take the case to court. In this case, the Parties subject themselves to the sole competence of the Court of Budapest Districts II and III.

9.14. Governing law

The Service Provider shall perform its activity in accordance with relevant Hungarian and European Union legislation. Hungarian law is governing regarding the Service Provider's agreements and policies and for their fulfilment, and they are to be interpreted in accordance with Hungarian law (see chapter 9.15).

9.15. Compliance with applicable law and standards

The Service Provider conducts its activity in line with applicable law and standards. The registration of both the Service Provider and the trust services at the Supervisory Body certifies that operations meet the requirements of relevant legislation.

The Service Provider conducts its activities in accordance with the applicable provisions of the following pieces of legislation, standards, and requirements:

- **eIDAS:** Regulation (EU) No 910/2014 of the European Parliament and of the Council of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC
- **Electronic Administration Act:** Act CCXXII of 2015 on the General Rules of Electronic Administration and Trust Services
- **BM Decree:** Decree 24/2016 of 30 June of the Minister for the Interior on the detailed requirements pertaining to trust services and their providers
- Decree of the Ministry of Interior 25/2016 on the administrative service fees payable to the Trust Service Supervisory Body (VI. 30.);
- Decree 470/2017 of the Government about the content of the records led by the supervisory body and the notifications regarding the provision of trust services
- **Public Administration Decree:** Government Decree 137/2016 of 13 June on the requirements for the use of electronic signatures and seals related to the provision of electronic administration services
- **Commission Implementing Decision (EU) 2015/1506** of 8 September 2015 laying down specifications relating to formats of advanced electronic signatures and advanced seals to be recognised by public sector bodies pursuant to Articles 27(5) and 37(5) of Regulation (EU) No 910/2014 of the European Parliament and of the Council on electronic identification and trust services for electronic transactions in the internal market
- **Consumer Protection Act:** Act CLV of 1997 on Consumer Protection
- **Records Act:** Act LXVI of 1992 on the Records of Civilian Private Information and Addresses
- **Free Movement Act:** Act I of 2007 on the Admission and Residence of Persons with the Right of Free Movement and Residence
- **Third-Country Nationals Act:** Act II of 2007 on the Admission and Residence of Third-Country Nationals
- **Civil Code:** Act V of 2013 on the Civil Code
- Government Decree 45/2014 of 26 February on the detailed rules on agreements between consumers and companies
- **Information Act:** Act CXII of 2011 on Informational Self-Determination and Freedom of Information
- **GDPR:** Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data, and repealing Directive 95/46/EC (General Data Protection Regulation)

- Közigazgatási Gyökér Hitelesítés-Szolgáltató [Public Administrative Root Authentication Service Provider] Authentication Regulations
- ISO 3166 English Country Names and Code Elements,
- FIPS PUB 140-2 (May 2001): “Security Requirements for Cryptographic Modules”
- RFC 5280 (previously RFC 3280) and RFC 6818 Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile
- RFC 3647 (previously RFC 2527) Internet X.509 Public Key Infrastructure Certificate Policy and Certification Practices Framework - As regards regulation structure
- International Telecommunication Union X.509 “Information technology - Open Systems Interconnection - The Directory: Public-key and attribute certificate frameworks”
- RFC 6960 Online Certificate Status Protocol (OCSP)
- RFC 6844 DNS Certification Authority Authorization (CAA) Resource Record;
- RFC 2616 Hypertext Transfer Protocol -- HTTP/1.1;
- RFC 6962 Certificate Transparency;
- **ETSI EN 319 401 V2.2.1** (2018-04) General Policy Requirements for Trust Service Providers
- **ETSI EN 319 411-1 V1.2.2** (2018-04) Policy and security requirements for Trust Service Providers issuing certificates; Part 1: General Requirements
- **ETSI EN 319 412-1 V1.1.1** (2016-02) Certificate Profiles; Part 1: Overview and common data structures
- **ETSI EN 319 412-2 V2.1.1** (2016-02) Certificate Profiles; Part 2: Certificate profile for certificates issued to natural persons
- **ETSI EN 319 412-3 V1.1.1** (2016-02) Certificate Profiles; Part 3: Certificate profile for certificates issued to legal persons
- **ETSI EN 319 412-4 V1.1.1** (2016-02) Certificate Profiles; Part 4: Certificate profile for web site certificates issued to organisations
- **ETSI TS 119 431-1** Policy and security requirements for trust service providers; Part 1: TSP service components operating a remote QSCD / SCDev
- **ETSI TS 119 431-2** Policy and security requirements for trust service providers; Part 2: TSP service components supporting AdES digital signature creation
- **ETSI TS 119 461 V1.1.1** (2021-07) Electronic Signatures and Infrastructures (ESI); Policy and security requirements for trust service components providing identity proofing of trust service subjects
- **ETSI TS 119 511 V1.1.1** (2019-06) Electronic Signatures and Infrastructures (ESI); Policy and security requirements for trust service providers providing long-term preservation of digital signatures or general data using digital signature techniques
- **ETSI EN 301 549** Accessibility requirements for ICT products and service
- LCP: Lightweight Certificate Policy, OID: 0.4.0.2042.1.

- NCP: Normalized Certificate Policy, OID: 0.4.0.2042.1.1
- NCP+ Extended Normalized Certificate Policy (Requiring the use of a cryptographic device), OID: 0.4.2042.1.2
- EVCP: Extended Validation Certificate Policy: Certificate Policy pertaining to the certificates for website authentication subject to extended validation, 0.4.0.2042.1.4
- CA/Browser Forum Baseline Requirements Certificate Policy for the Issuance and Management of Publicly-Trusted Certificates
- CA/Browser Forum Guidelines For The Issuance And Management Of Extended Validation Certificates

9.16. Miscellaneous provisions

9.16.1. Entire agreement

The Service Provider provides no merger clause.

9.16.2. Transferral

Any service providers included in the provision of services may only assign their rights and delegate their obligations to third parties if granted the Service Provider's preliminary written consent.

9.16.3. Partial invalidity

If any provisions of the present Statement become invalid for any reason, the remaining provisions shall remain in effect unchanged.

9.16.4. Enforcement

In the interest of receiving compensation for the damages, losses, and costs caused by partners or clients, the Service Provider may claim compensation and the reimbursement of attorneys' fees. If the Service Provider does not exercise its right of validating compensation, this does not mean that it renounces its right to validate compensation for damages in any future cases or if any other provisions of the Practice Statement are violated.

9.16.5. Force Majeure

The Service Provider is not liable for the faulty or late performance of any requirements set out in the Statement if the fault or delay was caused by an unforeseen circumstance outside its scope of inspection.

9.17. Miscellaneous provisions

The Service Provider's Registration and Certification Authorities perform their activities regarding the service subject to the present Statement and regulated by Chapters 3 and 4 independently and in their own competence.

The executive employee(s) of the Registration and Certification Authorities are independent of any business, financial, and other influences that can have a negative influence on trust in the services.

TRANSLATION